## John Deere Catalog

Parts, Equipment, Supplies, and More





\$31.92 Heavy-Duty TruVee Planter Opener Blade

Heavy Duty 15" 3.5mm Diamond Series opener blade for XP, ME5, and EE row units. #AA65248





\$29.75 Self-Sharpening Mower Blade

Sharpen less and maintain a beautiful yard with patented self-sharpening blade. Fits 60-in. mower decks on most Z900 models.

Page 95

\$9.09 7" High Productivity Sweep

7" High Productivity Perma-Loc quick change sweep for the ultimate in performance and productivity.

Page 34











Get your early-model combine running like the good ole days through a special, limited-time offer from John Deere Financial. The **all-new Combine Rebuild Program** provides No-Payment/No-Interest or low-cost financing for Genuine John Deere, John Deere Reman and A&I Products combine parts. But that's not all because you can also finance work to cab interior, hydraulics, engine accessories and exterior finishes. Qualifying models include:

- **9000** Series (9400, 9500, 9600)
- 9050 Series (9450, 9550, 9650, 9750)
- **9010** Series (9410, 9510, 9610)
- **9060** Series (9560, 9660, 9760, 9860)

Take advantage of this special financing opportunity through **October 31, 2021** when you use your Multi-Use Account.

Ask us about the Combine Rebuild Program today.

Combine Rebuild Program Finance Options	Minimum Purchase
365 Days NP/NI <sup>1</sup>	\$10,000
Fixed 1.9% APR with 24 Equal Monthly Payments <sup>2</sup>	\$10,000
Fixed 2.9% APR with 36 Equal Monthly Payments <sup>3</sup>	\$10,000

Offer valid on qualifying purchases made between November 01, 2020 to October 31, 2021 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

Offer valid on qualifying purchases made between November 01, 2020 to October 31, 2021 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 19% APR with 24 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

Offer valid on qualifying purchases made between November 01, 2020 to October 31, 2021 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 29% APR with 36 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

Dealers: R-12 Discount applies, refer to program bulletin for complete details.



#### Multi-Use Account

# **PARTS** ARE JUST PART OF THE **PICTURE**.

No matter what kind of operation you run, you don't have time for downtime. Whether you need to buy parts for regular service maintenance or have your equipment inspected during the off-season, you can put it all on one account. Ask your local John Deere Dealer about the exclusive money saving No-Payments/No-Interest programs available when using your **Multi-Use Account** from John Deere Financial.





## ONE LOGO FITS ALL

The John Deere Collection

# John Deere doesn't just stop at parts... we've got you covered!

Whether you're out in the field, hard at work in the shop, or hanging out in the house, you can count on the John Deere team to keep you stocked, locked, and ready, all year long.

From our friendly dealerships to our comprehensive catalogs, you'll find a complete lineup of quality gear. We carry everything you need from maintenance products to equipment attachments, clothing, tools, toys, and more.

So if you're preparing for next season or just looking for a unique gift idea, remember the John Deere team. We're here to help you get the job done right.



#### CONTENTS

Planter Parts & Attachments	6–15
Air Seeder & Drill Parts	16–20
Precision Ag	21
Sprayer Parts & Attachments	22–33
Tillage Parts	
Nutrient Application Parts	41–42
Hay & Forage Parts & Attachments	
Rotary Cutter Parts & Attachments	
Combine Parts & Attachments	55–60
Forage Harvester Parts & Attachments	FH 1–8
Engine & Reman Parts	61
Scraper Parts	62
Bearings	63
Cotton Parts & Attachments	64
GreenFleet	65
Tractor Parts & Attachments	66–78
Filters & Fleetguard	79–81
Oil & Lubricants	82–87
Batteries & Chargers	88–90
Hoses & Hydraulic Parts	91–93
Sunbelt Outdoor Products	94
Turf & Utility Vehicle Parts & Attachments	95–105
Accessories	106–108
Chemicals & Paint	109–111
Home & Workshop Products	112–116
Rulk Hardware	117

To change your address, send your old address label along with your new address to:

John Deere c/o Customer Mail P.O. Box 417 Moline, IL 61266-0417

Prices are suggested retail prices only and are subject to change without notice at any time. Dealer may sell for less. Taxes, setup, delivery, freight, and preparation charges not included. See dealer for details.

\*\*Manufacturer's limited warranty. Limitations apply and vary by model. See manufacturer for details.

t†The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less.

\*Trademark is third party used with permission.

John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

# WHAT ARE WORN PLANTER PARTS COSTING YOU?

#### **PRIMARY AGRONOMIC FACTORS** AFFECTED BY PLANTING THAT IMPACT YIELD

CORRECT POPULATION
2-4 bu/acre\*

UNIFORM SPACING 2-4 bu/acre\* UNIFORM EMERGENCE 10-18 bu/acre\* PLANTING WINDOW 4-10 bu/acre\*

#### **PERFORMANCE DRIVERS** OF EACH OF THE ABOVE AGRONOMIC THEMES

- POPULATION
- VACUUM LEVEL
- SKIPS/MULTIPLES
- DOUBLE ELIM. SETTINGS
- SINGULATION
- RIDE QUALITY
- DEPTH
- SEED TO SOIL CONTACT
- RESIDUE MGNT.
- PLANTING DAYS

Think your planter can make it one more season without an inspection? You might be surprised just how much worn parts can impact your bottom line. Your John Deere Dealer can test your meters to ensure you maximize your planter's performance ... and your farm's yield potential. Correct population, uniform spacing, and emergence can impact yield potential in corn.

Putting pencil to paper, let's look at a hypothetical example based on 2,000 acres of corn with a 16-row 1770NT MaxEmerge™ XP Planter assuming \$3.50 market price.

Some of the most commonly replaced meter wear parts that can negatively impact your planter's ability to deliver the correct population or uniform spacing within a vacuum meter include knockout wheels, seed meter brushes, and vacuum meter seals. As the study above suggests, correct population and spacing accuracy can ultimately impact your yield potential by up to 4 bu/acre\*. If any or all of these 3 meter parts are worn or damaged, the below table illustrates the associated yield and revenue that may be at risk.

#### **REVENUE AT RISK**

4 bu/a x \$3.50 = \$14 per acre in potential revenue For a 2,000 acre corn operation totals \$28,000

#### COSTS TO INSPECT/REPAIR PLANTER METERS

Meter Inspection, Parts, and Labor to replace Knockout Wheels, Seed Meter brushes, and Vacuum meter seals \$83 per row x 16 rows = \$1,328

#### **BOTTOM LINE IMPACT**

\$26,672 Net Revenue

Don't let worn parts wear on your bottom line.
Schedule your John Deere Certified Meter Inspection today!

#### Talc and 80/20 Talc and Graphite Blend

Talc is specially designed for today's wide range of seed treatments to enhance seed flow in all weather conditions. Talc is highly recommended for use with vacuum seed meters; however, some meters require 80/20 talc and graphite blend. This high-grade product offers the benefit of seed coating (talc) and lubrication (graphite) for vacuum seed meters. The 80/20 talc and graphite blend is 97% pure and mined in the USA.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
A113710	80/20 Talc Graphite Blend	2.5 gal./8 lb.	\$23.67	\$21.30
A113711	80/20 Talc Graphite Blend	5 gal./20 lb.	\$42.19	\$37.97
A113712	Talc	2.5 gal./8 lb.	\$17.99	\$16.19
A113709	Talc	5 gal./20 lb.	\$34.76	\$31.28
TY26253	Graphite Squeeze Bottle	1 lb.	\$ 5.16	\$ 4.64
TY25255	Powdered Graphite	5 lb.	\$18.79	\$16.91



#### Bayer Fluency Agent Advanced

Fluency Agent is a unique polyethylene wax-based seed lubricant for corn and soybeans. It is an alternative for talc and talc/graphite-blended planter seed lubricants and can be used in all makes and types of vacuum planters that recommend the use of a seed lubricant. Testing has confirmed Fluency Agent performs equal to or better than comparable talc seed lubricants while reducing the amount of dust in vacuum system exhaust.

NUMBER	APPLICATION	PKG. QTY.	LIST	NOW
A113862	4.5 lb./2kg	4	\$102.29	\$92.06



#### **Planter Tech Tip**

Per your machine's Operator's manual, follow the recommended grease and lubrication options:

**Grease:** John Deere SD Polyurea Grease is preferred.

The following greases are also recommended:

John Deere HD Lithium Complex Grease

John Deere HD Water Resistant Grease

John Deere GREASE-GARD™

**Gear Case Oil:** The following oils are preferred:

John Deere Hy-Gard™

John Deere Low Viscosity Hy-Gard™

**Roller Chain:** Do not use chain lube or any other heavy petroleum base lubricant that may cause a buildup of dust or dirt in sprocket or gear teeth.

Lubricate all machine roller chains with John Deere Multipurpose Spray Lube,
TY6350 (or equivalent) at intervals sufficient to maintain free chain movement.







#### **Brush Belt Tech Tip:**

To prevent a BrushBelt™ malfunction, do not apply fertilizer directly in the seed furrow near the front of the BrushBelt™. To dry the BrushBelt™ before planting in wet conditions, perform a meter runoff. (See the SeedStar™ Application Help for the Runoff procedure.) Periodically clean the seed sensor area inside the BrushBelt™. Dusty conditions or heavily treated seeds cause an excessive buildup of dust and seed treatment inside the BrushBelt™, which blocks the seed sensor. When the seed sensor becomes blocked, false low population counts, or false low limit warnings appear.

#### **Double Eliminator Tech Tip:**

Degraded meter performance, like multiple seed placement, is an indicator of possible inner or outer double eliminator wear. Check the inner and outer double eliminators (A) for wear. Check the inner and outer tines for uniform length and diameter. If the length of the outer double eliminator measures less than 8 mm from the base Tine or Brush to the tip and the meter performance is degraded, replace it. If the diameters of inner adjustable double eliminator Tines are worn to less than 1/2 the original diameter and the meter performance is degraded, replace it.

#### ExactEmerge Wear Parts

NUMBER	DESCRIPTION	LIST	NOW
AA98668	Meter Housing	\$235.45	\$211.91
A107427	Ceramic Meter Wear Pads	\$ 3.30	\$ 2.97
A95817	Seed Guide	\$ 5.13	\$ 4.62
AA92875	Vibrational Strip	\$ 13.72	\$ 12.35
AA83215	Smooth Strip	\$ 15.30	\$ 13.77
A95875	Meter Housing Bearing	\$ 16.67	\$ 15.00
AA86138	5-Finger Polytine Double Eliminator	\$ 19.28	\$ 17.35
AA81457	5-Finger Brush Double Eliminator	\$ 36.83	\$ 33.15
AA85925	Knockout Wheel – Black-Corn, Soybean, Cotton, Popcorn, Sunflower, Sweet Corn	\$ 33.81	\$ 30.43
AA88629	Knockout Wheel – Yellow-Regular/Large Sugarbeets	\$ 38.66	\$ 34.79
AA89179	Knockout Wheel – Green-Mini Sugarbeets, Sorghum	\$ 37.12	\$ 33.41
AA94227	BrushBelt Gearbox	\$198.28	\$178.45
A98765	Brush Belt – Black Bristles and Textured Belt	\$205.64	\$185.08
A119678	Brush Belt – Green Bristles and Textured Belt	\$414.72	\$373.25
AA86173	Seed Sensor	\$697.18	\$627.46
A92777	Seed Bowl – Corn, Large Sweet Corn	\$ 47.45	\$ 42.71
A92778	Seed Bowl – Soybean, Edible Bean (non-scalloped)	\$ 54.34	\$ 48.91
A103836	Seed Bowl – Soybean (scalloped)	\$ 44.97	\$ 40.47
A95892	Seed Bowl – Cotton, Popcorn	\$ 56.63	\$ 50.97
A95896	Seed Bowl – Sweet Corn, Sunflowers	\$ 68.82	\$ 61.94
A43215	Seed Bowl – Small Corn	\$ 27.07	\$ 24.36
A50617	Seed Bowl – Standard Corn	\$ 28.42	\$ 25.58
A56251	Seed Bowl – Acid-Delinted Cotton	\$ 36.99	\$ 33.29
A65622	Seed Bowl – 4 Seed Hill-drop Cotton	\$ 36.99	\$ 33.29
A42586	Seed Bowl – Soybean	\$ 27.07	\$ 24.36
A52391	Seed Bowl – Corn, ProMax 40	\$ 36.99	\$ 33.29
A52390	Seed Bowl – Small Sweet Corn	\$ 36.99	\$ 33.29


#### Inspection Guidelines for ExactEmerge Wear Parts

Service/Inspection	As Needed	50-hrs.	100-hrs.	Annually
Seed Bowl			X	
Meter Housing				Χ
Meter Wear Pads		X		
Seed Guide				Χ
Agitation/Smooth Strip			X	
Meter Housing Bearing	X			
Double Eliminator				Χ
Knockout Wheel			X	
Dome Seal	X			Χ
BrushBelt™ Conditioner			X	
BrushBelt™ Gearbox			X	Χ
BrushBelt™	X			Χ
Seed Sensor	X			Χ

#### Gauge Wheel Assemblies, Gauge Wheel Arms and Bushings

( NIE\	$\Lambda I$

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA103998	Gauge Wheel Arm Kit		\$ 80.00	\$ 72.00
AA53860	Tru-Vee opener disk blade assy – 15-in., 3.5mm		\$ 28.85	\$ 25.97
AA55927	TruVee opener disk blade assy – 15-in., 3mm		\$ 28.76	\$ 25.88
AA57466	Fertilizer opener disk blade assy, 13.5-in.		\$ 41.93	\$ 37.74
AA57467	Fertilizer opener disk blade assy, 13.5-in.		\$ 41.93	\$ 37.74
AA65248	Disk opener and bearing assembly		\$ 35.47	\$ 31.92
AA35392	Gauge wheel assembly, metal	ME, ME2	\$ 82.40	\$ 74.16
AA41359	Wheel, gauge wheel, plastic	ME, ME+, Pro-Series	\$ 93.34	\$ 84.01
A56565	Wheel, outer, nylon	ME+, Pro, XP	\$ 23.57	\$ 21.21
A25915	Bearing, assembly, sleeve	ME+, Pro-Series	\$ 2.06	\$ 1.85
A84062	Tire, gauge wheel, 4 1/2 x 16-in.	ME+, XP	\$ 39.93	\$ 35.94
A49918	Tire, gauge wheel	ME2, ME+	\$ 31.07	\$ 27.96
A22780	Gauge wheel half, metal	ME, ME2	\$ 16.61	\$ 14.95
AA67083	RIP gauge wheel assembly	MEXP, Pro XP	\$103.52	\$ 93.17
A84451	Large lip conservation tire, $4^{1/2} x$ 16-in.	MEXP, Pro XP	\$ 44.93	\$ 40.44
A84450	Tire, conservation, $4 \frac{1}{2} \times 16$ -in.	ME, ME2, ME+	\$ 43.13	\$ 38.82
AA66604	Steel gauge whl & tire assy, offset		\$100.46	\$ 90.41
AA98187	Complete Spoke Gauge Whl Assy	ME+, MEXP	\$159.99	\$143.99
AA98189	Complete Conservation Whl Assy	ME+, MEXP, Pro	\$171.03	\$153.93
AA98188	Complete Narrow Whl Assy	ME+, MEXP, Pro	\$159.99	\$143.99
AA82684	Gauge wheel arm kit (JD exclusive)	ME*, ME2	\$ 37.49	\$ 33.74
A97866	Gauge wheel arm	ME+, Pro-Series	\$ 25.13	\$ 22.62
A92817	Gauge wheel arm	XP, ME5, EE	\$ 27.37	\$ 24.63
A97867	Gauge wheel arm pivot bushing	Pro-Series	\$ 12.94	\$ 11.65
A92818	Gauge wheel arm pivot bushing	ME+, Pro-Series	\$ 12.63	\$ 11.37









#### Closing Wheels with Assemblies

NUMBER	DESCRIPTION	LIST	NOW
AA34350	Wheel Assembly, Closing H.D	\$ 57.66	\$ 51.89
AA43899	Wheel Assembly, Closing (ME)	\$ 42.24	\$ 38.02
AA102251	Wheel Assembly, ME 2	\$ 43.95	\$ 39.56
AA39968	Wheel, Assembly	\$ 40.35	\$ 36.32
AA73763	Wheel Assembly, HD Closing	\$ 76.49	\$ 68.84
BA28966	Wheel Kit, Closing, Rubber – 1 Row	\$421.30	\$379.17
BA27006	Wheel Kit, Disk Closing System – 1 Row	\$916.30	\$824.67
BA28967	Wheel Kit, Closing, Cast – 1 Row	\$492.80	\$443.52
BA26830	Wheel Kit, Drag Closing Assembly	\$607.20	\$546.48
AA58321	Disk Covering Assembly	\$ 34.35	\$ 30.92
A58851	Disk Closing Wheel	\$ 75.18	\$ 67.66
A94439	Disk Closing Wheel Assembly	\$ 34.16	\$ 30.74





AA34350

# PCB SAVE


Hit the ground running this season by replacing worn parts on your planter. And right now you can save a bundle, with a bundle, on Genuine John Deere Parts. Simply PICK 3 or more categories below.

PURCHASE \$150 minimum of parts in each category. SAVE 15% on all parts in your selected categories.

Now that's easy pickings. And savings, too. Stop by today!



gauge wheel arm kit.











### **15% OFF\* PLANTER PARTS** VALID 1/1/21 - 3/31/21

\*Save 15% on Genuine John Deere planter parts when you purchase \$150 or more in at least 3 of the 6 planter parts categories (gauge wheel arms/bushings, gauge wheel assembly, closing wheels, opener blades, scrapers, ExactEmerge" brush belts) from a participating U.S. John Deere dealer between January J, 2021 and March 31, 2021. \$150 worth of parts before applicable sales tax must be purchased in at least 3 categories to receive 15% OFF. Offer not valid on previously purchased parts or attachments nor on attachment ordered as an option code. Offer has no cash value and cannot be redeemed for cash. Dealer participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be discontinued or modified without notice at any time. See your John Deere dealer for details.

#### Tru-Vee™ Opener Assemblies

Tru-Vee Openers and blades are designed to cut a trench precisely to the selected depth. These OEM Diamond Series blades' special beveled edges make penetration easy, retain their sharp edge, and offer longer life compared to aftermarket alternatives.

NUMBER	DESCRIPTION	LIST	NOW
AA53860	Tru-Vee Heavy-Duty, 3.5mm for ME+ and Pro Series	\$28.85	\$25.97
AA55927	Tru-Vee Standard-Duty, 3mm for ME+ and Pro Series	\$28.76	\$25.88
AA65248	Heavy-Duty, 3.5mm Double-Row Bearing for XP, ME5, and EE	\$35.47	\$31.92
AA65457	Heavy-Duty, 3.5mm Double-Row Bearing for ME2 and ME+	\$44.73	\$40.26



#### Disk Openers and Coulter Blades

Our most popular openers and coulter blades are made from the same high quality Diamond-Series material used on new John Deere seeding equipment. They're not "just like" OEM, They are OEM.

**25-wave (0.63-in.):** Creates extremely fine tilth area in an area about <sup>7</sup>/<sub>8</sub>-in. wide. Works well on wet, spongy soil that can be tight and difficult for proper furrow closing.

**13-wave (0.7-in.):** Tills an area about 1-in. wide at speeds under 6 mph. Gives more aggressive soil disruption at slower speeds. Fractures the soil more, opening a wider slot of fine tilth.

**8-wave (1-in.):** Offers less soil disturbance and a 1.25-in. wide trench at speeds above 5.5 mph.

**Bubble:** Tills more aggressively as bubbles enter the seedbed zone. Opens a 1-in. wide slot. Penetrates soil and cuts through residue well.

NUMBER	DESCRIPTION	SIZE/TYPE	LIST	NOW
AA57466	Fertilizer Opener Assembly	13 <sup>1</sup> / <sub>2</sub> -in.	\$41.93	\$37.74
AA57467	Fertilizer Opener Assembly	13 ¹/₂-in.	\$41.93	\$37.74
A72358	Fertilizer Opener	13 <sup>1</sup> / <sub>2</sub> -in.	\$34.72	\$31.25
A72359	Seed Opener	13 ¹/₂-in.	\$18.07	\$16.26
A33066	Coulter, rippled	20-in.	\$54.61	\$49.15
A73911	Fluted Coulter	8-wave	\$47.68	\$42.91
A73615	Fluted Coulter	8-wave	\$48.60	\$43.74
A73910	Rippled Coulter – 6-Bolt	36-ripple	\$42.59	\$38.33
A72360	Rippled Coulter – 5-Bolt	36-ripple	\$36.16	\$32.54
A72677	Fluted Coulter – 6-Bolt	13-wave	\$42.04	\$37.84
A72678	Coulter Disk, 13-Flute, 7-in. diameter	13-wave	\$37.89	\$34.10
A72679	Fluted Coulter – 6-Bolt	25-wave	\$43.41	\$39.07
A72680	Fluted Coulter – 5-Bolt	25-wave	\$43.77	\$39.39
A72361	Marker Blade, notched	17-in.	\$29.77	\$26.79
A72404	Fertilizer Blade for Single-Disk Openers		\$38.45	\$34.61



#### **Opener Blades Tech Tip:**

Opener Blade Adjustment Recommended – Adjustment 1.5" to 2.25". <1.5" causes a "W" shaped trench, >2.25" causes narrow trench.







Seed tubes deliver the seed from the meter to the seed trench formed by the Tru-Vee™ openers. Large curved, regular curved, regular straight, and small straight seed tubes are available for all seed metering systems.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Seed Tubes:				
AA67780	Flush Face	MaxEmerge™ 2, MaxEmerge™ Plus, and XP	\$ 14.93	\$ 13.44
AA58293	Regular Sensor	MaxEmerge 2, MaxEmerge Plus	\$ 68.01	\$ 61.21
A56786	Large Curved	MaxEmerge 2, MaxEmerge Plus, and XP	\$ 45.57	\$ 41.01
Seed Tubes v	vith Red Light-emitting Diode Se	nsors:		
A74931	Regular Curved	MaxEmerge	\$ 8.30	\$ 7.47
A26184	Large Curved	MaxEmerge	\$ 10.31	\$ 9.28
Sensors and	Seed Tubes:			
AA58287	Infrared Sensor with Regular Curved Seed Tube	MaxEmerge	\$120.73	\$108.66
AA58288	Infrared Sensor with Large Curved Seed Tube	MaxEmerge	\$166.53	\$149.88
AA58285	Large Curved – infrared sensor	MaxEmerge 2, MaxEmerge Plus	\$125.97	\$113.37
AA67779	Flush Face – Accu-Count Sensor	MaxEmerge 5	\$167.99	\$151.19
AA67778	Flush Face – Regular Sensor	MaxEmerge XP, ProSeries XP	\$141.72	\$127.55
Seed Tube Gu	ıard:			
A97107	Curved Seed Tube Guard	ME5	\$ 17.81	\$ 16.03
AA54755	Curved Seed Tube Kit	ME+ and Pro Series	\$ 17.21	\$ 15.49
AA68468	Curved Seed Tube Guard Kit	ME2, ME+, ME	\$ 15.82	\$ 14.24
A80203	Curved Seed Tube Guard	XP Row Unit	\$ 13.40	\$ 12.06
Seed Sensors	:			
AA47936	Threaded Sensor		\$262.91	\$236.62
AA61909	Accu-Count Sensor		\$146.15	\$131.54
AA58295	Accu-Count Seed Tube Sensor	ME+, Pro-Series	\$106.00	\$ 95.40
Small Straigh	nt Seed Tubes:			
A75055	Tube, Regular Curved w/o Holes		\$ 21.87	\$ 19.68
A56791	Tube, Seed Large, Curved w/o Holes		\$ 44.40	\$ 39.96
A56789	Tube, Regular Straight Seed		\$ 35.98	\$ 32.38
A56787	Tube, Sugarbeet Seed		\$ 31.57	\$ 28.41





NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA62808	Tungsten-Carbide Scraper, Cmplt Assy.	ME2, ME+, XP, Pro	\$34.89	\$31.40
AA62559	Tungsten-Carbide, Scrapers Only	ME2, ME+, XP, Pro	\$26.52	\$23.87
AA26443	Tru-Vee Scraper, RH, Riveted	ME	\$ 4.96	\$ 4.46
AA26444	Tru-Vee Scraper, LH, Riveted	ME	\$ 5.01	\$ 4.51
AA37221	Rotary Scraper	ME2, ME+, XP, Pro	\$ 5.36	\$ 4.82
A69140	Rotary Scraper Arm (right)	ME2, ME+, XP, Pro	\$ 4.34	\$ 3.91
A69139	Rotary Scraper Arm (left)	ME2, ME+, XP, Pro	\$ 4.34	\$ 3.91
AA54726	Rotary Scraper Kit	ME2, XP	\$25.96	\$23.36
A98182	Scraper Arm (right)	ME5, ME5E	\$ 8.22	\$ 7.40
A98183	Scraper Arm (left)	ME5, ME5E	\$ 8.22	\$ 7.40
AA79993	Scraper / Wiper Assembly	ME5, XP, ME+	\$10.18	\$ 9.16
A41117	Spring, LH Torsion	ME5, ME5E	\$ 6.65	\$ 5.99
A41116	Spring, RH Torsion	ME5, ME5E	\$ 6.60	\$ 5.94
AA64034	Scraper Kit – HD Scraper Blade	ME5, ME5E	\$29.73	\$26.76

#### **New One-Piece Closing Wheel**

#### One-piece Closing Wheel

Damage to closing wheel tires for produces planting in difficult conditions such as high residue or rocky fields is sometimes unavoidable. This one-piece closing wheel AA97549 is designed to significantly reduce component wear and allows for less soil disturbance and mud packing. Another significant benefit of maintenance, as service is not required when change out a tire.



Compatibility: MaxEmerge™ Plus, MaxEmerge™ XP, MaxEmerge™ 5, MaxEmerge™ 5E, ExactEmerge™

NUMBER	DESCRIPTION	LIST	NOW
AA97549	One-piece Closing Wheel with Standard Bearing	\$43.95	\$39.56

#### **New Seed Disks Available**

#### Canola Disk

John Deere has introduced a new seed disk capable of planting canola with a row crop planter. The main features of the disk are: Agitator pockets for consistent seed pickup, shallow holes for a more uniform seed release, special static dissipative material to prevent seed from sticking to the disk, pre-applied graphite lubricant to reduce wear, flexible knockout wheel to reduce wear and breakage



**Compatibility:** MaxEmerge<sup>™</sup> XP, MaxEmerge<sup>™</sup> 5, and MaxEmerge<sup>™</sup> 5e row units.

NUMBER	DESCRIPTION	LIST	NOW
A119979	Canola Disk	\$36.99	\$33.29
A119983	Canola Knockout Wheel	\$11.17	\$10.05
AA103137	Knockout Wheel Assembly	\$34.99	\$31.49
A108275	Small Seed Discharge Elbow for ME5 Row Units	\$18.63	\$16.77
A75165	Small Seed Discharge Elbow for XP Row Units	\$18.81	\$16.93
A73214	Central Commodity System (CCS) Restrictor	\$ 9.09	\$ 8.18
A51838	Meter Baffle (for ME Plus, ME XP, ME5 & ME5E units)	\$13.09	\$11.78
AA46912	Seed Tube Insert (optional)	\$25.46	\$22.91

#### Single Row Soybean Disk

John Deere has introduced a new single row, 64-hole soybean disk. It allows for better seed spacing and singulation when compared to the current 108 cell three row disk when working on 15-inch spacing only, and up to approximately 50 seeds/second. For planting rates up to 50 seeds/second, the 64-holes soybean disk may reduce Seed Spacing Coefficient of Variation (COV) up to 50%. For planting rates higher than 50 seeds/second, the 108-cell disk, A42586, is still recommended.



**Compatibility:** MaxEmerge™ XP, MaxEmerge™ 5, and MaxEmerge5e planters. Soybean disk A105848 should be paired with A106147 Knockout Wheel or AA89145 Knockout Wheel Assembly.

NUMBER	DESCRIPTION	LIST	NOW
A105848	64-Hole Soybean Disk	\$36.99	\$33.29
A106147	Knockout Wheel	\$ 4.70	\$ 4.23
AA89145	Knockout Wheel Assembly	\$24.31	\$21.88

#### ProMax 64 Flat Cotton Seed Disk

The benefits of ProMax seed disks are now also available for cotton growers. The advantages of the ProMax disks include: consistent singulation and spacing, flexibility with different seed sizes and shapes, seamless integration with John Deere meters, and Can be used on existing planters with little set up needed. The new flat cotton disk A121489 also offers the following benefits: Improved singulation over A56251 double-row cotton disk especially at lower rates and smaller seeds, works with a wider vacuum range




Compatibility: MaxEmerge™ XP, MaxEmerge™ 5, and MaxEmerge™ 5e

NUMBER	DESCRIPTION	LIST	NOW
A121489	ProMax 64 Flat Cotton Seed Disk Disk	\$36.99	\$33.29
AA103153	Knockout Wheel for 64-hole Disk	\$50.06	\$45.05

# • Add more Do more with John Deere Planter attachments

Talk to us today about how attachments can **Add More** to your planter.



Low rate financing options available for select planter attachments sold through parts, including: Easy Adjust Row Cleaner Performance Upgrade, Pneumatic Closing Wheel Performance Upgrade, or ME5 Performance Upgrade kits \$4,000 and above.

Time to upgrade your planter with a Performance Upgrade kit? We have low-rate finance offers available through John Deere Financial. Please see your John Deere dealer for additional details on these offers.

- 365 days No Payments/No Interest (12 months)
- 24 month 1.9% fixed-rate with 24 equal payments
- 36 month 2.9% fixed-rate with 36 equal payments

Note: minimum purchase for each offer is \$4,000. Offer ends April 30, 2021.

All programs subject to John Deere Financial approval credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. Program options are available for Agricultural and Commercial account holders only. After promotional period, interest changes will begin to accrue at the Multi-Use Account rate. Available at participating John Deere Dealers, see your local dealer for complete details.



# 12% OFF\* SELECT PLANTER UPGRADES

VALID 12/1/20 - 3/31/21

You don't have to buy new to get better results, you can upgrade instead. With advanced technology now available for older planters, you can increase yield potential and extend the life of your John Deere MaxEmerge<sup>™</sup> planter for years to come.



#### **EASY ADJUST ROW CLEANERS**

Reduce single-row adjustment time by 75%. Adjust your entire planter from the cab to accommodate for wet ground, waterways or end rows.

#### PNEUMATIC CLOSING WHEELS

Eliminate time-consuming manual adjustments. Change force settings on seed trenches from the comfort of the cab to improve emergence.



#### VARIABLE RATE DRIVE

Adjust your seeding rate on-the-qo. Change seeding rate (manually or automatically) based on prescription maps to maximize profit per acre.



#### **ROW COMMAND**

Minimize overplanting and maximize seed placement. Reduce yield drag and improve harvest capabilities on Pro-Shaft<sup>™</sup> and MaxEmerge<sup>™</sup> 5 row units.





#### **ACTIVE PNEUMATIC DOWNFORCE**

Fully automate downforce control. Sync with SeedStar™ 3 HP and SeedStar XP systems to set row unit for precise soil penetration.



<sup>12%</sup> OFF the agreed upon purchase price of select John Deere planter upgrades. Offer valid on qualified purchases made between December 1, 2020 and March 31, 2021. The 12% offer is applied to the total before shipping/delivery charges and consistent with applicable sales tax requirements. Some restrictions apply. Available at participating US dealers. Prices, models and savings may vary by dealer





- Patent-pending design has individual row shutoff with both manually and automatically operated slide gates.
- These units are washable, with a cleanout at the bottom of the meter.
  They require no foam, and are maintenance-free, with no need for grease.
- This exclusive single-wall design doesn't allow fertilizer dust to accumulate in an air cavity. No air cavity means no swelling or distortion.



#### ProSeries<sup>™</sup> Seed Opener Performance Upgrade Kits for 60 and 90 Series Openers

The ProSeries Opener offers agronomic advantages and extended wear life compared to the current 90 Series openers. For 60-series openers, to be compatible, seed tubes must also be upgraded to the 90-series seed tubes.

#### Features include:

**Seed Boot** – A narrower, tighter fit to the disk results in less soil throw for better seed-to-soil contact and extended wear life.

**Press Wheel** – Narrower and more flexible press wheel improves overall seed-to-soil contact for more even emergence, plus upgraded double-row ball bearing extends service life.

**Serrated Closing Wheel** – Improved closing system when seeding in harder, drier conditions. The notches on the wheel break up the drier soil for better germination.

Seed Tab – Improved material for longer wear life, angled and more flexibility in the seed trench results in less seed bounce for more consistent seed placement.

Closing Spring – Easier adjustments.



#### Separate Fertilizer Placement Openers for 90-Series.

#### Features include:

SFP Sealing Wing allows for be

Kit contents include: Scraper, S (smooth or serrated closing wh

etter sealing of NH3 in the ground Sealing Plate, Disk Opener, Hardv neel is not included).		2020 – 31 March 2021	
I	APPLICATION	LIST	NOW
Performance Upgrade Kit	8-rows (4 right/4 left)	\$1,995.00	\$1,755.60
D C 11 1 1/2	2 (2 ) ( ) (2 ) (2 )	+ =2= 00	+ /62.00

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA97392	Seed Opener Performance Upgrade Kit	8-rows (4 right/4 left)	\$1,995.00	\$1,755.60
AA98693	Seed Opener Performance Upgrade Kit	2-rows (1 right/1 left)	\$ 525.00	\$ 462.00
AA102151	SFP Opener Performance Upgrade Kit	8-rows (4 right/4 left)	\$1,701.13	\$1,496.99
AA102150	SFP Opener Performance Upgrade Kit	2-rows (1 right/1left)	\$ 425.28	\$ 374.25

#### Section Command

Section Command reduces costly overlaps and skips that can waste seed and fertilizer, while offering more consistent fields that improve the potential of your yield and your bottom line. Individual meter sections control commodity flow, so you can maintain the right application rates and row-to-row accuracy. This helps stimulate even crop emergence during the growing season and promotes consistent crop maturity at harvest. SectionCommand controls output from all meters on the cart up to eight sections.

#### Benefits include:

Improved consistency of crop maturity at harvest Improved consistency during emergence and growing season Reduced seed input cost

Reduced fertilizer input cost

Increased time between fills due to input savings. Compatibility – 1910 Air Carts. See your local dealer for necessary parts.



12% OFF Program






John Deere offers 1-in. through 2-1/2-in.-diameter, clear with green or black helix hose for air seeder applications. This clear, smooth-core, PVC hose is recommended for heavy-duty suction and discharge of seed, as well as agricultural chemicals, marine, and liquid waste.

NUMBER	ID.	OD	LIST	NOW
Good				
PM112BK100, PM112GR100	1.00-in. (25.4 mm)	1.25-in. (31.8 mm)	\$0.83	\$0.75
PM112BK250, PM112GR250	2.50-in. (63.5 mm)	2.84-in. (72.1 mm)	\$2.37	\$2.13
Better				
PM113UVBK100	1.00-in. (25.4 mm)	1.25-in. (31.8 mm)	\$1.68	\$1.51
PM113UVCLBK	2.50-in. (63.5 mm)	2.84-in. (72.1 mm)	\$4.77	\$4.29
Best				
PM100ULBK100, PM100ULGR100	1.00-in. (25.4 mm)	1.25-in. (31.8 mm)	\$2.11	\$1.90
PM100UCLBK, PM100ULGR250	2.50-in. (63.5 mm)	2.87-in. (72.9 mm)	\$4.76	\$4.28
Price shown is per foot. BK = Clear w/ Black Helix, GR = Clear w/ Green Helix.				




Use the low meter roller for seeds such as flax, canola, and alfalfa. The medium roller is best when planting wheat, barley, canola, and small soybeans up to 1/4 inch in diameter and with medium rates of fertilizer. The high rate roller is for high rates of fertilizer and large soybeans bigger than 1/4 inch in diameter. The very high rate roller is best used when planting barley and oats with beards, large seeds such as garbanzo beans, and with very high fertilizer rates. Fine tuning rings reduce the amount of product available to meter for increased accuracy.





#### Calibration Bag

Extra catch bags are available for collecting product during the calibration process.





#### 50, 60, and 90 Series Opener Parts

NUMBER	DESCRIPTION	SERIES	LIST	NOW
Gauge Whee		SERIES	LIST	IVOVV
A84050	Tire, Semi-Pneumatic, 4 ½ x 16-in.	50, 60, 90	\$ 35.07	\$ 31.56
A84062	Tire, Gauge Wheel, 4 ½ x 16-in.	60, 90	\$ 39.93	\$ 35.94
AA66599		60, 90	\$ 82.30	\$ 74.07
AA66604	Wheel, Steel Gauge		\$100.46	\$ 90.41
A85133	Wheel and Tire Assembly, Offset Gauge	60, 90		\$ 38.35
AA66988	3-in. x 16-in. Gauge Wheel Tire	90 90	\$ 42.61 \$ 85.69	\$ 77.12
AA92485	3-in. x 16-in. Gauge Wheel Assembly Arm, Gauge Wheel Arm	90	\$ 75.68	\$ 68.11
AA92485 AA98188		90		\$143.99
	Wheel, Narrow Gauge, Spoked		\$159.99	
AA98187	Wheel and Tire Assembly, Offset Gauge, SP	90	\$159.99	\$143.99
AA98189	Wheel and Tire Assembly, Conservation, S	90	\$171.03	\$153.93
AN211864	Gauge Wheel Assembly	50	\$ 87.69	\$ 78.92
A84451	Tire – 4.5 x 16, Conservation, Large Lip	60	\$ 44.93	\$ 40.44
Closing Whe		00	÷ 10 / F	A 16.61
N281706	Wheel, 10-in.	90	\$ 18.45	\$ 16.61
N281714	Tire, Semi-Pneumatic, 1 x 10-in.	90	\$ 9.27	\$ 8.34
N283866	Wheel, Closing, SFP	90	\$ 60.70	\$ 54.63
AN213060	Wheel Assembly, Closing	50	\$ 64.33	\$ 57.90
AN280248	Arm, Assembly Closing Wheel, RH	50	\$273.91	\$246.52
AN280249	Arm, Assembly Closing Wheel, LH	50	\$243.87	\$219.48
AN282190	Arm Assembly, SFP Closing, RH	90	\$288.19	\$259.37
AN282191	Arm Assembly, SFP Closing, LH	90	\$304.38	\$273.94
N282110	Wheel, Closing	60	\$ 38.93	\$ 35.04
AN281359	Tire and Wheel Assembly	50	\$ 29.93	\$ 26.94
Press Whee				
N284110	Tire, Press Wheel	60, 90	\$ 11.45	\$ 10.31
N284111	Press Wheel	60, 90	\$ 17.72	\$ 15.95
A118432	Spring, Press Wheel, RH	90	\$ 24.24	\$ 21.82
A118431	Spring, Press Wheel, LH	90	\$ 24.24	\$ 21.82
Opener Blad				
N283804	Disk opener, 18-in x 0.197-in.	50, 60, 90	\$ 33.64	\$ 30.28
AN281856	Hub Assembly	90	\$ 72.12	\$ 64.91
N219700	Hub, Coulter	50	\$ 58.84	\$ 52.96
Seed Boots:				
N284024	Seed Boot, Extra Wear, RH	90	\$ 93.16	\$ 83.84
N284025	Seed Boot, Extra Wear, LH	90	\$ 93.16	\$ 83.84
N284044	Seed Boot, One Piece, RH	90	\$ 41.61	\$ 37.45
N284045	Seed Boot, One Piece, LH	90	\$ 41.61	\$ 37.45
N282788	Seed Boot, RH, Upper	60	\$ 35.85	\$ 32.27
N282789	Seed Boot, LH, Upper	60	\$ 35.85	\$ 32.27
N283432	Seed Boot, RH, Lower, Chrome	60	\$ 33.43	\$ 30.09
N283433	Seed Boot, LH, Lower, Chrome	60	\$ 33.43	\$ 30.09
Seed Tubes:				
A54632	Tube, Seed	50	\$ 51.92	\$ 46.73
A63630	Tube, Straight	60	\$ 79.42	\$ 71.48
A63631	Tube, Seed, LH	60	\$104.83	\$ 94.35
A63632	Tube, Seed, RH	60	\$ 98.00	\$ 88.20
N282719	Tube, Fertilizer	60	\$ 58.53	\$ 52.68
N282720	Tube, Front Seed	60	\$ 57.83	\$ 52.05
N282817	Tube, Rear Seed	60	\$ 56.98	\$ 51.28



Spoke Gauge Wheel AA98187



Closing Wheel N283866



Opener Blades N283804



Seed Boot N284045



#### Air Hoe Drill Parts

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Points				
N219619	Point, Spear	1820/1830	\$ 24.03	\$ 21.63
M15012	Single-Point, Wrap-Around	1820/1830	\$ 12.24	\$ 11.02
AA71412	Point, Seed, Single Row	1870	\$130.10	\$117.09
AA74427	Point, Seed, Paired Row	1870	\$205.87	\$185.28
Shovels				
AN213462	Shovel Weldment, Spear Point	1820/1830	\$109.34	\$ 98.41
N219423	Seed Deflector	1820 (s/n: -705100)/1830	\$ 17.30	\$ 15.57
Openers				
N280371	Standard, Hoe Opener	1820/1830	\$121.37	\$109.23
A57995	Standard, Spring Cushion LH Offset	1820/1830	\$255.15	\$229.64
A57996	Standard, Spring Cushion RH Offset	1820/1830	\$255.15	\$229.64
N217347	Link Spring	1820/1830	\$ 6.63	\$ 5.97
N217747	Seed Tube	1820/1830	\$ 81.36	\$ 73.22
Press Wheel	s and Tires			
A81731	3 x 21-in., Semi-Pneumatic	1820/1830	\$ 81.15	\$ 73.04
A93809	4 x 21-in., Press Wheel Tire	1820/1830	\$103.04	\$ 92.74
A61674	4 x 22-in. Steel Press Wheel	1820/1830	\$ 66.78	\$ 60.10
A64409	3 x 21-in. Steel Press Wheel	1820/1830	\$ 51.85	\$ 46.67
A88182	Scraper Blade	1870	\$ 21.06	\$ 18.95
AA73487	Tire and Wheel Assembly	1870	\$252.22	\$227.00




#### 1870 Air Hoe Drill Fertilizer Points

Whether using dry, liquid, or anhydrous ammonia, the John Deere 1870 opener has the options that fit the application needs. Austempered 10B38 boron steel point with hardfaced areas and induction fused carbide inserts to prevent wear. Carbide plates are 4mm thick along the point edge and 6mm thick on the tip.

NUMBER	APPLICATION	DRY FERTILIZER TUBE ADD ON	HOSE GUIDE	LIST	NOW
AA74478	Aqua Anhydrous Point	AA69271	AA69272 hose guide is required if dry fertilizer tube is not installed	\$190.48	\$171.43
AA69276	NH3 Point	AA69271	AA69272 hose guide is required if dry fertilizer tube is not installed	\$190.48	\$171.43
AA74476	Liquid Fertilizer Point	AA69271	AA69272 hose guide is required if dry fertilizer tube is not installed	\$190.48	\$171.43
AA69277	Dry Fertilizer Point	AA69266	n/a	\$168.39	\$151.55
AA86117	Mud Special Point	n/a	n/a	\$151.85	\$136.67

#### On the straight and narrow.

Sure, with John Deere Precision Ag components installed on your equipment, you'll have straighter rows, lower input costs, and an easier time harvesting. But you know when our Precision Ag technology really shines? When your neighbor stops by to ask how you planted such a good-looking field. So, whatever equipment you're planting with, we have a solution to make your fields the envy of your neighbors.



#### Guidance & Machine Control

AutoTrac™ Intergrated Machine Kits and GreenStar™ Ready Kits make it easy for you to be Precision Ag ready when the time arrives. The AutoTrac machine kits include the appropriate machine steering controller when necessary and AutoTrac Ready accessories. Display, receiver, and software to complete the system are sold separately. These field-installed kits are an integrated guidance solution for John Deere Tractors and are compatible with the GreenStar 3 or GreenStar 2 system components. Gain the edge and get the results you want and need with genuine John Deere Precision Ag components.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
PF90875	AutoTrac Combine Machine Kit	60 Series	\$5,566.00	\$5,009.40
PF90629	AutoTrac Combine Machine Kit	70 Series	\$5,566.00	\$5,009.40
PF90633	AutoTrac Sprayer Machine Kit	4730 and 4830	\$4,029.30	\$3,626.37
BPF10387	AutoTrac Tractor Machine Kit	6140R/6150R with MFWD	\$4,514.29	\$4,062.86
BPF10560	AutoTrac Tractor King Pin Kit	6140R/6150R with MFWD with a Non-suspended Front Axle	\$ 338.80	\$ 304.92
BPF10345	AutoTrac Tractor Machine Kit	6170R/6190R/6210R with MFWD	\$4,514.40	\$4,062.96
BPF10039	AutoTrac Tractor Machine Kit	6030/7030 Premium Series with MFWD	\$5,082.00	\$4,573.80
BPF10346	GreenStar Ready Tractor Kit	6R Series with MFWD	\$ 514.80	\$ 463.32
PF90863	AutoTrac Tractor Machine Kit	8000 Series with MFWD (All Pins)	\$5,142.50	\$4,628.25
PF90862	AutoTrac Tractor Machine Kit	8010 Series with MFWD (All Pins)	\$4,840.00	\$4,356.00
PF90497	AutoTrac Tractor Machine Kit	8020 Series with MFWD (All Pins)	\$4,840.00	\$4,356.00
BPF12231	GreenStar Ready Universal Guidance Kit, Upgradable	John Deere and Other Makes Equipment	\$ 907.50	\$ 816.75
PF90452	AutoTrac Universal Horn Kit	John Deere and Other Makes Equipment	\$ 162.34	\$ 146.11
PF90453	AutoTrac Universal Auxiliary Resume Switch	John Deere and Other Makes Equipment	\$ 119.90	\$ 107.91
PF90697	AutoTrac RowSense Mechanical Feelers	90/600 Series Cornheads (30" or 75cm spacing)	\$1,023.00	\$ 920.70



# MAKE WAY FOR BETTER SPRAY



## **Make Every Drop Count**

Reduce over-application, crop burn and off-target drift with ExactApply™. Featuring individual nozzle control for **precise droplet sizing** and **consistent application management**, this performance upgrade provides three times the pulsing frequency of competitive systems and **an industry-exclusive A-B nozzle design**. ExactApply also maintains your target rate and pressure over a wider range of speeds and reduces input costs.

Upgrade your R4030, R4038, R4044, R4045 or R4060 model.

12% OFF the agreed upon purchase price and dealer installation of ExactApply performance upgrade kits from a participating U.S. John Deere dealer between December 1, 2020 and March 31, 2021. Not valid for online purchases. Dealer participation may vary. Other restrictions may apply, Discount to be applied to the total before applicable taxes, shipping rates, and delivery charges. Offer cannot be combined with any other offer and may be modified or discontinued at any time. See your participating John Deere dealer for details.

### **Follow A Better Path Forward**

Be confident when maneuvering your sprayer through the field with AutoTrac™ Vision and RowSense™. Working in tandem with each other, this guidance system keeps wheels in the center of each row so you can focus on other important aspects of sprayer operation. In addition to reducing operator fatigue, AutoTrac Vision and RowSense performance upgrades help you optimize ground speed and prevent costly crop damage.

**Upgrade your** John Deere 30 Series or newer sprayer along with select Hagie models.

2500 OFF the agreed upon purchase price and dealer installation of AutoTrac Vision and RowSense performance upgrade kit from an authorized U.S. John Deere dealer between December 1, 2020 and March 31, 2021. Not valid for online purchases. Dealer participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be modified or discontinued at any time. See your participating John Deere dealer for details.



# WITH PERFORMANCE UPGRADES

#### **Direct Injection**

Isolate contamination, reduce risk, and be equipped for quicker chemical and crop changeover with Direct Injection. Available as a performance upgrade for R4030, R4038 and R4045 sprayer models, Direct Injection makes it easier for you to manage buffer zones to meet chemical requirements in addition to providing capacity for carrying up to 235 gallons and three different applications at once.

- · Manage applications along drift sensitive areas
- Apply products in selected section of the field and not others
- Cover more acres during tight spray windows
- Quicker changeover between chemical and crops and less product waste

Note: kits listed below are not for ExactApply™ machines. For kits compatible with ExactApply machines, check with your local John Deere dealer.

		-	
NUMBER	DESCRIPTION	LIST	NOW
R4030, R403	8, and R4045 Sprayer		
AON10230	Direct-injection system with one high-volume pump and two 189-L (50-gal.) tanks	\$14,473.80 <b>\$12</b>	,736.94
BKK10302	Direct-injection system with one low-volume pump and one 132-L (35-gal.) tank	\$ 9,715.20 <b>\$ 8</b>	,549.38
R4030 and R	4038 (model year 2016 and newer, serial number 11,000 and hi	igher) and R4045	
AON10231	Direct-injection system with one high-volume pump and four 189-L (50-gal.) tanks	\$17,178.70 <b>\$15</b>	,117.26
AON10232	Direct-injection system with two high-volume pumps and four 189-L (50-gal.) tanks	\$23,712.70 <b>\$20</b>	,867.18



#### BoomTrac Pro™ Height Control System

Increase application accuracy and minimize spray drift and skips with the help of this boom height-sensing software that responds to ground contour changes. Five-sensor system recommended for 120-foot (36.6 M) boom or severe applications. Three sensor system is for relatively flat to gently rolling terrain.

**Applications:** 4630, 4730, 4830, 4930, 4940, R4023, R4030, R4038, R4044, R4045, and R4060 Sprayers

NUMBER	DESCRIPTION	MODEL	LIST NOW
BN400195	3 Sensors (S/N 13001+)	4630	\$14,620.10 <b>\$12,865.69</b>
BN202556	3-Sensor System	4730, 4830	\$14,853.30 <b>\$13,070.90</b>
BN202557	2 Additional Sensors	4730, 4830	\$ 2,779.70 <b>\$ 2,446.14</b>
BN202519	3-Sensor System	4930, 4940	\$14,853.30 <b>\$13,070.90</b>
BN202520	2 Additional Sensors	4920, 4930, 4940	\$ 2,779.70 <b>\$ 2,446.14</b>
BKK10019	5-Sensor System	R4030, R4038, and R4045	\$17,037.90 <b>\$14,993.35</b>
BKK10306	3-Sensor System	R4023	\$14,126.20 <b>\$12,431.06</b>



#### Load Command™ System

With the fully integrated solution, you can get back to the field faster and spray more acres per day. Load Command can be added to John Deere's 1,200 and 1,600 gallon sprayers.

NUMBER	DESCRIPTION	LIST	NOW
BKK11090	Load Command for R4045 and R4060 Sprayers with Educator NOTE: Does not include required nurse tender parts.	\$23,778.70	\$20,925.26
BKK11089	Load Command R4045 and R4060 Sprayers Without an Educator NOTE: Does not include required nurse tender parts.	\$24,362.80	\$21,439.26
BN202580	Load Command Tender Arm for 4940, R4045, and R4060 NOTE: Includes coupler compatible with Load Command machines and configurable mounting arm.	\$ 4,026.00	\$ 3,542.88
BN202616	Vehicle Bracket Kit	\$ 1,139.60	\$ 1,002.85



Ask about current financing specials when you use your John Deere Financial Multi-Use Account.

#### **Express Boom Assembly**

John Deere's Express Boom Assembly provides an economical solution to upgrade your sprayer with 1-in. poly plumbing to stainless or change nozzle spacing as desired. Available for John Deere sprayer models 4630, 4700, 4710, 4720, 4730, 4830, 4920, 4930, 4940, and R4023.





#### **Underframe Shields**

Simply mount these shields to the underside of the chassis to help protect your crop from entanglement in vehicle components. Shields are mounted on hinges to allow quick, easy access to vehicle components.

NUMBER	APPLICATION	LIST	NOW
BN202453	4720, 4730 (s/n 4939 and below), and 4830 (s/n 3382 and below)	\$1,932.70	\$1,700.78
BN202593	4730 (s/n 4940–8000) and 4830 (s/n 3383–8000)	\$1,932.70	\$1,700.78
BN202613	4730 and 4830 (s/n 8001 and up)	\$1,932.70	\$1,700.78
BN400415	4940 (s/n 18001 and up)	\$1,932.70	\$1,700.78
BKK10284	R4023	\$1,883.20	\$1,657.22
BKK10017	R4030, R4038, R4045	\$1,932.70	\$1,700.78



Enhance hydraulic filtration capabilities with John Deere's new high-pressure auxiliary filter. This filter enables more oil to be filtered with each pass through the hydraulic system. This upgrade is available from model year 2014 through model year 2019 on the following models: R4040, R4038, R4044, R4045, and R4060 **Features:** 

- · Designed to keep oil and auxiliary powered components clean
- Captures contaminants before they can cause damage within the sprayer's hydraulic system
- Adds an additional layer of protection for components such as steering, boom valve and functions that work off the auxiliary pump

NUMBER	DESCRIPTION	LIST	NOW
BKK11240	High-Pressure Auxiliary Filter	\$1,210.69	\$1,065.41



**Wheel Motor Shields:** These shields help keep the crop and mud away from the inside of the wheel motor for easier cleaning and added protection from field debris. **Crop Shields:** Strong, durable, polyethylene wheel shields are available for 320, 380, and 420 tires to help prevent damage to crops.

NUMBER	DESCRIPTION	LIST	NOW
BN202600	Wheel Shields (quantity 4) – 4730, 4830	\$2,992.00	\$2,632.96
BN202605	Wheel Motor Shields – 4720, 4730, 4830	\$ 844.80	\$ 743.42
BN400490	Wheel Shield/Crop Divider (qty. 4). This option intended for crop deflection. R4023	\$5,117.20	\$4,503.14
BKK10182	Shields – Wheel Shields and Crop Divider (qty. 4) – R4030, R4038, R4044	\$6,073.10	\$5,344.33
BKK10215	Shields – Wheel Shield and Crop Divider (qty. 4) – R4045, R4060	\$6,721.00	\$5,914.48





#### **Ultra-low drift Max** – Post-Emerge Systemic Herbicides

- 130° spray angle allows lower boom heights to reduce drift and to prevent pattern collapse when using drift reduction adjuvants
- Air-induction droplets to reduce drift
- Delivers Extremely Coarse and Ultra Coarse droplets for 90–95% drift reduction compared to standard flat fan nozzle
- ExactApply<sup>™</sup> compatible with AutoSelect A/B, and conventional spraying

List \$9.41/ea.

#### Now \$8.47/ea.



	Ultra Low-drift Max (ULD Max) 130° spray angle – ASABE droplet size classification chart												
Tip size	025	03	04	05	06	08							
Pressure (PSI)	PSULDMQ30025	PSULDMQ3003	PSULDMQ3004	PSULDMQ3005	PSULDMQ3006	PSULDMQ3008							
30	UC	UC	UC	UC	UC	UC							
40	UC	UC	UC	UC	UC	UC							
50	UC	UC	UC	UC	UC	UC							
60	UC	XC	UC	UC	UC	UC							
70	UC	XC	UC	UC	UC	UC							
80	UC	XC	UC	UC	UC	UC							
90	XC	XC	UC	UC	UC	XC							
100	XC	XC	XC	XC	XC	XC							
	Drople	t data sourced at Pentair H	ypro in a steady state cond	lition per ASABE S572.1 Sta	andard.								

#### **Low-drift Max** – Post-Emerge Systemic Applications

- 120° wide and 60° thick pattern provides optimum coverage while maintaining overlap at low boom heights
- Dual pre-orifice nozzle reduces drift with Coarse, Very Coarse and Extremely Coarse droplets
- ExactApply<sup>™</sup> compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B, and conventional spraying
- Industry exclusive from John Deere

List \$11.27/ea.

#### Now \$10.14/ea.



	Low-drift Max (LD Max) 120° spray angle – ASABE droplet size classification chart												
Tip size 03 04 05 06 08 1													
Pressure (PSI)	PSLDMQ2003	PSLDMQ2004	PSLDMQ2005	PSLDMQ2006	PSLDMQ2008	PSLDMQ2010							
20	XC	XC	XC	n/a	n/a	n/a							
30	VC	VC	XC	XC	XC	XC							
40	VC	VC	VC	XC	XC	VC							
50	VC	С	VC	VC	VC	VC							
60	С	С	VC	VC	VC	VC							
70	С	С	С	С	VC	С							
80	С	С	С	С	С	M							
	Drople	et data sourced at Pentair H	lypro in a steady state cond	lition per ASABE S572.1 Sta	andard.								



#### Low-drift Twin – Plant Health and Contact Herbicides

- Twin 30° forward and rear facing dual angles for superior coverage
- Delivers Medium and Coarse droplets across wide operating range
- ExactApply<sup>™</sup> compatible with 15-Hz & 30-Hz PWM and conventional spraying
- Industry exclusive from John Deere

List \$10.13/ea.

#### Now \$9.12/ea.

	Low-drift Twin (LDT) 110° spray angle – ASABE droplet size classification chart											
Tip size 03 04 05 06 08 10 12												
Pressure (PSI)	PSLDTQ1003	PSLDTQ1004	PSLDTQ1005	PSLDTQ1006	PSLDTQ1008	PSLDTQ1010	PSLDTQ1012	PSLDTQ1016				
15	M	С	С	С	С	С	VC	VC				
20	M	M	M	С	С	С	VC	VC				
30	M	M	M	С	С	С	С	С				
40	M	M	M	M	M	С	С	С				
50	M	M	M	M	M	С	С	С				
60	M	M	M	M	M	M	С	С				
80	С	M	M	M	M	M	M	С				
		Droplet data so	urced at Pentair Hyp	ro in a steady state co	ondition per ASABE S	572.1 Standard.						



#### **3D** – All-Purpose Coverage Nozzle

- Delivers up to 10% increase in weed control over conventional flat fans\*
- 50–75% less drift compared to flat fan nozzles
- Tight, inclined spray pattern is designed to be installed alternating forward and backward to provide 3-dimensional coverage on hard-to-hit targets
- High-velocity droplets provide excellent canopy penetrations
- ExactApply compatible with 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$6.79/ea.

#### Now \$6.11/ea.

	3D 100° spray angle – ASABE droplet size classification chart											
Tip size 015 02 025 03 035 04 05 06												
Pressure (PSI)	PS3DQ00015	PS3DQ0002	PS3DQ00025	PS3DQ0003	PS3DQ00035	PS3DQ0004	PS3DQ0005	PS3DQ0006	PS3DQ0008			
10	С	M	С	VC	VC	XC	XC	XC	XC			
15	M	M	M	С	С	VC	VC	VC	VC			
20	M	M	M	M	С	С	С	С	VC			
30	F	M	M	M	M	M	С	С	С			
40	F	F	M	M	M	M	M	С	С			
50	F	F	F	M	M	M	M	M	M			
60	F	F	F	F	M	M	M	M	M			
70	F	F	F	F	M	M	M	M	M			
80	F	F	F	F	F	M	M	M	M			
85	F	F	F	F	F	F	M	M	M			
	Droplet (	data sourced at Sils	soe Spray Application	ons Unit Ltd. in a s	teady state conditi	on per ASABE S572	.1 Standard. Janua	ary 2016.				

<sup>\*</sup>Syngenta UK trials 0.6I/ha Liberator(diffufenican + flufenacet) + 4I/ha Defy(Prosulfacarb) applied November 2015. Conventional spraying.

#### **Ultra-low-drift** – Pre- and Post-Emerge Systemic Herbicides

- Ideal for use when drift reduction is paramount (Included on Dicamba and 2,4-D chemical labels)
- Air-induced droplets provide precise droplet control to minimize drift potential without sacrificing coverage
- 60° thick spray pattern and 120° wide spray angle enables lower boom height
- ExactApply compatible with AutoSelect A/B and conventional spraying

List \$8.56/ea.

#### Now \$7.70/ea.



	Ultra Low-drift (ULD) 120° spray angle – ASABE droplet size classification chart											
Tip size 015 02 025 03 04 05 06												
Pressure (PSI)	PSULDQ20015	PSULDQ2002	PSULDQ20025	PSULDQ2003	PSULDQ2004	PSULDQ2005	PSULDQ2006	PSULDQ2008				
20	UC	UC	UC	UC	UC	UC	UC	UC				
30	XC	XC	VC	VC	UC	UC	UC	XC				
40	VC	VC	С	С	UC	XC	XC	VC				
50	VC	VC	С	С	XC	XC	XC	VC				
60	С	С	M	С	XC	XC	VC	С				
70	С	M	M	M	XC	VC	С	С				
80	С	M	M	M	VC	VC	С	С				
90	M	M	M	M	VC	VC	С	M				
100	M	M	M	M	VC	С	С	M				
115	115 M M M M C C M M											
	Droplet data	sourced at Silsoe Sp	ray Applications Unit	Ltd. in a steady state	condition per ASAB	E S572.1 Standard. Ja	anuary 2016.					

#### GuardianAIR Twin™ – Post-Emerge Plant Health, Complex Canopies, and Contact Herbicides

- High-coverage forward- and rear-facing fans penetrate dense canopies
- Air-induced droplets for high-coverage applications where on-target delivery is important
- Perfect for low crops with complex canopies such as small grains and soybeans
- ExactApply compatible with AutoSelect A/B and conventional spraying

List \$8.99/ea.

#### Now \$8.09/ea.



	GuardianAir Twin (GAT) 110° spray angle – ASABE droplet size classification chart											
Tip size	02	025	03	035	04	05	06	08				
Pressure (PSI)	PSGAT1002	PSGAT10025	PSGAT1003	PSGAT10035	PSGAT1004	PSGAT1005	PSGAT1006	PSGAT1008				
20	_	_	_	_	XC	XC	XC	XC				
30	С	UC	VC	XC	VC	VC	XC	VC				
40	M	VC	С	VC	С	С	VC	С				
50	M	С	M	С	С	С	С	С				
60	M	M	M	M	M	M	С	С				
70	M	M	M	M	M	M	M	M				
80	M	M	M	M	M	M	M	M				
85	M	M	M	M	M	M	M	M				
	Droplet data	sourced at Silsoe Sp	ray Applications Unit	Ltd. in a steady state	condition per ASAB	E S572.1 Standard. J	anuary 2016.					



#### High Flow – Pre- and Post-Emerge Fertilizer

- Tapered wide-angle fan style promotes uniform nutrient application
- 140° pattern allows low boom height, minimizing corrosive effects on equipment
- Large droplets reduce drift compared to flood or deflect nozzles
- ExactApply compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$9.70/ea.

#### Now \$8.73/ea.

	High Flow (HF) 140° spray angle – ASABE droplet size classification chart							
Tip size	08	10	15	20	30	40	50	60
Pressure (PSI)	PSHFQ4008	PSHFQ4010	PSHFQ4015	PSHFQ4020	PSHFQ4030	PSHFQ4040	PSHFQ4050	PSHFQ4060
20	UC	UC	UC	UC	UC	UC	UC	UC
30	UC	UC	UC	UC	UC	UC	UC	UC
40	UC	UC	UC	UC	UC	UC	UC	UC
50	UC	UC	UC	UC	UC	UC	UC	UC
60	XC	XC	XC	XC	XC	XC	XC	XC
70	XC	XC	XC	XC	XC	XC	XC	XC
80	XC	XC	XC	XC	XC	XC	XC	XC
85	XC	XC	XC	XC	XC	XC	XC	XC
	Droplet	data sourced at Silsc	e Spray Applications	Unit Ltd. in a steady	state condition per A	ASABE S572.1. Janua	ry 2016.	



#### **Straight Stream Ceramic** – Pre- and Post-Emerge Fertilizer

- Six-stream pattern minimizes foliar contact and ensures uniform coverage
- Ceramic metering orifice provides wear resistance when spraying corrosive fertilizers
- Stable streams reduce atomization and prevents leaf burn, making it ideal for top dress use
- ExactApply compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$7.84/ea

#### Now \$7.06/ea.

	Straight Stream Ceramic (STC) 110° effective spray angle – ASABE droplet size classification chart									
Tip size	015	02	025	03	04	05	06	08	10	15
Pressure (PSI)	PSSTCQ10015	PSSTCQ1002	PSSTCQ10025	PSSTCQ1003	PSSTCQ1004	PSSTCQ1005	PSSTCQ1006	PSSTCQ1008	PSSTCQ1010	PSSTCQ1015
15	S	S	S	S	S	S	S	S	S	S
20	S	S	S	S	S	S	S	S	S	S
30	S	S	S	S	S	S	S	S	S	S
40	S	S	S	S	S	S	S	S	S	S
50	S	S	S	S	S	S	S	S	S	S
60	S	S	S	S	S	S	S	S	S	S
	Drop	let data sourced	at Silsoe Spray Ap	plications Unit L	td. in a steady sta	te condition per	ASABE S572.1 St	andard. January	2016.	

#### Express Nozzle Body End Caps

Improve system hygiene by removing the dead zone on the end of the boom pipes, reducing air and residue buildup.

- Allows air to escape through the nozzle body, reducing turn-off/turn-on times by up to 85%
- Removable end plug allows easy access for boom cleanout

NUMBER	DESCRIPTION	LIST	NOW
PM74333314	1-in. Express Cap Fitting w/ Nozzle Body End Cap (high flow)	\$37.43	\$33.69
PM74333316	1-in. Express Cap Fitting w/ Nozzle Body End Cap (standard)	\$37.43	\$33.69



#### Flange Adapters for Express End Caps

These flange adapters enable the use of Express Nozzle Body End Caps on 4-Series Sprayer models R4023, R4030, R4038, and R4045.

NUMBER	DESCRIPTION	LIST	NOW
PS24000152	End Cap Flange Adapter – Standard Flow	\$9.76	\$8.78
PS24000153	End Cap Flange Adapter – High Flow	\$9.76	\$8.78



#### **Express Flush Valves**

This valve allows quick flushes of the entire boom section with a turn of a handle. Purchase the Express Flush Valve alone or installed on the Express End Cap.

- Easy to use valve does not require any tools to open flushing mode
- Reduces flush time by 5 seconds per valve compared to standard Express End Caps alone
- Compact design limits the length it extends beyond the last nozzle body to fit most booms

NUMBER	DESCRIPTION	LIST	NOW
PS74333318	Express Flush Valve – High Flow	\$39.34	\$35.41
PS74333320	Express End Cap with Express Flush Valve Installed – High Flow	\$57.93	\$52.14
PS74333319	Express Flush Valve – Standard Flow	\$39.34	\$35.41
PS74333321	Express End Cap with Express Flush Valve Installed – Standard Flow	\$57.93	\$52.14





#### High-Flow Nozzle Body

Our 5-way nozzle body enables quick spray nozzle changeover. Simply rotate the nozzle body until the desired nozzle is in the spraying position.

- Designed to deliver the highest flow rates across the spraying pressure range
- Provides the lowest pressure drop at any given flow in the industry
- Reduces restrictions in the flow path through a unique DCV design
- Supports faster field speeds with the same coverage

NUMBER	DESCRIPTION	LIST	NOW
AN206621	5-Position High Flow, 11/16-in. port, Viton seals	\$29.93	\$26.94





#### New ForceField Centrifugal Pump

Superior wet-seal protection for today's most demanding spray conditions.

- Wet-seal technology protects the seals by using a barrier fluid to keep them cool and lubricated, even while the pump is running dry
- Actively maintains a positive pressure differential between the chamber barrier fluid and the pumping solution, which prevents chemical bonding of the seal faces, resulting in increased life and maintenance-free operation
- Protects seal against dry run failure
- Minimizes sprayer downtime and improves productivity

Ask us how the ForceField pump provides worry-free sprayer operation.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AKK30367	High-Flow Cast-Iron ForceField Pump	R4038, R4044, R4045, R4060	\$5,518.36	\$4,966.52
AKK30366	High Flow Cast Iron ForceField Pump less Hydraulic Motor	R4038, R4044, R4045, R4060	\$4,287.44	\$3,858.70



#### **OEM Sprayer Pumps**

John Deere's broad line of centrifugal pumps allows you to match the right pump to your equipment and task. The models include cast iron, stainless steel and polypropylene that stand up to strong chemical herbicides.

- Compatible with corrosive, abrasive and general use chemicals
- Models include high volume (440 gpm) and high pressure (190 psi) capabilities
- Nylon, polypropylene impellers on most models
- Life Guard® silicon carbide mechanical seals standard on all stainless steel pumps and available on select cast iron and polypropylene models



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AN204470	Cast-Iron Pedestal Pump – CW (clockwise) rotation	6100, 6500, 6700	\$ 921.00	\$ 828.90
AN204471	Cast-Iron Pedestal Pump – CCW (counter clockwise) rotation	6600, 6700	\$ 939.41	\$ 845.47
AN208804	Clutch Driven Cast-Iron Centrifugal Pump – CW (clockwise) rotation	6700	\$ 855.36	\$ 769.82
AN208805	Clutch Driven Cast-Iron Centrifugal Pump – CCW (counter clockwise) rotation	6700	\$ 855.36	\$ 769.82
AKK36901	Cast-Iron Centrifugal Pump – NPT	4700, 4710	\$1,158.61	\$1,042.75
AKK36903	Cast-Iron Centrifugal Pump – NPT	4710, 4720, 4830, 4730	\$1,289.46	\$1,160.51
AKK36895	Stainless Steel Centrifugal Pump – NPT	4730, 4830	\$2,351.37	\$2,116.23
AN206021	Cast-Iron Centrifugal Pump — Universal Flange	4920, 4930	\$1,295.03	\$1,165.53
AN209114	High-Flow Cast-Iron Centrifugal Pump  – Less Motor	4920, 4930	\$3,703.46	\$3,333.11
AN400921	High-Flow Cast-Iron Centrifugal Pump w/ speed sensor	4940	\$4,696.40	\$4,226.76
AN400923	High-Flow Cast-Iron Centrifugal Pump w/ speed sensor — less motor	4940	\$3,472.81	\$3,125.53
AN401863	Cast-Iron Universal Flange Centrifugal Pump w/ speed sensor	4940	\$1,530.96	\$1,377.86
AKK36899	Cast-Iron Centrifugal Pump w/ speed sensor	4630, R4023	\$1,317.50	\$1,185.75
AKK36894	Cast-Iron Universal Flange Centrifugal Pump w/ speed sensor, metric motor ports	R4030, R4045	\$1,557.90	\$1,402.11

## Protect your crops and equipment

#### Get superior cleaning power with leading Spray System Cleaners

A lot has changed in the past decade. Bigger sprayers, more powerful crop protection products, and increased tank mixing can lead to cross contamination and reduced yields when sprayers aren't cleaned properly.

Ordinary tank cleaners were never designed to remove oily residues that can build up throughout the entire liquid system of a sprayer. Erase™ is a powerful spray system cleaner that exceeds the capabilities of ordinary tank cleaners. Erase emulsifies oily residues in tanks, sprayer lines, and hoses while elevating rinsate pH to degrade vulnerable crop protection products. Combined with good sprayer cleaning technique, Erase virtually eliminates the risk of cross-contamination that leads to crop injury complaints, yield loss, and a damaged reputation as a professional applicator.



#### **Erase**

Powerful spray system cleaner that penetrates and removes dried-on and oily residue in tanks, sprayer lines, and hoses to help prevent cross-contamination.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM433QT	Erase Spray System Cleaner	1 qt.	\$12.66	\$11.39
PM43301	Erase Spray System Cleaner	1 gal.	\$37.41	\$33.67

#### Incide-Out™

Incide-Out is a liquid spray tank cleaner that emulsifies and bonds pesticide residue to rinse water for complete purging.

- Penetrates residue buildup
- Contains corrosion inhibitors to protect equipment

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM434QT	Incide-Out Spray Tank Cleaner	1 qt.	\$12.89	\$11.60

#### Enduron PSI™

Formulated marking foam that generates greater volumes of foam for higher operating pressures and application speeds.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM65201	Enduron PSI	1 gal.	\$36.37	\$32.73

#### Tracer<sup>™</sup> Hot Pink

Marking foam colorant that increases foam visibility in drilled crops and heavy residue situations where optical clarity of white foam is limited.

NUMBER	DESCRIPTION	SIZE LIS	IST NOW
PM741QT	Tracer Hot Pink	1 qt. \$38.2	20 <b>\$34.38</b>

#### Gundown Elite™

Defoaming agent that works in seconds to provide faster results.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM739QT	Gundown Elite	1 qt.	\$20.60	\$18.54
PM73901	Gundown Elite	1 gal.	\$62.75	\$56.48



## **Hybrid Boom Upgrades**

Reduce weight and improve strength. The new Hybrid steel and aluminum construction boom allows replacement of Legacy aluminum 120 ft. booms on Hagie STS.

- 400+ lbs. lighter than legacy booms
- Compatible with aluminum 120 ft. boom center section
- Compatible on model year 2014 through 2017 STS
- Pre-plumbed wings for ease of installation

See your local John Deere dealer sales department for more information.



#### **Hagie Sprayer Attachments**

Looking to upgrade the performance of your Hagie Sprayer? The attachment kits listed below are available from John Deere, please see your local dealer for more information.



Rear Boom



**Crop Dividers** 



Tall Crop Package



Modular Injection



Side Fill



Front Fill



Intake Scoop



#### Banjo Valves

Your John Deere dealer offers an extensive line of Banjo valves and replacement parts. These high-quality valves are used on John Deere sprayers and many other farm applications.





NUMBER	DESCRIPTION	PIPE SIZE	OPENING THRU BALL	LIST	NOW	
Polypropylene	Polypropylene Bolted Ball Valves – 4 Bolt Valve					
PMV075	Full Port – 150 PSI Max.	3/4"	3/4"	\$ 28.89	\$ 26.00	
PMV100	Standard Port – 150 PSI Max.	1"	3/4"	\$ 28.89	\$ 26.00	
PMV100FP	Full Port – 150 PSI Max.	1"	1"	\$ 31.86	\$ 28.67	
PMV125	Standard Port – 150 PSI Max.	1 1/4"	1"	\$ 31.86	\$ 28.67	
PMV150	Full Port – 150 PSI Max.	1 1/2"	1 1/2"	\$ 40.95	\$ 36.86	
PMV200	Standard Port – 150 PSI Max.	2"	1 1/2"	\$ 40.95	\$ 36.86	
Polypropylene	Bolted Ball Valves – 6 Bolt Valve					
PMV200FP	Full Port – 150 PSI Max.	2"	2"	\$ 57.66	\$ 51.89	
PMV300FP	Full Port – 100 PSI Max.	3"	3"	\$135.51	\$121.96	
Polypropylene	Polypropylene Manifold Bolted Ball Valves – 150 PSI Max.					
PMMV100CF	1" x 1" Flange Ball Valve	1"	1"	\$ 31.86	\$ 28.67	
PMMV200CF	2" x 2" Flange Ball Valve	2"	1 1/2"	\$ 45.08	\$ 40.57	
PMMV220CF	2" x 2" FP Flange Ball Valve	2"	2"	\$ 60.10	\$ 54.09	

#### Nozzle Body Turret O-Ring Lubricant

Over time the o-rings between the turret and nozzle body get dusty, which makes rotating the nozzle body difficult when changing between nozzles. Parker Super O-lube is the John Deere preferred product for lubricating o-rings on sprayers with our new ExactApply<sup>™</sup> nozzle bodies, as well as those on older machines.

#### Features/Benefits:

- High-viscosity silicone oil that can be used with virtually any rubber polymer over temperatures ranging from -65°F to 400°F (-54°C to 204°C)
- Will not clog 30-micron filters
- Recommended for high pressure systems

NUMBER	DESCRIPTION	LIST	NOW
PMH3503	Super O-Lube, 2-oz, tube	\$19.40	\$17.46

#### Sprayer Camera Kits

A new camera kit is compatible with John Deere self-propelled sprayers and dry spinner spreaders. Beginning with model year 2020, there are plug-in ports and hardware mounting holes that enable up to four cameras to be mounted in operator-selected locations around the sprayer allowing the operator to view the machine and field from multiple vantage points. We have also aftermarket camera kits available from Voyager and A&I.



NUMBER	DESCRIPTION	LIST	NOW
OEM Camera Ki	t		
BKK11202	Camera and harness kit. NOTE: includes 1 Motec camera, mounting hardware and jumper harness	\$613.39	\$552.05
Aftermarket Ca	mera Options		
SWVCMS20B	Voyager Camera	\$201.93	\$181.74
SWTY26834	Adapter Cable	\$106.60	\$ 95.94
A&I Adapter Cal	oles		
A-CBL6989	Adapts John Deere sprayer with G3 Command Center to wired CabCAM™ camera (2 camera capability, 15.5" long) Fits: R4023, R4030, R4038, R4045	\$ 78.57	
A-GS3C	Adapts John Deere sprayer with G4 Command Center to wired CabCAM™ camera (1 camera cabability, 20" long) Fits: R4030, R4038, R4044, R4045, R4060	\$ 81.09	
A-GS3C1F	Adapts John Deere sprayer with G4 Command Center to wired CabCAM™ camera (1 camera cabability, 1' long) Fits: R4030, R4038, R4044, R4045, R4060. A-GS3C1F is recommended for sprayers MY2020> pre-wired for cameras	\$ 57.07	





#### **High Productivity Sweeps**

These sweeps deliver the ultimate in performance, productivity, wear life, and shape retention. Available in bolt-on and Perma-Loc versions and four wing widths.

- Designed for top performance at 7–10 mph
- Low wing profile creates less draft, leaves a level finish
- Sharp edge effortlessly cuts through residue

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
N331103	7-in.	Low	Bolt-On	\$10.47	\$ 9.42
N331104	9-in.	Low	Bolt-On	\$11.03	\$ 9.93
N331105	10-in.	Low	Bolt-On	\$11.59	\$10.43
N331106	12-in.	Low	Bolt-On	\$12.52	\$11.27
N331099	7-in.	Low	Perma-Loc	\$10.69	\$ 9.09
N331100	9-in.	Low	Perma-Loc	\$11.29	\$10.16
N331101	10-in.	Low	Perma-Loc	\$11.69	\$10.52
KK26370	12-in.	Low	Perma-Loc	\$12.73	\$11.46



#### High Productivity Plus Sweep

The High Productivity plus sweep eliminates the need to change sweeps in season on large acre operations, allowing farmers to meet the short tillage window before seeding and allowing the planters to hit the field sooner. The High Productivity Plus sweep is coated with a strip of iron based carbide and heat treated to improve wear life.

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
KK36222	7-in.	Low	Perma-Loc	\$23.72	\$21.35
KK36223	9-in.	Low	Perma-Loc	\$24.93	\$22.44
KK36224	10-in.	Low	Perma-Loc	\$25.67	\$23.10

# ACT QUICK To Secure A Great Deal

Get FREE\* Quick-Change Adapters/Springs with the purchase of a set of Perma-Loc™ High Productivity or Tru-Width™ Sweeps.





\*Offer valid on qualifying purchases of new John Deere Perma-Loc" High Productivity or Tru-Width" Sweeps during select months (as designated by your local dealer) from November 1 2020 thru October 31, 2021. Customer will receive free Quick-Change Adapters, valued between \$6.05 and \$8.00 USD. The John Deere dealer who sold the qualifying John Deere Perma-Loc" High Productivity or Tru-Width" Sweeps is responsible for ordering and fullfilling the Quick-Change Adapters offer cannot be exchanged for cash, and no substitutions are permitted. Offer is in addition to eligible John Deere Rewards equipment discounts. Offer may be discontinued or modified at any time. Offer valid at participating John Deere dealers in the U.S. while supplies last. Exclusions: Covernmental agencies, John Deere dealer purchases, John Deere dealer-owned companies, settlements to John Deere dealer-owned rental fleets, competitive equipment manufacturers, and competitive dealers are not eligible.

#### Tru-Width Sweeps

Available in both bolt-on and Perma-Loc™ styles, the Tru-Width sweeps help maintain cutting width throughout the life of the sweep. The wings are clipped for minimum soil side throw. With its wraparound design, Tru-Width sweeps provide even draft and maximum holding power. Compared to the conventional sweeps, Tru-Width sweeps are the choice for growers who require optimal scouring in sticky or wet soil.

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
N182039	7-in.	Medium	Bolt-On	\$10.16	\$ 9.14
N182040	9-in.	Medium	Bolt-On	\$10.69	\$ 9.62
N182041	10-in.	Medium	Bolt-On	\$11.21	\$10.09
N182042	11-in.	Medium	Bolt-On	\$11.17	\$10.05
N182043	12-in.	Medium	Bolt-On	\$12.24	\$11.02
N238333	7-in.	Medium	Perma-Loc	\$10.59	\$ 9.53
N238334	9-in.	Medium	Perma-Loc	\$11.12	\$10.01
N238335	10-in.	Medium	Perma-Loc	\$11.45	\$10.31
N238336	12-in.	Medium	Perma-Loc	\$12.45	\$11.21



#### Conventional Wing Sweeps

These conventional wing sweeps provide excellent soil mixing and residue retention. The design provides an excellent option for the lowest cost investment.

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
N130166	7-in.	Medium	Bolt-On	\$ 9.25	\$ 8.33
N130167	9-in.	Medium	Bolt-On	\$ 9.77	\$ 8.79
N130168	10-in.	Medium	Bolt-On	\$10.29	\$ 9.26
N973MN	12-in.	Medium	Bolt-On	\$11.31	\$10.18







The XLT coated sweeps have a special alloy coating applied to high-wear areas for added durability in rocks and sandy soil conditions. XLT coated sweeps are available in Bolt-on or Perma-loc style adapters.

NUMBER	SIZE	STYLE	LIST	NOW
N182039XLT	7-in.	Bolt-On	\$25.39	\$22.85
N182040XLT	9-in.	Bolt-On	\$26.75	\$24.08
N182041XLT	10-in.	Bolt-On	\$27.79	\$25.01
N182042XLT	11-in.	Bolt-On	\$31.27	\$28.14
N182043XLT	12-in.	Bolt-On	\$29.45	\$26.51
N238333XLT	7-in.	Perma-Loc	\$27.27	\$24.54
N238334XLT	9-in.	Perma-Loc	\$28.39	\$25.55
N238335XLT	10-in.	Perma-Loc	\$29.23	\$26.31
N238336XLT	12-in.	Perma-Loc	\$30.84	\$27.76



#### Perma-Loc Adapters and Springs

Heavy-duty cast adapter with stainless steel locking spring ensures a tight fit and easy installation. Optional removal tool available for quick change of the sweep.

NUMBER	DESCRIPTION	LIST	NOW
Adapters:			
N237614	47-Degree Curved Adapter	\$ 3.27	\$ 2.94
N237616	51-Degree Curved Adapter	\$ 4.37	\$ 3.93
N330001	47-Degree Flat for DMi	\$ 3.27	\$ 2.94
Locking Spring	s:		
N237620	For 47-Degree Adapter	\$ 2.78	\$ 2.50
N237621	For 51-Degree Adapter	\$ 3.63	\$ 3.27
Removal Tool:			
N237623	Optional Removal Tool	\$36.28	\$32.65



#### Color Coded Hose Grips

New color coded aluminum hose handles make it easy to match up the hydraulic hoses on your implement with the correct function on the tractor. They also feature anti-slip design to make it easier to grip the hose and connect / disconnect from the back of the tractor. The color codes parts are laser engraved with the John Deere logo and the extend and retract icons to ensure proper matching up the proper function.

NUMBER	DESCRIPTION	LIST	NOW
KK57310	Grip, Connector – Green Extend	\$29.99	\$26.99
KK57311	Grip, Connector – Green Retract	\$29.99	\$26.99
KK57312	Grip, Connector – Blue Extend	\$29.99	\$26.99
KK57313	Grip, Connector – Blue Retract	\$29.99	\$26.99
KK57314	Grip, Connector – Brown Extend	\$29.99	\$26.99
KK57315	Grip, Connector – Brown Retract	\$29.99	\$26.99
KK57316	Grip, Connector – Black Extend	\$29.99	\$26.99
KK57317	Grip, Connector – Black Retract	\$29.99	\$26.99
KK57318	Grip, Connector – Violet Extend	\$29.99	\$26.99
KK57319	Grip, Connector – Violet Retract	\$29.99	\$26.99
KK57320	Grip, Connector – Gray Extend	\$29.99	\$26.99
KK57321	Grip, Connector – Gray Retract	\$29.99	\$26.99
KK59026	Grip, Connector – Yellow	\$29.99	\$26.99

#### Conventional Chisel Plow Sweeps

Both low- and medium-crown wing designs provide excellent soil mixing and residue retention.

NUMBER	SIZE	CROWN	WING	LIST	NOW
N130188	6 <sup>1</sup> / <sub>2</sub> -in.	Medium	Medium	\$13.16	\$11.84
N130188XLT	6 <sup>1</sup> / <sub>2</sub> -in.	Medium	Medium	\$32.91	\$29.62
47CP014	14-in.	Medium	Medium	\$20.36	\$18.32
N130182	14-in.	Medium	Medium	\$16.17	\$14.55
N130182XLT	14-in.	Medium	Medium	\$40.80	\$36.72
47CP016	16-in.	Medium	Medium	\$21.36	\$19.22
N130177	16-in.	Low	Narrow	\$17.72	\$15.95
N130183	16-in.	Medium	Medium	\$17.56	\$15.80
N130183XLT	16-in.	Medium	Medium	\$46.89	\$42.20
47CP018	18-in.	Medium	Medium	\$26.79	\$24.11
N130178XLT	18-in.	Low	Narrow	\$50.68	\$45.61
N130184	18-in.	Medium	Medium	\$21.17	\$19.05
N130184XLT	18-in.	Medium	Medium	\$61.85	\$55.67
N130185	20-in.	Medium	Medium	\$26.83	\$24.15
N188290	24-in.	Low	Medium	\$33.15	\$29.84





#### Tru-Width™ Chisel Plow Sweeps

The unique wing design of Tru-Width sweeps ensures that they maintain their original cutting width and a sharp point. These sweeps fit John Deere and most brands of chisel plows, mulch tillers, and air seeders.

NUMBER	SIZE	SHANK ANGLE	LIST	NOW
Medium-Crown	n Sweeps:			
N182044	8-in. Regular Wing	51 Deg.	\$14.44	\$13.00
N182045	10-in. Regular Wing	51 Deg.	\$13.83	\$12.45
N182046	12-in. Regular Wing	51 Deg.	\$15.77	\$14.19
N182035	12-in. Wide Wing	51 Deg.	\$14.65	\$13.19
N182036	14-in. Wide Wing	51 Deg.	\$18.47	\$16.62
N182037	16-in. Wide Wing	51 Deg.	\$18.41	\$16.57
N182038	18-in. Wide Wing	51 Deg.	\$22.55	\$20.30
Low-Crown (Co	onservation) Sweeps:			
N402442	12-in.	51 Deg.	\$18.93	\$17.04
N402449	14-in.	51 Deg.	\$22.28	\$20.05
N402453	16-in.	51 Deg.	\$21.44	\$19.30
N402276	18-in.	51 Deg.	\$31.43	\$28.29



#### Heel Sweeps for Chisel Points

Chisel and cultivate at the same time, optimizing soil conditions.

NUMBER	SIZE	THICKNESS	LIST	NOW
N237718	16-in.	<sup>1</sup> /4-in.	\$19.28	\$17.35
N237719	18-in.	<sup>1</sup> /4-in.	\$21.53	\$19.38



# Maintain the life of your Disk with Genuine John Deere OEM Disk Harrow Parts.



#### Disk Maintenance Parts

Make sure you maintain your disk with John Deere OEM parts to be able to get the longest life out of your equipment. John Deere gang bolts, scrapers, spools, and sleeves can help keep your machine running so you can manage tough crop residue and even distribution in any field condition.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Gang Bolts – S	ee us for Specific Lengths:			
A20616	Gang Bolt (1 1/8" x 77.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 86.76	\$ 78.08
A20134	Gang Bolt (1 1/8" x 59.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 76.76	\$ 69.08
A20615	Gang Bolt (1 1/8" x 68.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 81.91	\$ 73.72
A40826	Gang Bolt (1 1/8" x 95.7")	Disk: 215, 235, 630, 637	\$114.97	\$103.47
A20617	Gang Bolt (1 1/8" x 86.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$101.91	\$ 91.72
A20133	Gang Bolt (1 1/8" x 50.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 68.31	\$ 61.48
B34226	Gang Bolt (1 1/8" x 78.84")	Disk: 310, 315, 330, 331, 335, 340, 355, 360, 635, 650, 670	\$156.27	\$140.64
A40827	Gang Bolt (1 1/8" x 107.7")	Disk: 215, 235, 630, 637	\$133.76	\$120.38
Scrapers:				
N242551	Scraper, 3/4" Arms	Disk: 235, 2620, 2323, 2625, 2323VT, 2630, 2633, 2635, 2633VT, 3720, 512, 630, 637	\$ 8.34	\$ 7.51
N241152	Scraper	Disk: 510, 650	\$ 13.12	\$ 11.81
A20006	Scraper	Disk: 110, 111, 115, 210, 220, 230	\$ 7.19	\$ 6.47
N242909	Scraper, 7/8" Arms	<b>Disk:</b> 331, 335, 510, 512, 637, 640, 650, 670,	\$ 8.22	\$ 7.40
Sleeves & Spoo	ols:			
A20648	Sleeve (9" spacing)	Disk: 210, 215, 220, 225, 230, 235, 621, 627, 630, 655, 660, 630, 637	\$ 9.21	\$ 8.29
KK14510	Sleeve (9" spacing)	Disk: 2620, 2623, 2625, 2630, 2633, 2635	\$ 13.60	\$ 12.24
A20647	Sleeve (7 1/4" spacing)	Disk: 210, 215, 235, 621, 627, 637	\$ 8.54	\$ 7.69
B34203	Sleeve (9" spacing)	Disk: 210, 215, 235, 621, 627, 630, 637	\$ 50.94	\$ 45.85
B34204	Sleeve (11" spacing)	Disk: 310, 315, 330, 331, 335, 340, 350, 355, 370, 375, 510, 512, 637, 640, 670	\$ 54.28	\$ 48.85
KK14512	Sleeve (11" spacing)	Disk: 2620, 2623, 2625, 2630, 2633, 2635, 2720, 2730	\$ 15.43	\$ 13.89
KK53324	Sleeve (7 1/4" spacing)	Disk: 2620, 2623, 2625, 2623VT, 2630, 2633, 2635, 2633VT	\$ 18.73	\$ 16.86
N241315	Spool (7 1/4" or 9" spacing)	Disk: 220, 225, 621, 627, 630, 655, 660, 637	\$ 15.58	\$ 14.02
N241314	Spool (9" spacing)	Disk: 220, 225, 621, 627, 630, 655, 660, 637	\$ 29.16	\$ 26.24
AN183629	Spool (9" spacing)	Disk: 220, 621, 627, 630, 637	\$ 34.12	\$ 30.71
N240970	Spool (9" or 11" spacing)	<b>Disk:</b> 355, 425, 510, 512, 635, 637, 640, 650, 670	\$ 53.25	\$ 47.93
KK14362	Spool (9" spacing)	Disk: 2620, 2630, 2625, 2630, 2633, 2635, 425, 637, 650, 670	\$ 85.00	\$ 76.50
AN183748	Spool (7 1/4" spacing)	Disk: 621, 627, 630, 637	\$ 31.87	\$ 28.68

#### John Deere Diamond Series Disk Blades

- Made of reliable, long-lasting steel for high-performance disking
- Precision-sharp edges for proper residue cutting and sizing
- Made in the U.S.A.



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Spherical, Pla	in Edge:			
N186718	16-in x 0.177, 1.05 x 1.17 Dual Square	630, 635, 637, 2620, 2623, 2625, 2630, 2633, 2635, 2623VT, 2633VT	\$21.24	\$19.12
B31315	18-in. x 0.138, 1 $^{1}$ /8 x 1 $^{1}$ /4-in. Dual Square	115, 215, 235, 315, 335, 355, 375, 455, 627, 630, 637	\$28.73	\$25.86
A47239	18-in. x 0.197, 1 ½ x 1 ¼-in. Dual Square	215, 235, 2620, 2623, 2625, 2623VT, 2720, 2330, 2630, 2633, 2635, 2633VT, 512, 630, 637, 640, 722, 724, 726	\$31.27	\$28.14
B31318	20-in. x 0.177, 1 ½ x 1 ½-in. Dual Square (2.03-in. concavity)	115, 215, 235, 315, 335, 355, 455, 2620, 2623, 2625, 2623VT, 2630, 2633, 2635, 2633VT, 2730, 710,630, 637, 640, 650	\$36.64	\$32.98
N231991	20-in. x 0.177, 1 ½ x 1 ¼-in. Dual Square (1.63-in. concavity)	512, 637, 650, 726	\$36.17	\$32.55
N330738	20-in. x 0.197, 1 $^{1}/\!_{8}$ x 1 $^{1}/\!_{4}\text{-in.}$ Dual Square	2310, 2330	\$38.39	\$34.55
A49254	22-in. x 0.177, 1 $^{1}$ / <sub>8</sub> x 1 $^{1}$ / <sub>4</sub> -in. Dual Square	115, 215, 235, 315, 335, 355, 630, 637, 640	\$44.35	\$39.92
N242916	22-in. x 0.197, 2-in. Round	2620, 2623, 2625, 2630, 2633, 2635, 2623VT, 2633VT	\$43.05	\$38.75
A35487	22-in. x 0.256, 1 $^{1}/_{8}$ x 1 $^{1}/_{4}$ -in. Dual Square	215, 235, 315, 331, 335, 350, 355, 712, 630, 637, 640, 650, 2700	\$55.21	\$49.69
A42170	22-in. x 0.256, 1 <sup>1</sup> / <sub>2</sub> -in. Round	215, 235	\$51.93	\$46.74
N242216	22-in. x 0.256, 1 $^{1}/_{8}$ x 1 $^{1}/_{4}$ -in. Dual Square	512, 650, 2700	\$52.84	\$47.56
N240064	24-in. x 0.177, 1 $^{1}$ /8 x 1 $^{1}$ /4-in. Dual Square	630, 640, 650	\$57.53	\$51.78
N241278	24-in. x 0.197, 1 1/8 x 1 1/4-in. Dual Square	635, 637	\$58.84	\$52.96
B35606	24-in. x 0.256, 1 $^{1}/_{8}$ x 1 $^{1}/_{4}$ -in. Dual Square	300 Series, 510, 637, 640, 650	\$56.23	\$50.61
N242322	24-in. x 0.256, 1 $^{1}/_{8}$ x 1 $^{1}/_{4}$ -in. Dual Square	512, 635, 637, 650	\$62.07	\$55.86
N242921	24-in. x .256, 2-in. Round (2.8-in. Concavity)	2620, 2623, 2625, 2630, 2633, 2635	\$61.31	\$55.18
N242998	24-in. x 0.256, 2-in. Round (2.3-in. Concavity)	2620, 2623, 2625, 2630, 2633, 2635 Disk, 2720, 2730 Rippers	\$56.92	\$51.23
N242923	26-in. x 0.256, 2-in. Round	2620, 2623, 2625, 2630, 2633, 2635	\$77.32	\$69.59
B35608	26-in. x 0.256, 1 <sup>1</sup> / <sub>4</sub> -in. Square	300 Series, 640, 650	\$78.57	\$70.71
Conical, Plair	Edge:			
A28610	22-in. x 0.256, 1 ½ x 1 ¼-in. Dual Square	215, 235, 300 series, 630, 640, 650, 670	\$57.67	\$51.90
B32715	24-in. x 0.256, 1 <sup>1</sup> / <sub>4</sub> -in. Square	300 Series, 640, 650, 670	\$73.49	\$66.14
B28211	24-in. x 0.256, 1 <sup>1</sup> / <sub>2</sub> -in. Square	1630, 1635, 1640 Disks, 225, 425 Offset Disks	\$74.80	\$67.32
B32717	26-in. x 0.256, 1 <sup>1</sup> / <sub>4</sub> -in. Square	300 Series Disks	\$77.80	\$70.02

#### John Deere Vertical Tillage Blades

- Solid, shallow concavity spherical blade chops and sizes residue, manages weeds and root balls, and removes field ruts
- Solid, shallow concavity blade mixes soil and residue, aerates soil, and anchors residue

NUMBER	DESCRIPTION	LIST	NOW
2623VT, 2633V	Т		
N242916	22-in. x 0.197, 2-in. Round – Plain Edge	\$43.05	\$38.75
N403847	22-in. x 0.197, 2-in. Round – Wavy Edge	\$56.15	\$50.54
2660VT			
KK48473	20-in. x 0.256, 2-in. Round – Commander Blade	\$81.25	\$73.13
KK50221	22-in. x 0.256, 2-in. Round – Commander Blade	\$71.47	\$64.32
2680H High Sp	eed Disk		
5NS90340002	20-in. x 0.26, Notched Blade*	\$84.00	\$75.60
5NS90340003	20-in. x 0.26, Plain Blade*	\$80.64	\$72.58
* 2680H Blades use 4	bolts design to mount, no center hole.		







#### Extended Life Greaseable Bearing

#### Features & Benefits:

- Allows for limited, seasonal maintenance interval to minimize downtime
- Customized bearing maintenance for specific growing conditions and soil types
- The sealing system features improved contamination resistance

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AKK22197	Extended Life Greaseable	Disks: 2600, 2623VT, 2630,	\$43.40	\$39.06
	Bearing	2633VT, and 2660VT Series		







#### **Dura-Flex Bearings**

John Deere Dura-Flex bearings continue to offer superior quality and consistency that is unmatched by aftermarket will-fit bearings. Introduced in 2005, they are used on disk gang assemblies and rolling baskets up to the 2600 series disks.

#### **Dura-Flex Bearing Features:**

- Includes 2-year warranty
- Built using a ball ridging, one-piece, molded nylon cage for perfect alignment
- Engineered with a thicker inner bearing race that creates a stronger cross section to withstand tough loads
- Designed with a heavy-duty bearing so the ball is harder than the rings
- Provides total clearance between rings and rolling elements for optimal load distribution and free rotation to allow for thermal expansion
- Prevents premature bearing failure with smooth rolling bearings
- Contains a chamfer in the lubrication hole to ensure proper grease flow

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA28184	Dura-Flex Bearing	<b>Disks:</b> 210, 215, 220, 230, 235, 621, 627, 630, 637 (Rigid Standards) <b>Seedbed Finisher:</b> 200 <b>Mulch Finishers:</b> 722, 724, 726, 2310, and 2330 <b>Mulch Tillers:</b> 710, 712, and 714 <b>Field Cultivators:</b> 980 and 2210 <b>Air Disk Drill:</b> 730 and 730LL	\$25.10	\$23.09
AA30941	Dura-Flex Bearing Kit, includes AA28184 bearing, flanges, gasket, bolts, and nuts	<b>Disks:</b> 210, 215, 220, 230, 235, 621, 627, 630, and 637 (Rigid Standards) <b>Mulch Finisher:</b> 712	\$38.21	\$35.15
AKK33315	Dura-Flex Bearing Kit, includes AA28186 bearing, flanges, gasket, bolts, and nuts	<b>Disks:</b> 310, 315, 330, 331, 335, 340, 350, 360, 370, 637 (C-Spring Standards), 640, and 650 <b>Rippers:</b> 510 and 512	\$54.99	\$50.59



#### Maintenance-Free Bearings

Maintenance-free bearings were introduced with the 2600 series disks. They are used on disk gangs and rolling baskets.

#### Maintenance-Free Bearing Features:

- Includes 2-year warranty
- Increases productivity by reducing the amount of required service time
- Packaged with rust-preventative paper for added protection

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AKK16196	Maintenance-Free Bearing	<b>Disks:</b> 2620, 2623, 2623VT, and 2625	\$90.27	\$81.24

Rippers: 2720 and 2730

# Exclusive Nutrient Knife has replaceable points for easy customization

Cut down on the time and labor costs associated with replacing nutrient knifes. With John Deere's knife series, replacement or removal is as simple as removing a roll pin.

With superior wear protection against demanding conditions, the Nutrient Knives' soil-shattering surfaces and parting fins lift and fracture without actual soil inversion and blowout.

#### **Heavy-Duty Nutrient Applicator Knives**

- Provide consistent nutrient placement along with superior compaction shattering
- Cast-chrome, pin-on point provides excellent lifting and fracturing without soil inversion or blowout
- Exclusive 5/8-in. x 23-in. tall size for improved trash flow and greater durability

#### **Conventional Applicator Knives**

- Chrome-carbide point for excellent wear
- Available as a standard knife or with vapor tube
- Universal mounting hole for All-Makes applications
- Shank is high-strength steel



NUMBER	DESCRIPTION	LIST	NOW
2410C, 2430	C, 2510C Points and Knives:		
Conventiona	Application Knives:		
AN401419	Conventional Knife	\$ 35.40	\$ 31.86
AN401420	Conventional Knife with Vapor	\$ 58.85	\$ 52.97
AN231685	Conventional Knife – 2510C only	\$ 35.82	\$ 32.24
Conventiona	Mole Knives:		
AN401421	Mole Anhydrous Knife	\$ 41.47	\$ 37.32
AN401422	Mole Anhydrous Knife with Vapor	\$ 67.76	\$ 60.98
Chisel Bolt-C	n Points:		
AKK15477	Chisel Knife, Bolt-on, with 3/8-in. Drilled Tube	\$ 59.37	\$ 53.43
AKK15478	Chisel Knife, Bolt-on, with 3/8-in. Drilled Tube with Vapor	\$ 86.49	\$ 77.84
AKK22496	Chisel Knife for NH3 <sup>3</sup> / <sub>8</sub> -in. Drilled Tube (includes tube stabilizer bracket. For machines with shank angle between 48° and 52°)	\$148.84	\$133.96
AKK22497	Chisel Knife for NH3 <sup>3</sup> / <sub>8</sub> -in. Drilled Tube and Vapor (includes tube stabilizer bracket. For machines with shank angle between 48° and 52°)	\$195.69	\$176.12
Chisel Pin Or	Point:		
KK16974	Knife, Pin-on Point	\$ 46.61	\$ 41.95
2510S Points	and Knives:		
Heavy-Duty:			
AN236291	Anhydrous Ammonia (NH3 only)	\$213.97	\$192.57
AN236292	Anhydrous Ammonia (NH3 and dry fertilizer: anhydrous ammonia) (NH3 dry and vapor)	\$267.48	\$240.73
AN236293	Anhydrous Ammonia (NH3 and liquid fertilizer: anhydrous ammonia) (NH3 liquid and vapor)	\$243.70	\$219.33
Heavy-Duty S	Strip-Till Pin-on Points:		
AN236320	Mole-Style, Replaceable Pin-on Point Kit	\$ 70.85	\$ 63.77
AN237013	Wingless, Replaceable Pin-on Point Kit	\$ 64.01	\$ 57.61







A85568

A84920



#### Nutrient Application – 2510H

Timely application and proper placement of nutrients help ensure plants thrive and reach their maximum yield potential while being environmentally responsible. Below are parts that you may need to replace after continuous use applying nutrients during the fall, spring, or sidedress.

NUMBER	DESCRIPTION	LIST	NOW
Scrapers:			
A89381	NH3 Scraper Blade – Right Hand	\$ 77.81	\$ 70.03
A89376	NH3 Scraper Blade – Left Hand	\$ 77.81	\$ 70.03
A89437	Beaver Tail Scraper – Right Hand	\$ 15.00	\$ 13.50
A89556	Beaver Tail Scraper – Left Hand	\$ 15.00	\$ 13.50
Tube Assem	ıbly:		
AA73755	Liquid LH – Stainless Steel	\$156.62	\$140.96
AA73760	Liquid RH – Stainless Steel	\$156.62	\$140.96
AA73757	NH3 – Left Hand	\$ 35.82	\$ 32.24
AA73758	NH3 – Right Hand	\$ 35.82	\$ 32.24
AA79984	NH3 with Vent – Left Hand	\$ 70.67	\$ 63.60
AA79983	NH3 with Vent – Right Hand	\$ 70.67	\$ 63.60
Guage Whe	els:		
A85104	Wheel	\$ 15.25	\$ 13.73
A85134	Wheel	\$ 27.52	\$ 24.77
A85133	3 x 16-in. Gauge Wheel Tire	\$ 42.61	\$ 38.35
AA66988	3 x 16-in. Guage Wheel Assembly	\$ 85.69	\$ 77.12
Blades:			
A84920	Flat Disc Opener Blade	\$ 66.69	\$ 60.02
A85568	14-in. Notched Sealer Blade	\$ 37.56	\$ 33.80
Skid Plates:			
A89289	Skid Plate, Left	\$ 90.76	\$ 81.68
A89288	Skid Plate, Right	\$ 90.76	\$ 81.68

#### Nutrient Application – 2410C

NUMBER	DESCRIPTION	LIST	NOW
Standards			
BN401608	Conventional	\$638.00	\$574.20
BN401609	Chisel Plow	\$745.80	\$671.22
Blades			
N262329	Disk Coulter – 22" Straight	\$ 58.53	\$ 52.68
KK11744	Disk Blade, Concave Notched	\$ 32.00	\$ 28.80
BN401221	Closing Disk Blade Assembly	\$554.40	\$498.96
Bearing			
AN212132	Ball Bearing	\$ 13.87	\$ 12.76
Bushings			
N184995	Pivot (ID .531", OD .875", L .402")	\$ 8.91	\$ 8.02
N184531	Pivot (ID .755", OD 1.125", L 3.620")	\$ 33.52	\$ 30.17
KK26470	True Depth Shank Pivot (ID .688", OD 1.117", L 4.646")	\$ 45.91	\$ 41.32
KK12437	Pivot (ID .812", OD 1.5", L 1.504")	\$ 20.21	\$ 18.19
Miscellaneo	ıs		
N331926	U-Bolt (Diameter .875")	\$ 29.71	\$ 26.74
N262344	Spring Rod Eyebolt (Diameter .750", L 13.618")	\$ 36.44	\$ 32.80
A87781	Hub	\$ 89.04	\$ 80.14

#### **Small Square Baler Parts**

You need square bales that stack like bricks, and you can rely on your John Deere dealer for the parts and service to keep you baling.

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW				
E41833	Baler Tooth*	466 and 468	John Deere	\$ 2.52	\$ 2.32				
A-E41833	Baler Tooth	466 and 468	A&I Products	\$ 2.07					
E17777	Stationary Knife	466	John Deere	\$118.01	\$108.57				
E42088	Plungerhead Knife	466	John Deere	\$149.12	\$137.19				
AFH202537	Needle (Twine with Guide)	328, 338, and 348	John Deere	\$188.72	\$173.62				
AFH202538	Needle (Wire)	328, 338, and 348	John Deere	\$265.57	\$244.32				
AE50593	Finger (Feeder)*	328 and 338	John Deere	\$344.57	\$317.00				
AFH205877	Finger (Tucker)	328, 338, 348, and 468	John Deere	\$ 91.72	\$ 84.38				
AE70115	Knotter Repair Kit*	466 and 468	John Deere	\$272.72	\$250.90				
* Fits models 327,	* Fits models 327, 328, 336, 337, 338, 346, 347, 348, and 467 square balers.								





#### Sickle Parts for Mower/Conditioners, and Auger Platforms

Dura-Cut™ Sickle Sections are made with high carbon for rugged strength and have cutting edges that are heat-treated for longer cutting life.

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
Knife Sickle S	Sections:				(4)
AE70451	End Section and Hardware, One Left-Hand, One RH*	1207, 1209, 1217, 1219, 300, 300A, 31, 36, 61, 66	John Deere	\$26.88	\$22.04
AE70454	Overlap Kit	1600, 1600A, 300, 300A, 31, 36, 61, 66	John Deere	\$33.45	\$27.43
Sections:					
E76370	Overserrated Dura-Cut, Chrome**	120, 1214, 1219, 130, 135, 1600A, 183, 220, 290, 300A, 78, 710, 720, 820	John Deere	\$ 2.21	\$ 2.03
E76371	Underserrated Dura-Cut, Chrome**	120, 1214, 1219, 130, 135, 1600A, 183, 220, 300A, 350, 450, 3700, 78, 710, 720, 820	John Deere	\$ 1.90	\$ 1.75
Sickle Guard	s:				
E82559	Two-Tine	1207, 130, 135	John Deere	\$15.85	\$14.58
A-BU220	Two-tine Cutterbar Knife Guard	1207, 130, 135	A&I Products	\$11.98	
E62000	Two-Tine**	1214, 1219, 183, 220, 300A, 350, 450, 3700	John Deere	\$14.93	\$13.74
E88909	Two-Tine*	1217, 1219, 300A, 31, 36, 61, 66	John Deere	\$15.39	\$14.16
A-E88909	Guard, Knife*	1207, 1219	A&I Products	\$12.45	
E88910	Two-Tine*	1217, 1219, 300A, 31, 36, 61, 66	John Deere	\$20.46	\$18.82
A-E88910	Guard, Knife; End*	1217, 1219	A&I Products	\$13.76	
E59625	Non-Clog**	120, 1214, 1600A, 183, 220, 300A, 350, 450, 3700, 78, 710, 720, 820	John Deere	\$17.33	\$15.94
E88923	Non-Clog*	1217, 1219, 300, 300A, 31, 36, 61, 66	John Deere	\$13.64	\$12.55
E72428	Regular with Wear Bar	1217, 1219, 1600, 300, 300A, 31, 36, 61, 66	John Deere	\$13.66	\$12.57
Hold-Down (	lips:				
AE57172	Hold-Down Clip**	1219, 1600A, 130, 135, 300A, 350, 450, 710, 720, 820, 890, 895, 896	John Deere	\$11.27	\$10.37
AE57173	Hold-Down Clip*	1424, 230, 240, 300, 300A, 31, 36, 61, 66	John Deere	\$11.70	\$10.76

<sup>\*1600, 1600</sup>A, 710, 720, 820, 890, 895, 896 \*\*1207, 1209, 1217, 1380, 1424, 1600, 230, 240, 300, 31, 36, 61, and 66

#### John Deere Mower Conditioner Knives

Engineered for optimal wear resistance and designed specifically for John Deere machines, these mower conditioner knives remain sharp and provide long-term, premium cutting quality.

- Made from boron steel and heat treated for maximum strength
- Bend rather than break for safer livestock feed
- Knives are applied with rust-preventative oil or powder-coated for superior protection
- Burrs removed from holes for precise fit

10.5 deg. Knives: Standard knife from factory.

18 deg. Knives: High-twist design aids in maintaining excellent cut quality in downed crops or extremely heavy crop conditions

<b>18 deg. Knives:</b> High-twist design aids in maintaining excellent cut quality in downed crops or extremely heavy crop conditions.						
NUMBER	DESCRIPTION	APPLICATION	LIST	NOW		
FH323281	Standard, Counterclockwise*	265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R	\$2.16	\$1.99		
FH323282	Standard, Clockwise*	265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R	\$2.16	\$1.99		
FH308234	High-Lift, Counterclockwise*	265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R	\$2.22	\$2.04		
FH308235	High-Lift, Clockwise*	265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R	\$2.22	\$2.04		
CC44004	Standard, Right-hand, Clockwise	270	\$2.25	\$2.07		
CC44005	Standard, Left-hand, Counterclockwise	270	\$2.25	\$2.07		
CC21780	Standard, Counterclockwise	270, 265, 275, 285, R160, R200, R240, R280, and R310	\$2.12	\$1.95		
CC21781	Standard, Clockwise	270, 265, 275, 285, R160, R200, R240, R280, and R310	\$2.09	\$1.92		



#### Frontier Disc Mower Blades

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
KN56151210	Angled Blade, Right Turning	DM1130, DM1140, DM1150, DM1160	Frontier	\$2.10	\$1.93
A-76N942	Angled Blade, Right Turning	DM1130, DM1140, DM1150, DM1160	A&I Products	\$1.35	
KN56151310	Angled Blade, Left Turning	DM1130, DM1140, DM1150, DM1160	Frontier	\$2.10	\$1.93
A-76N941	Angled Blade, Left Turning	DM1130, DM1140, DM1150, DM1160	A&I Products	\$1.35	
KN56451300	Angled Blade, Right Turning	DM1270	Frontier	\$3.10	\$2.85
A-76N226	Angled Blade, Right Turning	DM1270	A&I Products	\$1.79	
KN56451200	Angled Blade, Left Turning	DM1270	Frontier	\$3.10	\$2.85
A-76N198	Angled Blade, Left Turning	DM1270	A&I Products	\$1.79	
AL . DI AA DI		e tank			

Note: Disc Mower Blades might fit Kuhn, New Holland and other makes of Disc Mowers. Please see us for more details.



#### **Tech Tip:**

When lubricating, tightening and adjusting, or replacing worn chains, be sure to inspect all the sprockets for worn, rounded, or cupped teeth that may cause your chain to slip and inefficient baling. John Deere sprockets are made to defined specifications to ensure longevity and proper function of the baler.


#### Sprockets

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
AFH205816	Lower Drive Chain Idler Sprocket	6, 7, 8, 9, and Zero Series Balers	John Deere	\$96.42	\$88.71
A-AE54301	Lower Drive Chain Idler Sprocket	6, 7, 8, 9, and Zero Series Balers	A&I Products	\$58.64	
E90776	Lower Drive Sprocket Chain Guide	6 ft. Tall 6, 7, 8, 9, and Zero Series Balers	John Deere	\$30.57	\$28.12
A-E90776	Lower Drive Sprocket Chain Guide	6 ft. Tall 6, 7, 8, 9, and Zero Series Balers	A&I Products	\$11.85	
E89936	Chain Guide Between Upper and Lower Drive Roll	6 ft. Tall 6, 7, 8, 9, and Zero Series Balers	John Deere	\$42.13	\$38.76

#### Tech Tip:

The best time to lubricate chains is right after machine use when the chains are still warm. The lubricant will cling to the chains and be drawn between the pins and rollers as they cool. Lubricating daily will help prevent crop residue and dirt buildup.

#### Precut Baler Chain





TY26350

#### **Chain and Cable Lubricant**

- Penetrates rapidly
- Ideal for all types of exposed chains
- Reduces friction and wear
- Resists rust and corrosion
- Product is free of ozone-depleting chlorofluorocarbons (CFCs)
- Foam action reduces chain throw-off

NUMBER	APPLICATION	SIZE/LINKS	TYPE	LIST	NOW
Idler to Pickup	(Regular Pickup):				
AFH208830*	335, 375, 385, 435, 535, 6, 7, 8, 9, and Zero Series Balers	50–72	John Deere	\$ 35.75	\$ 32.89
A-AFH208830	335, 375, 385, 435, 535, 6, 7, 8, 9, and Zero Series Balers	50–72	A&I Products	\$ 21.85	
Clutch to Idler	(MegaTooth™ Pickup):				
AFH205493*	569	50-111	John Deere	\$ 23.00	\$ 21.16
Idler to Pickup	(MegaTooth Pickup):				
AFH208828*	435, 535, 6, 7, 8, and 9 Series Balers	50-74	John Deere	\$ 34.97	\$ 32.17
A-AFH208828	435, 535, 6, 7, 8, and 9 Series Balers	50-74	A&I Products	\$ 21.96	
Clutch to Rotor	r (MegaWide™ Plus Pickup):				
AFH205492*	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 M, 460 M/R, 550 M, and 560 M/R	50–102	John Deere	\$ 34.31	\$ 31.57
A-AFH205492	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 M, 460 M/R, 550 M, and 560 M/R	50–102	A&I Products	\$ 18.32	
Rotor to Pickup	p (MegaWide Plus Pickup):				
AFH208473*	449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M	50-79	John Deere	\$ 37.36	\$ 34.37
A-AFH208473	449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M	50-79	A&I Products	\$ 23.96	
AFH205377*	469PR, 569PR, 460R, and 560R	50-89	John Deere	\$ 37.36	\$ 34.37
A-AFH205377	469PR, 569PR, 460R, and 560R	50-89	A&I Products	\$ 15.55	
Upper Drive:					
AFH206114*	468, 568, 469, 569, 460M, and 560M	80–158	John Deere	\$372.06	\$342.30
A-AFH206114	468, 568, 469, 569, 460M, and 560M	80-158	A&I Products	\$213.50	
AFH206112*	469R, 569R, 460R, and 560R	80H-158	John Deere	\$372.06	\$342.30
A-AFH206112	469R, 569R, 460R, and 560R	80H-158	A&I Products	\$251.94	
Starter Roll Dri	ve:				
AE74238	6, 7, 8 Series Balers	60H-42	John Deere	\$ 50.79	\$ 46.73
A-AE74238	6, 7, 8 Series Balers	60H-42	A&I Products	\$ 35.35	
AFH208831*	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 E/M, 460 M/R, 550 M, and 560 M/R	60H-42	John Deere	\$ 39.85	\$ 36.66
A-AFH208831	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 E/M, 460 M/R, 550 M, and 560 M/R	60H-42	A&I Products	\$ 23.04	
Lower Drive:					
AFH206115*	469PR, 569PR, 460R, and 560R	80–64	John Deere	\$129.51	\$119.15
A-AFH206115	A-AFH206113 469PR, 569PR, 460R, and 560R	80–64	A&I Products	\$ 86.17	
AFH206113*	469R, 569R, 460R, and 560R	80H-64	John Deere	\$148.76	\$136.86
A-AFH206113	469R, 569R, 460R, and 560R	80H-64	A&I Products	\$102.10	


<sup>\*</sup>Diamond Chain®:

<sup>•</sup> Heat-treated using carburizing furnaces set to precise temperatures • Uses both a proprietary lubrication formula and hot-dip application process on all lubricated roller chains

<sup>-</sup> Uses proprietary shot-peening machinery developed and custom-made to ensure consistent intensity and coverage of components during the shot-peening process

<sup>•</sup> All chain is preloaded to approximate the recommended maximum loading during usage. This firmly seats pins and bushings and helps eliminate any initial elongation





#### Tines for John Deere Rakes

	NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
	AE47389	Rubber Tooth	54, 64, 74, 75, 650, 652, 660, 662, 670, 671, 672, and 673	John Deere	\$ 5.34	\$4.91
	A-AE47389	Rubber Mtd. Rake Tooth	54, 64, 74, 650, 652, 660, 662, 670, 671, 672, and 673	A&I Products	\$ 3.49	
\	AE47390	Rubber Tooth	64, 74, 75, 660, 662, 670, 671, 672, and 673	John Deere	\$ 6.64	\$6.11
)	E56470	Steel Tooth	54, 64, 74, 75, 660, 670, and 671	John Deere	\$11.24	\$9.22
	E35277	Rake Tooth	567 Wheel Rakes	John Deere	\$ 5.49	\$5.05
	AE56204	Rake Tooth	700 and 705 Twin Rakes	John Deere	\$ 5.12	\$4.71
	A-96R5	Rubber Mtd. Tooth	700 and 705 Twin Rakes	A&I Products	\$ 3.48	
	E95724	Rake Tooth	702 and 704 Wheel Rakes	John Deere	\$ 2.33	\$2.14
	A-P25AG005	Rake Tooth	702 and 704 Wheel Rakes	A&I Products	\$ 1.98	
	A-186SE	Rake Tooth	553 and 594	A&I Products	\$ 2.93	
	A-237SE	Rake Tooth (Quick Detach)	596, 597, and 714	A&I Products	\$ 4.10	
	A-257SE	Rake Tooth*	350, 851, 858 (SN <87200), 894 (SN <37900), 896 (SN <13430)	A&I Products	\$ 1.83	





NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
5HPT176	Rake Wheel Tooth	Fits WR11, WR12, WR30, and WR33 Series	Frontier	\$ 3.00	\$ 2.76
5HPT174	Rake Wheel, Left- Hand (complete)	Fits WR11, WR12, WR30, and WR33 Series	Frontier	\$131.34	\$120.83
A-P20BG004	Rake Wheel, Left- Hand (complete)	Fits WR11, WR12, WR30, and WR33 Series	A&I Products	\$119.15	
5HPBFR31	Rake Wheel, Right- Hand (complete)	Fits WR11, WR12, WR30, and WR33 Series	Frontier	\$131.34	\$120.83
5HPFR69	Rake Wheel, Right- Hand (complete)	Fits WR34 Series	Frontier	\$159.16	\$146.43
5HPFR70	Rake Wheel, Left- Hand (complete)	Fits WR34 Series	Frontier	\$159.16	\$146.43
5HPFR73	Rake Wheel Tooth	Fits WR34 Series	Frontier	\$ 5.02	\$ 4.62

#### Frontier Rotary Rake and Tedder Tines



NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
KN57609000	Tine	Fits TD1123	Frontier	\$18.88	\$17.37
A-57609000	Tine	Fits TD1123	A&I Products	\$10.42	
KN58711800	Tine Arm	Fits TD1123 and TD1316 $$	Frontier	\$46.39	\$42.68
KN58740600	Left Rotating Tine	Fits TD1316	Frontier	\$18.88	\$17.37
KN58740700	Right Rotating Tine	Fits TD1316	Frontier	\$18.88	\$17.37
5PQ700929	Tine, Clockwise Rotation, Gray	Fits TD2418 and TD2427	Frontier	\$21.09	\$19.40
5PQ700901	Tine, Counter- Clockwise Rotation, Black	Fits TD2418 and TD2427	Frontier	\$21.09	\$19.40
5PQ500218	Rotary Rake Tine	Fits RR2109 and RR2211	Frontier	\$22.42	\$20.63

#### **Net Wrap Pan Liners**

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
FH332540	4' Net Pan Liner	7, 8, 9 and Zero Series Round Balers	\$197.58	\$162.02
FH332541	5' Net Pan Liner	7, 8, 9 and Zero Series Round Balers	\$260.64	\$213.72









#### Pickup Teeth

\*Check machine serial number for correct parts.

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
Round Baler w	rith Regular Pickup:				
E67036	6-in., 4-Coil with Bolt	410, 430, 500, and 510 Model Balers	John Deere	\$ 2.75	\$2.53
A-E67036	Baler Tooth*	410, 430 (SN <710000), 500, 510, and 530 (SN <710000)	A&I Products	\$ 2.16	
E74678	6-in., 5-Coil with Allen-Head Bolt	330, 335, 375, 430, 435, 530, and 535 Model Balers	John Deere	\$ 2.78	\$2.56
A-E74678	Baler Tooth*	330, 335 (SN <915000), 375 (SN <915000), 430 (SN 710001>), 435 (SN <921150), 530 (SN 710001>), and 535 (SN <921939)	A&I Products	\$ 2.44	
E79475	7 <sup>1</sup> / <sub>4</sub> -in.	330, 335, 385, 435, 6, 7, 8, and 9 Series Round Balers	John Deere	\$ 2.97	\$2.73
A-E79475	Baler Tooth*	330, 335 (SN 915001>), 375 (SN 915001>), 385, 430 (Long tooth pickup only), 435 (SN 921151>), 530 (Long tooth pickup only), 535 (SN 921940>), 6, 7, and 8 Series Round Balers	A&I Products	\$ 2.31	
Round Baler w	rith MegaWide™ Pickup:				
E90881	Left-Hand	6, 7, 8, 9, and Zero Series Round Balers	John Deere	\$10.70	\$9.84
FH304576	Middle, MegaTough™ Square Tooth	6, 7, 8, 9, and Zero Series Round Balers	John Deere	\$ 7.00	\$6.44
A-AFH202304	Tooth, Pickup (Square Wire); Set of 4 Teeth w/ Hardware	6, 7, 8, 9, and Zero Series Round Balers	A&I Products	\$16.15	
E90880	Right-Hand	6, 7, 8, 9, and Zero Series Round Balers	John Deere	\$10.70	\$9.84
Large Square	Baler Pickup:				
FH324064	Pickup Tooth	L330 and L340	John Deere	\$ 5.43	\$5.00
FH304576	Middle, MegaTough™ Square Tooth	L331 and L341	John Deere	\$ 7.00	\$6.44



#### **Round Baler Wear Parts Box**

In the field and need a part for your baler? With the John Deere Round Baler Wear Parts Box, you will have most of what you need to get back to baling fast. Whether you need something for your pickup, belts or bearings, it is probably in the Box. Light enough for two people to pickup and put in the truck, means you can take it to the field with you and have it when and where you need it. Ask your dealer about customizing this box for your personal needs and for older model or 5-ft. diameter balers.

BE32698 Round Baler Wear Parts Box For 8, 9, and Zero Series 6-ft. Diameter Round Balers
List Price – \$2,484.90 Sale Price – \$2,286.11



#### Belt Laces and Pins


NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AE53297	Clipper Lace	330, 335, 375, 410, 430, 435, 500, 510, 530, and 535	\$ 5.64	\$ 5.19
E70966	Clipper Lace Pin	330, 335, 375, 430, 435, 530, and 535	\$ 1.19	\$ 1.09
AE53298	Mato-Plate Type Lace	430, 435, 530, 535, 6, 7, 8, 9, and Zero Series Balers	\$17.14	\$15.77
E86147	Mato-Plate Type Pin	430, 435, 530, 535, 6, 7, 8, 9, and Zero Series Balers	\$ 3.49	\$ 3.21

**Tech Tip:** Replacing belt pins before they're worn or broken saves time and reduces wear on your equipment. We recommend checking pins after every 500–1,000 bales.



#### Diamond Tread Baler Belts

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AFH215157	Diamond Tread Short	330, 335, 375, 446, 546, 447, 448, 449, 440E, and 547	\$295.88	\$272.21
AFH215159	Diamond Tread Long	330, 335, 375, 446, 546, 447, 448, 449, 440E, and 547	\$302.51	\$278.31




#### DiamondTough™ Baler Belts

Introduced with the John Deere 8 Series balers, DiamondTough baler belts feature:

- 1) Nylon-fill cords that provide superior puncture and tear resistance, along with excellent fastener-holding strength.
- 2) Excellent resistance to punctures and tears by inserting heavy-duty polyester straight-warp cords between the fill cords.
- 3) Polyester surface warp cords that resist abuse and increase flexibility over small baler rollers.
- 4) Nylon binder warp cords that help promote fabric integrity and abuse-resistant properties.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AE74209	DiamondTough Short	385, 6, 7, 8, 9, and Zero Series 5-ft. Balers	\$416.78	\$383.44
AE74210	DiamondTough Long	385, 6, 7, 8, 9, and Zero Series 5-ft. Balers	\$429.25	\$394.91
AE74177	DiamondTough Short	435, 535, 6, 7, 8, 9, and Zero Series 6-ft. Balers	\$412.84	\$379.81
AE74178	DiamondTough Long	435, 535, 6, 7, 8, 9, and Zero Series 6-ft. Balers	\$432.79	\$398.17



#### DiamondTough™ Pro Baler Belts

Our DiamondTough Pro baler belts are more wear- and tear-resistant than many belts in the industry and are built with the following features:


- Built with a special rubber compound that offers excellent resistance to cutting, gouging, and abrasion—the same compound used in tough conveyor belt applications
- Provide better performance in tough baling conditions

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AFH212598	DiamondTough Pro Short	7, 8, 9, and Zero Series 5-ft. Balers	\$516.91	\$475.56
AFH212599	DiamondTough Pro Long	7, 8, 9, and Zero Series 5-ft. Balers	\$524.18	\$482.25
AFH210848	DiamondTough Pro Short	7, 8, 9, and Zero Series 6-ft. Balers	\$578.45	\$532.17
AFH210849	DiamondTough Pro Long	7, 8, 9, and Zero Series 6-ft. Balers	\$586.09	\$539.20

#### Transverse Tear

The rectangular belt sample is cut in the transverse direction. After belt ends are clamped, the test machine applies tension and tears through the remainder of the belt sample.

This test is an indication of the belt's ability to resist tears initiated by the belt running into the conveyor structure or punctures created by impact or trapped material between the belt and the pulleys. High strength warp cords in the John Deere DiamondTough™ belts assist in providing superior transverse tear resistance.



DiamondTough<sup>™</sup> Baler Belts

#### Work harder, smarter, longer

John Deere DiamondTough baler belts are carefully crafted to:

- Handle heavy shock loads
- Maintain consistent belt length
- Offer improved reliability and belt life, minimizing downtime
- Be more puncture- and tear-resistant than other belts
- Warn you when it's time to replace them


#### **Better inside**

Patented triple-weave design incorporates nylon, polyester, and monofilament cords. DiamondTough belts are more puncture- and tearresistant, improving belt life and reducing downtime.



DiamondTough baler belt's self-cleaning, three-step tread design offers benefits at every layer, including wear indicators.


- Top step: Provides excellent stem contact during initial wear stages.
- Middle step: When the top step is worn, bale starting may be adversely affected in certain crops.
- Bottom step: When the top two steps are worn, replace the belt.
   Ask us for the correct fit for your round baler today.



# John Deere GREEN-GARD™

John Deere GREEN-GARD Hay Preservative is a buffered, propionic acid preservative that helps retain the freshness, color, and quality of the hay by stopping mold growth, heating, and spoilage.

- Bale when you're ready at moisture up to 30%
- Non-corrosive buffered formula won't harm expensive baling equipment, the user, or livestock
- Treated hay is greener, higher in feed value, and can be stored for years while looking and feeding as well as when it was baled





#### Advanced Hay, Straw, and Silage Tester

This newly advanced Hay, Straw, and Silage Tester is the most efficient probe on the market. The 20" stainless steel probe and tip provides accuracy, versatility, and durability. The SW07305 will measure push force to determine whether it's a highor low-density bale, then adjusts the moisture result for more precise accuracy.

#### Features:

- Measures 8–72% moisture content
- Temperature range 32–185°F (0–85°C)
- Automatic Density Compensation
- Choice of hay or straw bales, separate mode for silage
- Memory can store results up to 64 bales with a total of 1,000 savable moisture and temperature readings
- Continuous reading as you probe bale

NUMBER	DESCRIPTION	LIST	NOW
SW007305	Hay, Straw, and Silage Tester	\$351.25	\$323.15



#### Hay Probes and Baler Mounted Testers

NUMBER	DESCRIPTION	LIST	NOW
Handheld M	oisture Testers:		
Moisture Te	esters:		
SW16136	18-in. Probe (testing range from 14–44%)	\$207.77	\$191.15
SW16326	32-in. Probe (testing range from 14–44%)	\$231.56	\$213.04
Low-Moist	ure:		
SW007320	20-in. Probe (testing range from 8–44%)	\$253.03	\$232.79
SW007321	10-in. Probe (testing range from 8–44%)	\$237.44	\$218.44
Baler-Mount	ted Hay Testers:		
SW07350	Tester mounts inside the baler for direct readout of moisture while baling (testing range from 8–44%)	\$321.81	\$296.07
SW007360	Advanced Baler-Mounted Hay Moisture Tester (BHT-2)	\$445.44	\$409.80



#### Hay Core Sampler

Developed by farmer for farmers. The Hay Core Sampler ensures fast and contamination-free sampling from hay bales for testing purposes.

#### Features:

- Sampling depth is 20"
- Sampler can be used with either a 3/8" or 1/2" drill. 1/2" recommended for best results
- The inside diameter of the shaft is 7/8" allowing samples to stay loose for easy bagging with the cleanout rod between samplings
- Includes cleanout rod for pushing hay into provided zip-lock sample bag
- Shaft and connections are made of stainless steel
- Replaceable core sampler tip

NUMBER	DESCRIPTION	LIST	NOW
SW007390	Hay Core Sampler	\$187.11	\$172.14





#### John Deere Baler and Rotary Cutter Drivelines and Clutches

NUMBER	DESCRIPTION	APPLICATION	TYPE LIST	NOW
Baler Driveline	s and Clutches			
AFH206427	Pickup Slip Clutch	435, 535, 6, 7, 8, and 9 Series Round Balers	John Deere \$ 519.75	\$ 478.17
A-AE56776	Pickup Slip Clutch	435, 535, 6, 7, 8, and 9 Series Round Balers	A&I Products \$ 237.79	
AFH213887	U-Joint with Shaft	335, 375, 385, 6, and 7 Series Round Balers	John Deere \$1,851.06	\$1,702.98
AFH207722	U-Joint with Shaft & Shield, Front H	8 and 9 Series Round Balers	John Deere \$1,339.21	\$1,232.07
AFH217178	U-Joint, (w/shaft and plastic shield) (540 RPM)	447, 457, 547, 557	John Deere \$1,478.57	\$1,360.28
A-DT535906N	Front Half CV w/ Female	7 Series Round Balers	A&I Products \$ 860.35	
A-DT535921N	Front Half CV w /Female T	468, 568, and 7 Series Round Balers	A&I Products \$ 880.33	
AFH217179	U-Joint with Shaft & Shield (CAT 5 540 RPM)	336, 346, 347, 348, 468 Sqaure Balers, and 435, 535, 6, and 7 Series Round Balers	John Deere \$1,261.27	\$1,160.37
A-AE74294N	John Deere Baler Driveline 2480 CV; 540 RPM	435, 535, 6, and 7 Series Round Balers	A&I Products \$1,148.53	
AFH217180	U-Joint with Shaft & Shield (CAT 5 1,000 RPM)	435, 535, 6, and 7 Series Round Balers	John Deere \$1,299.10	\$1,195.17
A-AE74295N	John Deere Baler Driveline 2480 CV; 1,000 RPM	435, 535, 6, and 7 Series Round Balers	A&I Products \$1,176.54	
Rotary Cutter	Drivelines and Clutches			
AW30401	Complete Driveline w/ Clutch	MX5, MX6	John Deere \$ 993.13	\$ 913.68
AW30402	Complete Driveline w/ Clutch	MX7	John Deere \$1,272.25	\$1,170.47
A-CS54816	Complete Driveline w/ Clutch	MX5, MX6, MX7	A&I Products \$ 451.51	
AP40623	Lift-Type, Semi-Mount and Offset 540 RPM Tractor to Clutch*	MX8, MX10, Offset MX8 (SN 016500-), Offset MX10 (SN 0015000-)	John Deere \$1,268.75	\$1,167.25
AP40622	Pull-Type Driveline Ahead of Pedestal	MX8, MX10	John Deere \$ 572.03	\$ 526.27
AW30427	Pull-Type w/ Clutch Behind Pedestal	MX8, MX10	John Deere \$1,354.25	\$1,245.91
AP40625	Lift-Type and Offset 540 RPM Driveshaft/Clutch	HX7, Offset HX10	John Deere \$ 745.80	\$ 686.14
AP40626	Lift-Type & Semi Mount 540 RPM Driveshaft/Clutch	HX6, HX10	John Deere \$ 689.70	\$ 634.52
AP40627	Tractor Driveline to Splitter Gear Case	MX15	John Deere \$1,008.70	\$ 928.00
BP18396	540 RPM Tractor Driveline to Support Bearing (constant velocity, front yoke)	HX10	John Deere \$1,236.40	\$1,137.49
BP18399	540 RPM Tractor to Splitter Gear Case*	HX15, CX15 (SN 006500-), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	John Deere \$1,471.80	\$1,354.06
BP18400	1,000 RPM 1 <sup>3</sup> / <sub>8</sub> -in. Tractor to Splitter Gear Case*	HX15, CX15 (SN 006500-), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	John Deere \$1,453.10	\$1,336.85
A-WC584823A	1,000 RPM 1 <sup>3</sup> / <sub>8</sub> -in. Tractor to Splitter Gear Case*	HX15, CX15 (SN 006500-), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	A&I Products \$1,076.39	
BP18401	1,000 RPM 1 <sup>3</sup> / <sub>4</sub> -in. Tractor to Splitter Gear Case*	HX15, HX20 (SN -004519), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	John Deere \$1,514.70	\$1,393.52
AW30666	Splitter Driveline to Wing Gear Case	HX15	John Deere \$1,465.51	\$1,348.27
AW30705	Splitter Driveline to Wing Gear Case*	HX20 (SN -004999)	John Deere \$1,865.94	\$1,716.66
AW34626	Splitter Driveline to Wing Gear Case*	HX20 (SN 005000-)	John Deere \$1,373.01	\$1,263.17
AW33666	Splitter Driveline to Wing Gear Case*	CX20 (SN -003799)	John Deere \$1,893.75	\$1,742.25
AW34627	Splitter Driveline to Wing Gear Case*	CX20 (SN 003800-)	John Deere \$1,605.31	\$1,476.89
*Chael machine caria	I number for correct name			

<sup>\*</sup>Check machine serial number for correct parts.



#### John Deere Rotary Cutter Shredding Attachments

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BW15812	Stalk Shredding Attachment	M20, CX20, and HX20	\$335.50	\$308.66
AW31782	Wing Frame Stalk Shredding Attachment	CX15 and HX15	\$496.40	\$456.69
AW31717	Center Frame Stalk Shredding Attachment	CX15 and HX15	\$569.51	\$523.95
W43563	Strap (Order 2 per frame)	CX15 and HX15	\$ 67.94	\$ 62.50

Note: Blades and Hardware ordered separately.


#### John Deere Rotary Cutter Blades


**Suction Blades** – Provide additional lift, ideal solution for picking up down material. **Flat Blades** – Require less horsepower and have cutting edges on both sides of the blade. **Dual Blades** – **Shredding Attachment** – For increased shredding of crop residue.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
FH332998	Suction Blade, CCW (Order 2)	403, 413, LX4	\$40.70	\$37.44
FH332989	Suction Blade, CCW (Order 2)	503, 513, LX5	\$46.36	\$42.65
FH332990	Suction Blade, CCW (Order 2)	603, 613, LX6	\$48.55	\$44.67
FH329910	Suction Blade, CCW (Order 2)*	MX5, MX6	\$35.70	\$32.84
FH329908	Suction Blade Center, CCW (Order 2)	HX6	\$44.58	\$41.01
FH329909	Suction Blade, CCW (order 4)	MX7, HX7	\$50.33	\$46.30
FH329911	Suction Blade, CW (Order 2)*	MX8, MX10	\$42.15	\$38.78
FH329912	Suction Blade, CCW (Order 2)*	MX8, MX10	\$40.70	\$37.44
FH329914	Suction Blade Left-Hand, CW (Order 2)	HX10	\$36.84	\$33.89
FH329915	Suction Blade Right-Hand, CCW (Order 2)	HX10	\$36.84	\$33.89
FH332999	Flat Blade (Order 4)	HX10	\$48.58	\$44.69
FH329911	Suction Blade, CW (Order 2)*	HX14	\$42.15	\$38.78
FH329912	Suction Blade, CCW (Order 2)*	HX14	\$40.70	\$37.44
FH333000	Flat Blade (Order 6)	HX14	\$46.03	\$42.35
FH329917	Shredding Attachment, CCW – 540 RPM (Order 6)*	HX14	\$35.66	\$32.81
FH329916	Shredding Attachment, CW – 1,000 RPM (Order 6)*	HX14	\$36.00	\$33.12
FH329908	Suction Blade Center, CCW (Order 2)	CX15, HX15, MX15	\$44.58	\$41.01
FH329915	Suction Blade Right-Hand, CCW (Order 2)	CX15, HX15, MX15	\$36.84	\$33.89
FH329914	Suction Blade Left-Hand, CW (Order 2)	CX15, HX15, MX15	\$36.84	\$33.89
FH329918	Shredding Attachment Upper, CW (Order 2)	CX15, HX15, MX15	\$38.51	\$35.43
FH329919	Shredding Attachment Upper, CCW (Order 4)	CX15, HX15, MX15	\$38.88	\$35.77
FH329914	Shredding Attachment Lower, CCW (Order 2)	CX15, HX15, MX15	\$36.84	\$33.89
FH329915	Shredding Attachment Lower, CCW (Order 4)	CX15, HX15, MX15	\$36.84	\$33.89
FH329920	Suction Blade, CW (Order 2)	CX20, HX20	\$44.45	\$40.89
FH329909	Suction Blade, CCW (Order 4)	CX20, HX20	\$50.33	\$46.30
FH329918	Shredding Attachment Upper, CW (Order 2)	CX20, HX20	\$38.51	\$35.43
FH329919	Shredding Attachment Upper, CCW (Order 4)	CX20, HX20	\$38.88	\$35.77
FH329914	Shredding Attachment Lower, CCW (Order 2)	CX20, HX20	\$36.84	\$33.89
FH329915	Shredding Attachment Lower, CCW (Order 4)	CX20, HX20	\$36.84	\$33.89


<sup>\*</sup>Check machine serial number for correct blade.











#### Frontier Rotary Cutter Blades

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
ME300125	Blade Set, 2 Blades	RC1048	\$ 72.39	\$66.60
ME300126	Blade Set, 2 Blades	RC1060, RC1072	\$ 91.01	\$83.73
ME300227	Blade Bolt Kit	RC1048, RC1060, RC1072	\$ 37.91	\$34.88
TIFC711121	Blade Set, 2 Blades	RC2048	\$ 72.38	\$66.59
TIFC711122	Blade Set, 2 Blades	RC2060	\$ 86.62	\$79.69
TIFC711123	Blade Set, 2 Blades	RC2072	\$ 91.02	\$83.74
5TIFC711222	2 Blade Set, 2 Blades	RC2084	\$101.21	\$93.11
TIFC711124	Blade Bolt Kit	RC2048, RC2060, RC2072	\$ 37.91	\$34.88
5TIFC711224	Blade Bolt Kit	RC2084	\$ 38.42	\$35.35





#### Frontier Grooming Mower Blades

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
5BP0006795	4-ft. Deck	GM1048E, FM2012R, FM2112R	\$ 28.81	\$ 26.51
5BP0006641	5-ft. Deck	GM1060E, GM2060R, FM2012R, FM2015R, FM2112R, FM2115R	\$ 30.72	\$ 28.26
5BP0006845	6-ft. Deck	GM1072E, GM2072R, FM2015R, FM2017R, FM2115R, FM2117R	\$ 35.84	\$ 32.97
5BP0006690	7-ft. Deck	GM2084R, FM2120R	\$ 41.96	\$ 38.60
5BP0044318	7 <sup>1</sup> / <sub>2</sub> -ft. Deck	GM2190R	\$ 29.22	\$ 26.88
5BP0044598	9-ft. Deck	GM2109R	\$ 28.93	\$ 26.62
5WP1001510KT	KIT – Low Lift	GM1060R, FM1015R	\$125.05	\$115.05
5WP1001511KT	KIT – Low Lift	GM1072R, FM1012R, FM1017R	\$119.28	\$109.74
5WP1001512KT	KIT – Low Lift	GM1084R	\$161.62	\$148.69
5WP28329KT	KIT – Low Lift	GM1190R	\$157.93	\$145.30
5WP18881KT	KIT – Medium Lift	GM1060S	\$104.17	\$ 95.84
5WP18884KT	KIT – Medium Lift	GM1072S	\$108.67	\$ 99.98
5WP1001513KT	KIT – High Lift	GM1060R, GM3060, FM1015R	\$ 84.21	\$ 77.47
5WP1008199KT	KIT – High Lift	GM1072R, GM3072, FM1015R, FM1017R	\$112.25	\$103.27
5WP15127KT	KIT – High Lift	GM1072S	\$114.56	\$105.40
5WP53417KT	KIT – High Lift	GM1084R	\$164.50	\$151.34
5WP24590KT	KIT – High Lift	GM1190R	\$162.66	\$149.65
5WP78127KT	KIT – High Lift	GM3054	\$ 96.33	\$ 88.62



#### Frontier Grooming Mower Belts

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
5WP18879	V-Belt W112 for 6-ft. Decks	FM1015 Rear Deck, FM1017 All Decks, GM1072R, GM1072S, GM3072	Frontier	\$ 82.37	\$ 75.78
A-18879	V-Belt for 6-ft. Decks	FM1015 Rear Deck, FM1017 All Decks, GM1072R, GM1072S, GM3072	A&I Products	\$ 47.28	
5WP1001244	V-Belt W99	FM1012 Rear Deck, FM1015 Wing Deck, GM1060R	Frontier	\$ 75.21	\$ 69.19
A-31615	V-Belt	FM1012 Rear Deck, FM1015 Wing Deck, GM1060R	A&I Products	\$ 32.26	
5BP0006798	V-Belt for 4-ft. Decks	FM2012, FM2112 Wing Deck	Frontier	\$ 42.84	\$ 39.41
5BP0006848	V-Belt 5VX850 for 6-ft. Decks	FM2017 All Decks, FM2115 Rear Deck, FM2117 All Decks, GM2072	Frontier	\$ 52.64	\$ 48.43
5BP0006693	V-Belt 5VX710	FM2012, FM2112 Rear Decks, FM2015, FM2115 Wing Decks, GM2060	Frontier	\$ 48.22	\$ 44.36
5BP0006694	V-Belt 5VX1000	FM2120 All Decks, GM2084	Frontier	\$ 62.75	\$ 57.73
5BP0008630	V-Belt BX98	GM1048E	Frontier	\$ 43.57	\$ 40.08
5BP0008670	V-Belt BX112 (60-in.)	GM1060E	Frontier	\$ 50.29	\$ 46.27
A-BX112	B-Section Cogged Belt	GM1060E	A&I Products	\$ 26.17	
5BP0008950	V-Belt BX140 (72-in.)	GM1072E	Frontier	\$ 62.27	\$ 57.29
A-BX140	B-Section Cogged Belt	GM1072E	A&I Products	\$ 32.74	
5WP53418	V-Belt W157	GM1084R	Frontier	\$ 82.37	\$ 75.78
A-53418	V-Belt W157	GM1084R	A&I Products	\$ 34.43	
5WP18990	V-Belt 2W140	GM1190R	Frontier	\$179.98	\$165.58
5BP0067169	V-Belt CX96	GM2190R	Frontier	\$ 84.21	\$ 77.47
5BP0067170	V-Belt CX106	GM2109R	Frontier	\$ 93.38	\$ 85.91

#### **High Moisture Kits**

To minimize the chance of kernel damage when harvesting high-moisture corn (greater than 25 percent moisture), an insert can be installed in the auger floor that will close the gap between the floor and the auger flighting. While not required for use with the insert, a second kit can be installed that provides a lower auger position to further enhance grain quality.

	aa. g.a qaay.				
NUMBER	DESCRIPTION	TYPE	LIST	NOW	
Auger Floor Insert:					
BXE10960	606C, 706C Series (6-row, 30")	John Deere	\$ 814.55	\$ 749.39	
BXE10962	608C, 708C Series (8-row, 30")	John Deere	\$1,488.08	\$1,369.03	
BXE10964	612C, 712C Series (12-row, 20")	John Deere	\$2,301.15	\$2,117.06	
BXE10965	612C, 712C Series (12-row, 22")	John Deere	\$1,789.60	\$1,646.43	
BXE10966	612C, 712C Series (12-row, 30")	John Deere	\$2,546.45	\$2,342.73	
KXE10428	612FC, 712FC Series (12-row, 30")	John Deere	\$2,350.23	\$2,162.21	
BXE10967	616C, 716C Series (16-row, 30")	John Deere	\$4,026.96	\$3,704.80	
BXE10968	618C, 718C Series (18-row, 20")	John Deere	\$2,641.57	\$2,430.24	
BXE10969	618C, 718C Series (18-row, 22")	John Deere	\$2,795.42	\$2,571.79	
Auger Heigh	nt Adjustment Kit:				
BXE10973	606C, 608C, 706C, 708C (PIN -805,000)	John Deere	\$ 175.18	\$ 161.17	
BXE10974	612C, 616C, 618C, 712C, 716C, 718C (PIN -805,000)	John Deere	\$ 429.43	\$ 395.08	



#### AutoTrac™ RowSense™ Feeler Rods

AutoTrac RowSense, an innovative global positioning system (GPS) steering system, reduces overlap and fatigue during harvest.

#### **Feature Benefit:**

- Continue harvesting in down crop and dusty conditions
- Increases acre-per-hour potential and reduce grain loss
- Enhances operator comfort while reducing stress

NUMBER	DESCRIPTION	LIST	NOW
AutoTrac Ro	wSense – Kits Include Feelers, Sensors, and Harnessing:		
PF90699	20" Spacing	\$1,023.00	\$920.70
PF90700	22" Spacing	\$1,023.00	\$920.70
PF90697	30" Spacing	\$1,023.00	\$920.70
BPF11507	Extension Kit (36" and 40" spacing)	\$ 302.50	\$278.30
BXE10326	20" (50.8 cm) Spacing	\$ 497.20	\$457.42
BXE10327	22" (55.9 cm) Spacing	\$ 605.00	\$556.60
BXE10330	30" (76.2 cm) Spacing	\$ 297.00	\$273.24
BXE10328	30" (76.2 cm) Spacing	\$ 297.00	\$273.24



#### Corn Head Storage Stand

Provides stability to the corn head when not in use or on a trailer.

NUMBER	DESCRIPTION	LIST	NOW
BXE10423	Storage Stand	\$250.80	\$230.74





Trigger a chain reaction

Make your corn head stronger—and last longer—with **RowMax**, a new retrofit solution from John Deere.

Designed exclusively for the 700C/FC corn heads and available as a retrofit for MY12-17 600C/FC corn heads, RowMax **boosts row unit life by up to 50%** with an advanced gathering chain featuring 12 additional links, two more sprocket teeth, and upgraded solid alloy bushings. In addition, if you replace your worn stalk rolls with opposed or intermeshing stalk rolls, you'll get 25% more wear life thanks to an improved wear coating.

Cover more acres—and lower lifetime ownership cost—by upgrading your cornhead with an innovative, RowMax retrofit kit from John Deere.

NUMBER	DESCRIPTION	LIST	NOW
KXE10487	RowMax Kit	\$468.48	\$431.00
HXE110671	LH Opposed Stalk Roll	\$503.78	\$463.48
HXE110672	RH Opposed Stalk Roll	\$503.78	\$463.48
HXE110675	LH Intermeshing Stalk Roll	\$525.90	\$483.83
HXE110676	RH Intermeshing Stalk Roll	\$525.90	\$483.83
HXE141569	LH Chopping Stalk Roll	\$729.51	\$671.15
HXE141570	RH Chopping Stalk Roll	\$729.51	\$671.15

<sup>\*</sup>Also order KXE10528 metal guide kit to complete installation.



#### Reel Tine Flip-Over Kit

Reduce wrapping of crop material in tough, wet, viney crops (such as soybeans, peas, straight-cut edible beans, and canola) with the reel tine flip-over kit, which also increases visibility to the front of the draper.

NUMBER	DESCRIPTION	LIST	NOW
BXE10262	625D, 630D, 635D (MY08–16) and 630FD, 635FD (MY12–15)	\$3,632.20	\$3,341.62
BXE10263	640D (MY08–16) and 640FD (MY12–15)	\$3,424.30	\$3,150.36
BXE10760	630FD and 635FD (MY16-)	\$3,634.40	\$3,343.65
BXE10761	640FD and 645FD (MY16-)	\$3,634.40	\$3,343.65
BXE10873	625D, 630D, 635D (MY17) and 725D, 730D, 735D (MY18-)	\$3,634.40	\$3,343.65
BXE10874	640D (MY17 and 740D (MY18-)	\$3,634.40	\$3,343.65



#### Header Height Sensors for Rigid Mode

This height-sensing bundle for 620F, 622F, 625F, 630F, and 635 HydraFlex™ Platforms adapts ground-contacting sensors for use when the flex cutterbar is locked into the rigid position. For use with 50-, 60-, 70-, and S-Series combines.

NUMBER	APPLICATION	LIST	NOW
BXE10119	MY 11 and Newer 600 Series Flex Platforms	\$3,600.30	\$3,312.28



#### **Crop Feeding Enhancements**

**Feed Drum Anti-Wrap Kit** – This kit is recommended for tall, damp crop conditions to reduce drum wrapping. The attachment consists of two brackets that mount near the outer edge of the feed drum and reduce the likelihood of crop wrapping the drum.

**Center Section Seal Kit** – This kit minimizes grain loss when direct-cutting canola and can be utilized for other small grain crops with up to 45 percent decrease in losses from the center feed section compared to previous models.

NUMBER	DESCRIPTION	LIST	NOW
Feed Drum A	nti-Wrap Kit:		
BXE10736	600D Series	\$165.39	\$152.16
BXE10039	600FD Series (-764999)	\$568.70	\$523.20
BXE10408	600FD Series (765000-)	\$572.00	\$526.24
Center Secti	on Seal Kit:		
BXE10851	600D, 700D Series	\$722.70	\$664.88



# **How To Select The Right Concave**

With the correct concave configuration, you can enhance combine performance in a wide variety of crops and conditions. Use the concave guidelines below to determine how you can increase the threshing capacity of your **John Deere STS or S Series combine**. For specialty and seed crops, always use the best-rated concave configuration.

CROP TYPE	CORN	SOYBEANS	SMALL GRAINS (WHEAT, BARLEY)	RICE
SMALL WIRE	NOT RECOMMENDED	NOT RECOMMENDED	BEST <sup>(4,5)</sup>	NOT RECOMMENDED
LARGE WIRE	GOOD <sup>(1)</sup>	GOOD	GOOD <sup>(4)</sup>	BEST
ROUND BAR	BEST	BEST <sup>(2,6)</sup>	AVERAGE <sup>(3)</sup>	NOT RECOMMENDED
				,
CROP TYPE	POPCORN, FOOD CORN	MILO/SORGHUM, SUNFLOWERS (CONFECTION)	SUNFLOWERS (OIL)	CANOLA
CROP TYPE  SMALL WIRE	POPCORN, FOOD CORN  NOT RECOMMENDED		SUNFLOWERS (OIL)  NOT RECOMMENDED	CANOLA  BEST <sup>4</sup>
		SUNFLOWERS (CONFECTION)		

- Large-wire concaves are not recommended for corn with moisture above 25 percent. Matting of green, leafy material significantly reduces separating capacity.
- 2. Optional threshing inserts are available to improve threshing ability in tough threshing varieties or conditions.
- Optional concave threshing inserts are required in the first concave to improve threshing ability. Tough threshing conditions may require additional threshing inserts in the second and third concave sections.
- 4. Optional concave cover plates are available to improve threshing ability and sample cleanliness (white caps, snapped heads, unthreshed pods). Recommended for tough, damp, hard-to-thresh conditions only. Removal of every other wire is recommended for best grain quality results.
- Optional Kondex® MaxThresh™ Concave in the first section to improve threshing.
- 6. Optional Kondex® MaxRound™ Concave in the first section to improve threshing.

See following two pages for parts numbers and pricing.

THRESHING INSERTS

KONDEX® MAXTHRESH™CONCAVE

KONDEX® MAXROUND™CONCAVE







#### STS- and S-Series Concaves

- Small-wire concaves are standard on small-grain combines and are recommended for use in wheat, barley, and other cereal crops. Additionally, they are recommended for use in specialty crops such as grass seed.
- Large-wire concaves are standard on rice combines and available as an option on corn and small-grain combines. They are recommended for rice, sorghum, soybeans, and corn.
- Round bar concaves are standard equipment on corn combines and are recommended for use in corn and soybeans. Additionally, they are recommended for use in specialty crops such as edible beans and food corn.

Concaves listed below come in sets of three.

NUMBER	DESCRIPTION	TYPE	LIST	NOW
Small-Wire (	Concaves (9560, 9570, S550):			
A-V18054	Standard Wear	A&I Products	\$2,198.47	
Small-Wire C	Concaves (9650, 9750, 9660, 9760, 9860, 96	70, 9770, 9870, S650,	S660, S670, S	680, S690):
BXE10388	Standard Wear	John Deere	\$3,256.00	\$2,995.52
A-V18026	Standard Wear	A&I Products	\$2,156.42	
BXE10389	High Wear	John Deere	\$3,907.20	\$3,594.62
Large-Wire	Concaves (9560, 9570, S550):			
BH84290	Standard Wear	John Deere	\$2,422.20	\$2,228.42
Large-Wire (	Concaves (9650, 9750, 9660, 9760, 9860, 96	70, 9770, 9870, S650,	S660, S670, S	5680, S690):
BXE10390	Standard Wear	John Deere	\$3,137.20	\$2,886.22
BXE10391	High Wear	John Deere	\$3,771.90	\$3,470.15
Round Bar C	oncaves (9560, 9570, S550):			
BH84291	Standard Wear	John Deere	\$2,504.70	\$2,304.32
Round Bar C	oncaves (9650, 9750, 9660, 9760, 9860, 967	0, 9770, 9870, S650, S	5660, S670, S	680, S690):
BXE10387	High Wear	John Deere	\$2,604.80	\$2,396.42



Concave inserts provide the additional threshing action required for harvesting small grains with the round bar concaves. Concave inserts are easy to install and remove as you switch between crops.

NUMBER	DESCRIPTION	TYPE	LIST	NOW
Concave Ins	erts (9560, 9570, S550):			
BH84294	Set of 2	John Deere	\$ 905.30	\$ 832.88
Concave Ins	erts (9650, 9750, 9660, 9	760, 9860, 9670, 9770, 9870, S650, S66	0, S670, S68	0, S690):
BH84308	Set of 2	John Deere	\$1,096.70	\$1,008.96

#### Kondex® Revolution™ Half-Width Concaves

These concaves give more versatility to match varying crop conditions. Plus they're lighter and easier to change and install. Available for S-Series and STS Combines.\*

NUMBER	DESCRIPTION	LIST	NOW
BXE11144	MaxThresh™ Kit	\$2,110.90	\$1,942.03
BXE11145	MaxRound™ Kit	\$2,110.90	\$1,942.03
AXE76998	Plate, Concave Front Lip	\$ 235.71	\$ 216.85
AXE76999	Concave, Half Width, MaxThresh	\$ 902.89	\$ 830.66
AXE77000 *Not available for	Concave, Half Width, MaxRound 9560 STS, 9570, or S550 Combines.	\$ 865.26	\$ 796.04







MaxRound Shown




#### Concave Cover Plates

The sectionalized concave covers help to provide additional threshing in the concave area when harvesting hard-to-thresh-type cereal crops. They can also help to reduce white caps and increase grain tank cleanliness.

#### Feature benefits:

- Assists in threshing wheat, barley, clover, flax, and some grass seeds in tough conditions for increased combine performance
- Installs on the bottom side of the concave without tools
- Covers help with even distribution of material in the cleaning shoe

NUMBER	DESCRIPTION	LIST	NOW
BH84534	Small Wire and Large Wire Covers	\$662.20	\$609.22
BH84535	Round Bar Covers	\$124.30	\$114.36



#### Concave Interrupters - Small Wire Concaves

The concave interrupters may be installed in the first concave section. The concave interrupters are recommended to be installed if increased threshing is still needed after the covers have been installed.

#### Feature benefits:

- Increase threshing in tough crops to clean up grain tank sample
- Recommended to be installed with Shelbourne stripper headers
- To be used with covers

NUMBER	DESCRIPTION	LIST	NOW
AH202021	Small Wire Concave Interrupters	\$106.30	\$97.80



#### Separator Grate Covers

Separator grate covers are used to reduce chaff load and alter distribution of material to cleaning shoe. Up to 20 covers may be used. Covers are recommended in small grains but should not be used during corn harvest. Part numbers BXE10645 (Standard Grate) or BXE10646 (HD Grate).

NUMBER	DESCRIPTION	LIST	NOW
BXE10645	Covers (Set of 4)	\$152.90	\$140.67
BXE10646	HD Covers (Set of 20)	\$152.90	\$140.67



#### Heavy Duty Separator Grates with Interrupters

The HD separator grate is a welded separator grate while the standard separator grates are single-piece casted steel.

#### Feature benefit:

- HD separator grates are stiffer and more robust than the standard separator grates for increased performance in tough threshing crops like tough straw and green stemmed beans
- The HD separator grates support separation, especially in sticky, tough straw conditions, and improve overall loss performance
- Separation is intensified with the two rows of fingers designed as interrupter bars which extend into the crop flow

NUMBER	DESCRIPTION	LIST	NOW
AXE44522	HD Grate	\$2,057.93	\$1,893.30





15% OFF
FORAGE HARVESTER PARTS

VALID 2/1/21-2/28/21

Get your machine primed for better performance and greater uptime during Chopper Days. Throughout the month of February, receive 15% OFF parts for pull-type or self-propelled forage harvesters (5000, 6000, 7000, 8000 and 9000 Series models). Take advantage of the lowest prices of the year on key wear parts, including:

- Feed Roll Wear Strips
- **Cutterhead Knives**
- **Kernel Processors**
- Belts
- **■** Transition Chutes

- **Blower Paddles**
- Spout Liners
- Rotary Head Parts
- Hay Pickup Parts



ASK YOUR DEALER ABOUT 180 DAYS NP/NI FINANCING.<sup>2</sup>



Multi-Use Account

No-Payments/No-Interest
Financing Available

Offer valid on qualifying purchases made from a participating U.S. John Deere dealer or online via a participating dealer's online portal between February 1, 2021 and February 28, 2021. Get 15% off the agreed upon purchase price of parts for pull-type or self-propelled forage harvesters (5000, 6000, 7000, 8000 and 9000 Series models) to be applied to the total before applicable taxes, shipping rates, and delivery charges. Some restrictions apply. Contact participating hadder for details

<sup>2</sup> Financing offers available with Multi-Use Account. Subject to terms and dealer participation. Contact your local John Deere dealer for details.

Note To Dealer; Offer valid when customer purchases parts for pull-type or self-propelled forage harvesters (5000, 6000, 7000, 8000 and 9000 Series models). To receive reimbursement and for program rules, visit http://coop.deere

# **Windrow Pickups Parts and Attachments**





NUMBER	DESCRIPTION	LIST	NOW
630A, 640A,	645A, 630B, 640B, 645B		
CC25176	Teeth	\$4.85	\$4.46
639 Standar	d Pickup		
LCA105173	Teeth – Standard	\$3.59	\$3.30
639, 649, 65	9 Premium Pickup		
LCA108554	Teeth – Premium	\$4.75	\$4.37



#### Pickup Strippers

NUMBER	DESCRIPTION	LIST	NOW
630A, 640A,	645A (-052096)		
E65648	Stripper	\$54.75	\$50.37
630A, 640A,	645A (052097-)		
FH311772	Stripper	\$37.85	\$34.82
630B, 640B,	645B		
FH311772	Stripper	\$37.85	\$34.82
639, 649, 659	9		
LCA104898	Stripper	\$28.40	\$26.13



#### Cam, Cam Arm, Cam Follower

NUMBER	DESCRIPTION	LIST	NOW
630A, 640A,	645A		
CC44956	Cam LH	\$232.55	\$213.95
CC44955	Cam RH	\$232.57	\$213.96
AE46215	Cam Follower/Bearing	\$ 24.64	\$ 22.67
DC49039	Cam Arm	\$ 73.32	\$ 67.45
DC49040	Cam Arm	\$ 68.94	\$ 63.42
630B, 640B,	645B		
CC44956	Cam LH	\$232.55	\$213.95
CC44955	Cam RH	\$232.57	\$213.96
AE46215	Cam Follower/Bearing	\$ 24.64	\$ 22.67
DC49039	Cam Arm (-106600)	\$ 73.32	\$ 67.45
DC49040	Cam Arm (-106600)	\$ 68.94	\$ 63.42
DC55145	Cam Arm LH (106601-)	\$ 81.49	\$ 74.97
639 Standard	d Pickup		
CC44956	Cam LH	\$232.55	\$213.95
CC44955	Cam RH	\$232.57	\$213.96
AFH204000	Cam Follower/Bearing	\$ 27.31	\$ 25.13
LCA116588	Cam Arm	\$ 65.34	\$ 60.11
639, 649, 65	9 Premium Pickup		
FH316226	Cam LH	\$386.13	\$355.24
FH316225	Cam RH	\$386.13	\$355.24
LCA108964	Cam Arm w/Bearing	\$142.09	\$130.72
LCA108965	Cam Arm w/Bearing	\$142.09	\$130.72

# Rotary Harvesting Parts and Attachments

#### Rotary Knife Kits

These service sets include all blades, scrapers, special bolts, and nuts. Number required to cover complete header is listed below. Heavy duty kits include tungsten carbide coated blades, which lasts three times longer.

NUMBER	DESCRIPTION	NUMBER REQUIRED	LIST	NOW
676				
LCA109994	Heavy Duty – Small Drum	1	\$ 440.09	\$404.88
LCA109995	Heavy Duty — Large Drum	1	\$ 749.33	\$689.38
696				
LCA78553	Standard	3	\$ 390.70	\$359.44
LCA79040	Heavy Duty	3	\$ 564.52	\$519.36
698				
LCA78553	Standard	4	\$ 390.70	\$359.44
LCA79040	Heavy Duty	4	\$ 564.52	\$519.36
699				
LCA78553	Standard	5	\$ 390.70	\$359.44
LCA79040	Heavy Duty	5	\$ 564.52	\$519.36
692				
LCA78553	Standard	6	\$ 390.70	\$359.44
LCA79040	Heavy Duty	6	\$ 564.52	\$519.36
778				
LCA89941	Standard	2	\$ 771.31	\$709.61
LCA79040	Heavy Duty	2	\$ 564.52	\$519.36
770				
LCA89941	Standard	2	\$ 771.31	\$709.61
LCA78553	Standard	1	\$ 390.70	\$359.44
LCA89940	Heavy Duty	2	\$ 1,039.60	\$956.43
LCA79040	Heavy Duty	2	\$ 564.52	\$519.36



#### **Scrapers for Rotary Headers**

High performance scrapers with convenient bolt-on design, allows you to use each side of scraper, saving maintenance costs.

NUMBER	DESCRIPTION	LIST	NOW
676			
LCA69794	Weld-On	\$ 7.03	\$ 6.47
684, 686, 68	8, 710		
LCA87284	Bolt-On Set	\$77.55	\$71.35



#### **Points**

If you notice teeth are blunt or damaged, replace with new points. Points must be installed in pairs on opposite sides of the drum.

NUMBER	DESCRIPTION	LIST	NOW
676, 678, 68	34, 686, 688, 690, 692, 696, 698, 710, 770, 772, 778		
LCA90654	Clockwise Rotation	\$5.24	\$4.82
LCA90655	Counterclockwise Rotation	\$5.24	\$4.82





## 7000 Series SPFH Parts and Attachments

# 7780



#### Feeding Parts – 7000 Series

John Deere feed rolls, wear strips, and bolts are made from heavy-duty, induction hardened stainless steel, which helps to minimize potential downtime. They are also demagnetized to prevent them from false tripping the metal detection system.

NUMBER	DESCRIPTION		LIST		NOW
7200, 7300,	7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7	580			
Upper Fron	t Feed Roll:				
AZ102096	Feed Roll with Replaceable Wear Strips	\$	,971.57	\$1	,813.84
HXE64649	Wear Strip – Corn	\$	73.51	\$	67.63
HXE64652	Wear Strip – Grass	\$	147.04	\$	135.28
Z81671	Shaft	\$	445.55	\$	409.91
JD10071	Needle Bearing	\$	19.16	\$	17.63
AZ62417	Needle Bearing	\$	21.88	\$	20.13
AL28870	Seal	\$	17.01	\$	15.65
Upper Rear	Feed Roll:				
AZ71834	Feed Roll	\$	878.63	\$	808.34
HXE26048	Shaft	\$	197.66	\$	181.85
JD10458	Bearing	\$	51.75	\$	47.61
Lower Feed	Roll:				
AZ101149	Feed Roll	\$7	,418.76	\$1	,305.26
Z77138	Shaft (783 MM)	\$	566.49	\$	521.17
HXE32390	Shaft (728 MM)	\$	330.81	\$	304.35
AZ51405	RH Bearing	\$	71.66	\$	65.93
AXE10405	LH Outside Bearing	\$	67.82	\$	62.39
JD9467	LH Inside Bearing	\$	17.55	\$	16.15
7700, 7800,	7750, 7850, 7950, 7780, 7980				
Upper Fron	t Feed Roll:				
AZ101738	Feed Roll with Replaceable Wear Strips (7700/7800)	\$3	3,694.85	\$3	,399.26
AZ103444	Feed Roll with Replaceable Wear Strips (7750, 7850, 7950, 7780, 7980)	\$3	3,334.96	\$3	,068.16
HXE64650	Wear Strip — Corn	\$	93.43	\$	85.96
HXE64653	Wear Strip – Grass	\$	162.98	\$	149.94
Z81672	Shaft	\$	489.52	\$	450.36
JD10071	Needle Bearing	\$	19.16	\$	17.63
AZ62417	Needle Bearing	\$	21.88	\$	20.13
AL28870	Seal	\$	17.01	\$	15.65
Upper Rear	Feed Roll:				
AZ71837	Feed Roll	\$7	,209.69	\$1	,112.91
HXE26049	Shaft	\$	260.85	\$	239.98
JD10458	Bearing	\$	51.75	\$	47.61
Lower Feed	Roll:				
AZ101150	Feed Roll	\$2	2,257.00	\$2	,076.44
Z72358	Shaft (903 MM)	\$	221.18	\$	203.49
Z102377	Shaft (848 MM)	\$	591.91	\$	544.56
AZ51405	RH Bearing	\$	71.66	\$	65.93
AXE10405	LH Outside Bearing	\$	67.82	\$	62.39
JD9467	LH Inside Bearing	\$	17.55	\$	16.15

#### Cutting Parts – 7000 Series

NUMBER	DESCRIPTION		LIST		NOW
7200, 7300,	7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 75	80			
Knives and N	Mounting Parts:				
Z63136	Corn Knife	\$	25.42	\$	23.39
Z62075	Corn Knife, Angled, Right-Hand	\$	28.72	\$	26.42
Z62076	Corn Knife, Angled, Left-Hand	\$	28.72	\$	26.42
Z69500	Grass Knife	\$	23.10	\$	21.25
Z102741	Grass Knife, Dura Line™ Coated	\$	30.04	\$	27.64
Z69650	Knife Bolt	\$	2.75	\$	2.53
Z60535	Cover Plate	\$	11.13	\$	10.24
HXE121397	Thread Bar	\$	9.72	\$	8.94
Z101528	Knife Bracket	\$	15.88	\$	14.61
Shearbars/St	tationary Knife:				
AZ53906	Corn	\$	607.51	\$	558.91
AZ103112	Grass	\$	607.51	\$	558.91
AZ57685	All Crop, Heavy-Duty	\$	926.84	\$	852.69
AXE37631	All Crop, Dura Line Plus	\$	1,687.94	\$1	,552.90
7700, 7800,	7750, 7850, 7950, 7780, 7980				
Knives and N	Mounting Parts:				
Z72500	Corn Knife	\$	28.24	\$	25.98
Z81123	Grass Knife	\$	25.42	\$	23.39
Z103040	Grass Knife, Dura Line™ Coated	\$	33.37	\$	30.70
Z69650	Knife Bolt	\$	2.75	\$	2.53
Z76801	Cover Plate	\$	11.72	\$	10.78
HXE121393	Thread Bar	\$	35.36	\$	32.53
Z101529	Knife Bracket	\$	104.27	\$	95.93
Shearbars/St	tationary Knife:				
AZ64735	Corn	\$	718.13	\$	660.68
AZ103113	Grass	\$	718.13	\$	660.68
AZ64737	All Crop, Heavy-Duty	\$	1,440.25	\$1	,325.03
AXE37632	All Crop, Dura Line Plus	\$	1,790.46	\$1	,647.22
7000, 7050,	7080 Series				
Sharpening S					
AZ56626	Stone	\$	96.31	\$	88.61





#### Crop Flow Parts – 7000 Series

NUMBER	DESCRIPTION		LIST		NOW
7200, 7300,	7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7	580			
Spiral Band:					
AXE40436	Standard	\$	267.87	\$	246.44
AXE40438	Dura Line™	\$1	1,174.69	\$1	,080.71
<b>Grass Chute</b>	:				
AZ65662	Grass Chute, Bottom	\$	235.88	\$	217.01
Z78611	Stainless Steel Wear Liner	\$	223.76	\$	205.86
7700, 7800,	7750, 7850, 7950, 7780, 7980				
Spiral Band:					
AXE40437	Standard	\$	442.36	\$	406.97
AXE40439	Dura Line™	\$1	1,281.67	\$1	,179.14
Grass Chute	:				
AZ65663	Grass Chute, Bottom	\$	284.40	\$	261.65
Z78792	Stainless Steel Wear Liner	\$	209.67	\$	192.90





#### Blower Parts – 7000 Series

NUMBER	TYPE	DESCRIPTION		LIST	NOW	
7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580						
HXE29868	Paddles	Straight – Normal Conditions (10 used)	\$	28.25	\$ 25.99	
HXE34827	Paddles	Serrated – Gummy Conditions (5 used)	\$	36.12	\$ 33.23	
HXE34828	Paddles	Serrated – Gummy Conditions (5 used)	\$	36.12	\$ 33.23	
Z67028	Blower Band	Standard	\$	102.52	\$ 94.32	
Z105384	Blower Band	Dura Line™	\$	719.55	\$661.99	
7700, 7800,	7750, 7850, 7950, 778	80, 7980				
HXE29814	Paddles	Straight – Normal Conditions (10 used)	\$	32.28	\$ 29.70	
HXE34825	Paddles	Serrated – Gummy Conditions (5 used)	\$	41.79	\$ 38.45	
HXE34826	Paddles	Serrated – Gummy Conditions (5 used)	\$	41.79	\$ 38.45	
Z73473	Blower Band	Standard	\$	211.90	\$194.95	
Z105386	Blower Band	Dura Line™	\$1	,029.49	\$947.13	

#### Transition Chute Parts – 7000 Series

NUMBER	TYPE	DESCRIPTION	LIST	NOW			
7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580							
AZ104287	Transition Chute	Chute	\$1,868.24	\$1,718.78			
AZ104286	Transition Liners	Wear Plate Kit	\$ 404.06	\$ 371.74			
7700, 7800,	7750, 7850, 7950, 7	780, 7980					
AXE25702	Transition Chute	Chute	\$2,255.85	\$2,075.38			
AZ104208	Transition Liners	Front Wear Plate Kit	\$ 383.60	\$ 352.91			
AZ104209	Transition Liners	Rear Wear Plate Kit	\$ 346.73	\$ 318.99			

#### Spout Parts – 7000 Series

AZ104285 High-Arc Spout Spout Extension – Standard \$ 234.01 \$ 8Z100238 High-Arc Spout Spout Extension – 8-Row \$ 896.50 \$ 8Z100239 High-Arc Spout Spout Extension – 10-Row \$1,736.90 \$1, AZ103510 High-Arc Spout Wear Liner – Bottom (848 MM) \$ 175.49 \$ AZ102629 High-Arc Spout Wear Liner – Bottom (Dura Line™) \$ 486.18 \$ AZ103381 High-Arc Spout Wear Liner – Middle (1,800 MM) \$ 168.84 \$ AZ103382 High-Arc Spout Wear Liner – Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner – Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner – Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout – Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout – Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout – Top \$ 816.15 \$ 268680 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$ 559.04 \$							
AZ104282 High-Arc Spout Spout without Wear Liners \$3,958.12 \$3, AZ104285 High-Arc Spout Spout Extension – Standard \$234.01 \$ BZ100238 High-Arc Spout Spout Extension – 8-Row \$896.50 \$ BZ100239 High-Arc Spout Spout Extension – 10-Row \$1,736.90 \$1, AZ103510 High-Arc Spout Wear Liner – Bottom (848 MM) \$175.49 \$ AZ102629 High-Arc Spout Wear Liner – Bottom (Dura Line™) \$486.18 \$ AZ103381 High-Arc Spout Wear Liner – Middle (1,800 MM) \$168.84 \$ AZ103382 High-Arc Spout Wear Liner – Middle (1,800 MM) w/NIR \$234.94 \$ AZ101740 High-Arc Spout Wear Liner – Middle (2,000 MM) w/NIR \$233.97 \$ AZ54609 High-Arc Spout Wear Liner – Top \$112.27 \$ AZ101238 Low-Arc Spout Spout – Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout – Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout – Top \$816.15 \$ Z68680 Flaps Wear Liner – Bottom (Dura Line™) \$775.58 \$ Z105390 Flaps Wear Liner – Bottom (Dura Line™) \$775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$89.10 \$	NUMBER	TYPE	DESCRIPTION		LIST		NOW
AZ104285       High-Arc Spout       Spout Extension – Standard       \$ 234.01       \$         BZ100238       High-Arc Spout       Spout Extension – 8-Row       \$ 896.50       \$         BZ100239       High-Arc Spout       Spout Extension – 10-Row       \$1,736.90       \$1,         AZ103510       High-Arc Spout       Wear Liner – Bottom (B48 MM)       \$ 175.49       \$         AZ102629       High-Arc Spout       Wear Liner – Bottom (Dura Line™)       \$ 486.18       \$         AZ103381       High-Arc Spout       Wear Liner – Middle (1,800 MM)       \$ 168.84       \$         AZ103382       High-Arc Spout       Wear Liner – Middle (1,800 MM) w/NIR       \$ 234.94       \$         AZ101740       High-Arc Spout       Wear Liner – Middle (2,000 MM) w/NIR       \$ 233.97       \$         AZ54609       High-Arc Spout       Wear Liner – Top       \$ 112.27       \$         AZ101238       Low-Arc Spout       Spout – Bottom       \$4,284.22       \$3,         AZ101239       Low-Arc Spout       Spout – Middle       \$1,633.58       \$1,         AZ101240       Low-Arc Spout       Spout – Top       \$ 816.15       \$         Z68680       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390<	7000, 7050,	7080 Series					
BZ100238 High-Arc Spout Spout Extension — 8-Row \$ 896.50 \$ BZ100239 High-Arc Spout Spout Extension — 10-Row \$1,736.90 \$1, AZ103510 High-Arc Spout Wear Liner — Bottom (848 MM) \$ 175.49 \$ AZ102629 High-Arc Spout Wear Liner — Bottom (Dura Line™) \$ 486.18 \$ AZ103381 High-Arc Spout Wear Liner — Middle (1,800 MM) \$ 168.84 \$ AZ103382 High-Arc Spout Wear Liner — Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner — Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner — Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout — Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout — Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout — Top \$ 816.15 \$ Z68680 Flaps Wear Liner — Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner — Bottom (Dura Line™) \$ 775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$ 89.10 \$ AZ100715 Flaps Middle Flap (Dura Line™) \$ 559.04 \$	AZ104282	High-Arc Spout	Spout without Wear Liners	\$3	3,958.12	\$3	3,641.47
BZ100239 High-Arc Spout Spout Extension — 10-Row \$1,736.90 \$1, AZ103510 High-Arc Spout Wear Liner — Bottom (848 MM) \$ 175.49 \$ AZ102629 High-Arc Spout Wear Liner — Bottom (Dura Line™) \$ 486.18 \$ AZ103381 High-Arc Spout Wear Liner — Middle (1,800 MM) \$ 168.84 \$ AZ103382 High-Arc Spout Wear Liner — Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner — Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner — Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout — Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout — Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout — Top \$ 816.15 \$ Z68680 Flaps Wear Liner — Bottom \$134.30 \$ Z105385 Flaps Wear Liner — Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner — Bottom (Dura Line™) \$ 775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$ 89.10 \$ AZ100715 Flaps Middle Flap (Dura Line™) \$ 559.04 \$	AZ104285	High-Arc Spout	Spout Extension – Standard	\$	234.01	\$	215.29
AZ103510 High-Arc Spout Wear Liner – Bottom (848 MM) \$ 175.49 \$ AZ102629 High-Arc Spout Wear Liner – Bottom (Dura Line™) \$ 486.18 \$ AZ103381 High-Arc Spout Wear Liner – Middle (1,800 MM) \$ 168.84 \$ AZ103382 High-Arc Spout Wear Liner – Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner – Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner – Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout – Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout – Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout – Top \$ 816.15 \$ Z68680 Flaps Wear Liner – Bottom \$134.30 \$ Z105385 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner – Bottom (Dura Line™) w/NIR \$ 775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$ 89.10 \$ AZ100715 Flaps Middle Flap (Dura Line™) \$ 559.04 \$	BZ100238	High-Arc Spout	Spout Extension – 8-Row	\$	896.50	\$	824.78
AZ102629 High-Arc Spout Wear Liner – Bottom (Dura Line™) \$ 486.18 \$ AZ103381 High-Arc Spout Wear Liner – Middle (1,800 MM) \$ 168.84 \$ AZ103382 High-Arc Spout Wear Liner – Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner – Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner – Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout – Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout – Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout – Top \$ 816.15 \$ Z68680 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner – Bottom (Dura Line™) w/NIR \$ 775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$ 89.10 \$ AZ100715 Flaps Middle Flap (Dura Line™) \$ 559.04 \$	BZ100239	High-Arc Spout	Spout Extension – 10-Row	\$1	1,736.90	\$1	,597.95
AZ103381 High-Arc Spout Wear Liner – Middle (1,800 MM) \$ 168.84 \$ AZ103382 High-Arc Spout Wear Liner – Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner – Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner – Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout – Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout – Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout – Top \$ 816.15 \$ Z68680 Flaps Wear Liner – Bottom \$ 134.30 \$ Z105385 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner – Bottom (Dura Line™) w/NIR \$ 775.58 \$ AZ54380 Flaps Middle Flap (Dura Line™) \$ 559.04 \$	AZ103510	High-Arc Spout	Wear Liner – Bottom (848 MM)	\$	175.49	\$	161.45
AZ103382 High-Arc Spout Wear Liner – Middle (1,800 MM) w/NIR \$ 234.94 \$ AZ101740 High-Arc Spout Wear Liner – Middle (2,000 MM) w/NIR \$ 233.97 \$ AZ54609 High-Arc Spout Wear Liner – Top \$ 112.27 \$ AZ101238 Low-Arc Spout Spout – Bottom \$4,284.22 \$3, AZ101239 Low-Arc Spout Spout – Middle \$1,633.58 \$1, AZ101240 Low-Arc Spout Spout – Top \$ 816.15 \$ Z68680 Flaps Wear Liner – Bottom \$134.30 \$ Z105385 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ Z105390 Flaps Wear Liner – Bottom (Dura Line™) \$ 775.58 \$ AZ54380 Flaps Middle Flap Middle Flap (Dura Line™) \$ 559.04 \$	AZ102629	High-Arc Spout	Wear Liner – Bottom (Dura Line™)	\$	486.18	\$	447.29
AZ101740       High-Arc Spout       Wear Liner – Middle (2,000 MM) w/NIR       \$ 233.97       \$         AZ54609       High-Arc Spout       Wear Liner – Top       \$ 112.27       \$         AZ101238       Low-Arc Spout       Spout – Bottom       \$4,284.22       \$3,         AZ101239       Low-Arc Spout       Spout – Middle       \$1,633.58       \$1,         AZ101240       Low-Arc Spout       Spout – Top       \$ 816.15       \$         Z68680       Flaps       Wear Liner – Bottom       \$ 134.30       \$         Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ103381	High-Arc Spout	Wear Liner – Middle (1,800 MM)	\$	168.84	\$	155.33
AZ54609       High-Arc Spout       Wear Liner – Top       \$ 112.27       \$         AZ101238       Low-Arc Spout       Spout – Bottom       \$4,284.22       \$3,         AZ101239       Low-Arc Spout       Spout – Middle       \$1,633.58       \$1,         AZ101240       Low-Arc Spout       Spout – Top       \$ 816.15       \$         Z68680       Flaps       Wear Liner – Bottom       \$ 134.30       \$         Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ103382	High-Arc Spout	Wear Liner – Middle (1,800 MM) w/NIR	\$	234.94	\$	216.14
AZ101238       Low-Arc Spout       Spout – Bottom       \$4,284.22       \$3,         AZ101239       Low-Arc Spout       Spout – Middle       \$1,633.58       \$1,         AZ101240       Low-Arc Spout       Spout – Top       \$ 816.15       \$         Z68680       Flaps       Wear Liner – Bottom       \$ 134.30       \$         Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ101740	High-Arc Spout	Wear Liner – Middle (2,000 MM) w/NIR	\$	233.97	\$	215.25
AZ101239       Low-Arc Spout       Spout – Middle       \$1,633.58       \$1,         AZ101240       Low-Arc Spout       Spout – Top       \$ 816.15       \$         Z68680       Flaps       Wear Liner – Bottom       \$ 134.30       \$         Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ54609	High-Arc Spout	Wear Liner – Top	\$	112.27	\$	103.29
AZ101240       Low-Arc Spout       Spout – Top       \$ 816.15       \$         Z68680       Flaps       Wear Liner – Bottom       \$ 134.30       \$         Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ101238	Low-Arc Spout	Spout – Bottom	\$4	4,284.22	\$3	,941.48
Z68680       Flaps       Wear Liner – Bottom       \$ 134.30       \$         Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ101239	Low-Arc Spout	Spout – Middle	\$1	1,633.58	\$1	,502.89
Z105385       Flaps       Wear Liner – Bottom (Dura Line™)       \$ 775.58       \$         Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	AZ101240	Low-Arc Spout	Spout – Top	\$	816.15	\$	750.86
Z105390       Flaps       Wear Liner – Bottom (Dura Line™) w/NIR       \$ 775.58       \$         AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	Z68680	Flaps	Wear Liner – Bottom	\$	134.30	\$	123.56
AZ54380       Flaps       Middle Flap       \$ 89.10       \$         AZ100715       Flaps       Middle Flap (Dura Line™)       \$ 559.04       \$	Z105385	Flaps	Wear Liner – Bottom (Dura Line™)	\$	775.58	\$	713.53
AZ100715 Flaps Middle Flap (Dura Line™) \$ 559.04 \$	Z105390	Flaps	Wear Liner – Bottom (Dura Line™) w/NIR	\$	775.58	\$	713.53
	AZ54380	Flaps	Middle Flap	\$	89.10	\$	81.97
AZ53234 Flaps End Flap \$ 88.46 \$	AZ100715	Flaps	Middle Flap (Dura Line™)	\$	559.04	\$	514.32
	AZ53234	Flaps	End Flap	\$	88.46	\$	81.38
AZ100714 Flaps End Flap (Dura Line™) \$ 536.06 \$	AZ100714	Flaps	End Flap (Dura Line™)	\$	536.06	\$	493.18









### 8000 Series SPFH Parts and Attachments





#### Feeding Parts – 8000/9000 Series

On both front feed rolls (upper and lower) each wear bar is reversible (straight or serrated edge) so you can adjust the aggressiveness of crop feeding.

NUMBER	ТҮРЕ	DESCRIPTION		LIST		NOW
8100, 8200, 8	8300, 8400, 8500					
AXE49885	Upper Front Feed Roll	Feed Roll	\$3	3,415.27	\$3	,142.05
HXE93580	Upper Front Feed Roll	Steel Wear Strip	\$	132.04	\$	121.48
HXE87701	Upper Front Feed Roll	Plastic Strip	\$	26.85	\$	24.70
AXE56441	Lower Front Feed Roll	Feed Roll	\$3	3,067.85	\$2	,822.42
HXE100098	Lower Front Feed Roll	Steel Wear Strip	\$	132.04	\$	121.48
AXE66457	Upper Front Feed Roll	Feed Roll (-516999)	\$	632.88	\$	582.25
AXE66457	Upper Front Feed Roll	Feed Roll (517000-)	\$	632.88	\$	582.25
AXE14074	Lower Front Feed Roll	Feed Roll	\$	621.88	\$	572.13
8600, 8700, 8800, 9600, 9700, 9800, 9900						
AXE49638	Upper Front Feed Roll	Feed Roll	\$3	3,498.36	\$3	,218.49
HXE93575	Upper Front Feed Roll	Steel Wear Strip	\$	127.01	\$	116.85
HXE87459	Upper Front Feed Roll	Plastic Strip	\$	55.38	\$	50.95
AXE56440	Lower Front Feed Roll	Feed Roll	\$3	3,480.55	\$3	,202.11
HXE100097	Lower Rear Feed Roll	Steel Wear Strip	\$	112.97	\$	103.93
AXE66456	Upper Front Feed Roll	Feed Roll (-516999)	\$	779.82	\$	717.43
AXE66456	Upper Front Feed Roll	Feed Roll (517000-)	\$	779.82	\$	717.43
AXE14946	Lower Rear Feed Roll	Feed Roll	\$	715.73	\$	658.47
8000, 9000 Series						
HXE87510	Feed Roll Wear Strips Hardware	Upper Strip Screw	\$	2.21	\$	2.03
Z74127	Feed Roll Wear Strips Hardware	Lower Strip Screw	\$	1.51	\$	1.39
Z74128	Feed Roll Wear Strips Hardware	Nut	\$	1.87	\$	1.72



#### Cutting Parts – 8000/9000 Series

NUMBER	TYPE	DESCRIPTION		LIST		NOW
8100, 8200,	8300, 8400, 8500					
HXE53570	Knives and Mounting Parts	Corn Knife	\$	30.04	\$	27.64
HXE53568	Knives and Mounting Parts	Grass Knife	\$	27.51	\$	25.31
HXE143972	Knives and Mounting Parts	Knife Bolt	\$	4.14	\$	3.81
HXE120441	Knives and Mounting Parts	Cover Plate	\$	22.27	\$	20.49
HXE121397	Knives and Mounting Parts	Thread Bar	\$	9.72	\$	8.94
HXE53563	Knives and Mounting Parts	Knife Bracket	\$	92.21	\$	84.83
HXE142406	Shearbars / Stationary Knife	Corn	\$	713.82	\$	656.71
HXE101351	Shearbars / Stationary Knife	Grass	\$	607.66	\$	559.05
HXE142410	Shearbars / Stationary Knife	All Crop, Dura Line Plus	\$2	2,483.73	\$2	,285.03
8600, 8700,	8800, 9600, 9700, 9800, 9900					
HXE52950	Knives and Mounting Parts	Corn Knife	\$	33.67	\$	30.98
HXE52933	Knives and Mounting Parts	Grass Knife	\$	30.58	\$	28.13
HXE143972	Knives and Mounting Parts	Knife Bolt	\$	4.14	\$	3.81
HXE119923	Knives and Mounting Parts	Cover Plate	\$	16.30	\$	15.00
HXE121393	Knives and Mounting Parts	Thread Bar	\$	35.36	\$	32.53
HXE52928	Knives and Mounting Parts	Knife Bracket	\$	104.96	\$	96.56
HXE142408	Shearbars / Stationary Knife	Corn Knife	\$	684.90	\$	630.11
HXE101349	Shearbars / Stationary Knife	Grass Knife	\$	684.90	\$	630.11
HXE142411	Shearbars / Stationary Knife	All Crop, Dura Line Plus	\$	3,216.58	\$2	,959.25
8000, 9000 9	Series					
AXE17437	Sharpening Stone	Stone	\$	115.18	\$	105.97
	-					







#### Blower Parts – 8000/9000 Series

NUMBER	DESCRIPTION		LIST		NOW
8100, 8200,	8300, 8400, 8500, 8600				
Paddles:					
HXE37067	Straight – Normal Conditions (10 used)	\$	28.61	\$	26.32
HXE34827	Serrated – Gummy Conditions (5 used)	\$	36.12	\$	33.23
HXE34828	Serrated – Gummy Conditions (5 used)	\$	36.12	\$	33.23
Blower Band	:				
AXE41235	Standard	\$	532.09	\$	489.52
AXE42112	Dura Line™	\$2	2,131.96	\$1	,961.40
8600, 8700,	8800				
Paddles:					
HXE29814	Straight – Normal Conditions (10 used)	\$	32.28	\$	29.70
HXE34825	Serrated – Gummy Conditions (5 used)	\$	41.79	\$	38.45
HXE34826	Serrated – Gummy Conditions (5 used)	\$	41.79	\$	38.45
Blower Band	:				
AXE35811	Standard	\$	620.68	\$	571.03
AXE42114	Dura Line™	\$2	2,486.79	\$2	,287.85



Wear Liner Bottom





#### Spout Parts – 8000/9000 Series

NUMBER	DESCRIPTION	LIST	NOW			
8000, 9000 Series						
High-Arc Spo	out:					
BXE11033	Spout Extension – 10-Row	\$4,084.30	\$3,757.56			
BXE11098	Spout Extension – 12-Row	\$5,656.63	\$5,204.10			
HXE144911	Wear Liner – Bottom	\$ 312.10	\$ 287.13			
HXE144912	Wear Liner – Bottom (Dura Line™)	\$1,127.44	\$1,037.24			
AXE25517	Wear Liner – Middle	\$ 150.78	\$ 138.72			
HXE39391	Wear Liner – Top	\$ 219.30	\$ 201.76			
Low-Arc Spo	Low-Arc Spout:					
AXE75118	Spout – Bottom	\$7,272.36	\$6,690.57			
AZ101239	Spout – Middle	\$1,633.58	\$1,502.89			
AZ101240	Spout – Top	\$ 816.15	\$ 750.86			
AXE48208	Wear Liner – Bottom	\$ 360.72	\$ 331.86			
AXE49258	Wear Liner – Bottom (Dura Line™)	\$1,037.12	\$ 954.15			
AXE45366	Wear Liner – Top	\$ 284.13	\$ 261.40			
Middle Spou	t:					
AXE28058	Wear Liner	\$ 111.28	\$ 102.38			
AXE29779	Wear Liner (Dura Line™)	\$ 113.39	\$ 104.32			
Flaps:						
AXE52630	Middle Flap	\$ 339.66	\$ 312.49			
AXE55603	Middle Flap (Dura Line™)	\$2,173.25	\$1,999.39			
AXE68374	End Flap	\$ 573.21	\$ 527.35			
AXE68375	End Flap (Dura Line™)	\$3,272.91	\$3,011.08			



## Your Part. Our Factory.

#### **Electronics Repair & Return Program**

Skilled technicians. Quick turnaround. Competitive pricing. It's what you need when electronics go on the fritz and what you get from Electronics Repair & Return by John Deere Reman.

Now available, this convenient service offers you a true John Deere solution for the OEM repair of some of your most important electronic components. And better yet, it's all backed by a valuable 12-month Limited Warranty\*\* that's sure to please. Turn to John Deere for electronics repair and be rewarded with fast, reliable service to get your machine up to speed again.

<sup>\*\*</sup>The John Deere Reman Electronic Repair & Return 12-month Limited Warranty covers specific repairs on each component. John Deere Reman will repair or replace unit during the applicable warranty period but is not responsible for any labor costs associated with the removal and installation of the components.

REPAIR LEVEL	DESCRIPTION
Evaluation Charge	For all components listed below, the cost to evaluate the repair will only be charged when component can not be repaired, or if customer decides not to complete the recommended repairs.
StarFire 3000 and 6000	
Primary Inspection and Repair	Replace damaged dome with original-equipment John Deere Parts. Includes light pipe and decals. Unit will be fully functionally tested.
Comprehensive Inspection and Repair	Repair all points of failure to hardware within the SF3000 or SF6000 receiver. John Deere original equipment testing, processes, and procedures used to bring the receiver back to like new condition. Includes electronic components, connectors, cables, and solder reflow, new dome.
GreenStar 1800 Display	
Complete Repair	Repair all hardware failure points within the 1800 Display. John Deere original equipment testing, processes, and procedures used to bring 1800 Display back to like new condition. Includes electronic components, connectors, audio alarm, housings, and solder reflow.
GreenStar 2600 Display	
Complete Repair	Repair all hardware failure points within the 2600 Display. John Deere original equipment testing, processes, and procedures used to bring 2600 Display back to like new condition. Includes electronic components, connectors, membrane switch, card reader, audio alarm, touchscreen replacement, housing, and calibration.
GreenStar 2630 Display	
Complete Repair	Repair all hardware failure points within the 2630 Display. John Deere original equipment testing, processes, and procedures used to bring 2630 Display back to like new condition. Includes electronic components, connectors, membrane switch, USB cover, audio alarm rear housing, air-gap LCD touchscreen with front housing, bezel assembly, and calibration.
GreenStar 4640 Universal Display (10	inch)
Screen Replacement	Replace broken touchscreen glass using original equipment John Deere Parts and functionality test.*
Screen and LCD Replacement	Replace touchscreen and LCD components with original John Deere Parts and functionality test.*  (*Both repair options include speaker repair.)

See your Authorized John Deere Dealer for pricing and availability of getting your unit repaired today.

#### Take a bigger bite out of earthmoving jobs.

Thicker and longer than standard blades, these John Deere blades help power through the toughest conditions. Three different widths and a variety of configurations are available on both carry-all and ejector scrapers. Plus many segments are reversible for twice the life.



#### **Straight or Standard Configuration:**

Our straight blade configuration comes standard on all John Deere scrapers. They sit flush with the ground and are perfect for precision land leveling, haul road maintenance, and loading sandy material.



#### **Tooth Configuration:**

Our tooth configuration is a factory option that allows the scraper to break up material as it enters the bowl. Teeth work well in hard and compact soils and help prevent material from slabbing as it cuts.



#### **Drop Center Configuration:**

Our drop center configuration is a popular factory option and the best choice for the toughest soil conditions. The compound blade depths help break down sticky clays and maximize loads.



#### Alternating Drop Center Configuration:

Alternating drop centers are great for intermediate-to-tough materials like dry clay. This configuration works well when material conditions are constantly changing.



#### Tooth Drop Center Combination Configuration:

The tooth drop center combination works well in a broad array of soils, particularly light-to-intermediate types where material conditions change frequently.

#### **Scraper Parts**

NUMBER	ITEM/DESCRIPTION	MODEL		LIST		NOW
Router Bits:						
CB01440140	Cast	All Models	\$	339.78	\$	312.60
CB11492377	Universal Router Bit Extension for Ejectors	All Models	\$	200.45	\$	184.41
Blades:						
CB01428503	Ejector, 18-in. Standard	All Models	\$	222.57	\$	204.76
CB01428505	Ejector, 12-in. Standard	All Models	\$	162.35	\$	149.36
CB01447446	Ejector, 6-in. Standard	All Models	\$	122.09	\$	112.32
CB01440276	Ejector, 18-in. Long	All Models	\$	331.99	\$	305.43
CB01440281	Ejector, 12-in. Long	All Models	\$	279.87	\$	257.48
CB01440650	Ejector, 6-in. Long	All Models	\$	164.24	\$	151.10
CB01440368	Carry All (outer)	1510C, 1512C, 1812C, and 1814C (Carry All -2008)	\$	227.25	\$	209.07
CB01440373	Carry All (center)	1510C (Carry All -2008)	\$	356.25	\$	327.75
CB01440376	Carry All (center)	1812C (Carry All -2008)	\$	500.08	\$	460.07
CB01440379	Carry All (center)	1814C (Carry All -2008)	\$	740.37	\$	681.14
CB01440374	Carry All (aggressive)	1510C (Carry All -2008)	\$	498.15	\$	458.30
CB01440377	Carry All (aggressive)	1812C (Carry All -2008)	\$	769.27	\$	707.73
CB01472054	Carry All, 13-in. center	1510C, 1810C, and 1814C (Carry All -2008)	\$	579.96	\$	533.56
CB01472052	Carry All, 10-in. outer	All Carry All Models (Carry All -2008)	\$	321.51	\$	295.79
CB01443968	Blade Bolt, 2 1/4-in.	1510C, 1512C, 1812C, and 1814C	\$	1.75	\$	1.61
CB01443969	Blade Bolt, 2 1/2-in.	All Ejector and Carry All (Carry All -2008)	\$	1.75	\$	1.61
CB01443970	Washer		\$	0.93	\$	0.86
CB01443971	Nut		\$	0.67	\$	0.62
CB01472055	Center, 13-in.	1812C and 2112C	\$	878.05	\$	807.81
Sleeves:						
CB11467683	Sleeve*	2112C and 2112E	\$	455.55	\$	419.11
CB11453026	Sleeve**	1510C, 1512E, 1810C, 1810E, 1812C, 1814C, and 1814E	\$	397.09	\$	365.32
Miscellaneous Parts:						
CB11454238	Hitch-pivot Assembly with Bushings (prior to 2005)	1510C, 1512C, 1512E, 1810E, 1812C, 1814C, and 1814E	\$2	2,478.43	\$2	2,280.16
CB11425249	O-ring Assembly-pin (hitch pivot)	1510C, 1512C, 1512E, 1810E, 1812C, 1814C, and 1814E	\$	98.89	\$	90.98

<sup>\*</sup>Used only on short Quick Attach. \*\*Used only on long Quick Attach.

# Keep rolling this spring.

#### OEM and aftermarket bearings from your John Deere dealer

From John Deere OEM to aftermarket alternatives from A&I Products, your John Deere dealer has the right bearings to fit your needs ... and your budget.

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
Gauge Wheel Be	earings, Marker Disk Be	earings:			
AN212132	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 750, 1520,1530, 1535,1560, 1590, 1850, 1860, 1890, & 1895	John Deere	\$13.87	\$12.76
A-5203KYY2-I	Bearing, Double Row	Planters: ME, ME2, ME+, MEXP, & Pro-Series Drills: 750, 1520,1530, 1535, 1560, 1590, 1850, 1860, 1890, & 1896	A&I Products	\$ 9.44	
Row Cleaner Be	arings:				
AA38601	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP	John Deere	\$19.79	\$18.21
A-AA38601	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP	A&I Products	\$17.15	
AA59196	Ball Bearing	Planters: MEXP & Pro-Series XP	John Deere	\$13.34	
A-AA59196	Ball Bearing	Planters: MEXP & Pro-Series XP	A&I Products	\$12.40	
Cast Closing Wh	eel Bearings:				
AA34132	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series, XP Drills: 455, 750, & 1535	John Deere	\$11.64	\$10.71
A-AA34132	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series, XP Drills: 455, 750, & 1535.	A&I Products	\$ 4.36	
AA61722	Ball Bearing	Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1850	John Deere	\$ 6.52	\$ 6.00
A-6203-2RS-I	Clutch Pilot Bearing	Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1851	A&I Products	\$ 3.61	
A-6203-2RS-P	Clutch Pilot Bearing	Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1851	A&I Products	\$ 6.68	
Unit Mounted C	oulter and Single Disk	Fertilizer Bearings:			
JD8187	Bearing Cone	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737,770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1990	John Deere	\$ 7.72	\$ 7.10
A-LM67048-I	Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737,770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1992	A&I Products	\$ 4.51	
A-LM67048-P	Cone, Tapered Roller	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737,770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1991	A&I Products	\$ 9.28	

#### **Scrapping Plates**

Scrapping plates boost harvest efficiency by pushing cotton further into the spindle picking zone.

NUMBER	MODEL	LIST	NOW
BN272408	PRO-16 Units	\$316.80	\$291.46



#### Vine Cutters

Vine cutters help slice through vines and weeds, preventing them from plugging row units.

NUMBER	MODEL	LIST	NOW
BN272178	PRO-12, PRO-16, VRS Units	\$334.40	\$307.65



#### Stalklifter Rods

Stalklifter rods allow you to harvest low-hanging bolls more easily by improving the row unit's lifting action.

NUMBER	MODEL	LIST	NOW
BN272534	PRO-12, PRO-16, VRS Units	\$414.70	\$381.52



#### Active RMB Belt Cleaning Brush

The CP690 offers an optional active rotating belt cleaning brush that provides improved RMB belt cleaning in tougher, higher-moisture harvesting conditions.

NUMBER	MODEL	LIST	NOW
BKK10319	CP690, CS690	\$3.121.80	\$2.872.06



#### Harvest Identification, Cotton Pro

Harvest Identification, Cotton Pro is the next generation of round module tracking. Features include the documentation of module moisture, weight, editable features, and other features. Cotton module weighing provides on-the-go cotton module weights to the cab display that enables easier yield monitor calibration for more accurate harvest yield data and agronomic decisions. Cotton module moisture sensor provides a vital role in preserving cotton quality and maintain high quality standards.

NUMBER	DESCRIPTION	LIST	NOW		
Harvest Identification, Cotton Pro – CP690 and CS690 (MY17+):					
BKK10642	Cotton Pro Kit (RFID Reader)	\$4,936.80	\$4,541.86		
Cotton Module Weighing – CP690 and CS690 (MY15-16):					
AKK25966	Cotton Module Weighing Kit	\$3,900.00	\$3,588.00		
Cotton Moisture Sensor – CP690 and CS690 (MY15-16):					
AKK25968	Moisture Sensor Kit	\$3,100.00	\$2,852.00		





### Meet the card that makes your purchases count.

JohnDeere.com/Rewards

When you're a John Deere Rewards member, the savings just keep coming. Membership is free. Start with an initial purchase of 2 qualified units in 12 months to unlock Platinum benefits. After that, you'll receive valuable equipment discounts, Home & Workshop products discounts, and exclusive member promotions. There isn't a better equipment rewards program in the industry.

Visit JohnDeere.com/Rewards to sign up or find out more.



JohnDeere.com/Rewards

### 12% OFF Select 6–9 Series Tractor Upgrades and Attachments, and \$500 OFF\* AutoTrac™ Vision Tractor Camera Kit.

#### **Telescoping Mirrors**



Both mirrors fit 6000-6030, 6215-6715, and 7000-7030 Series Tractors

Left-Hand Manual Telescopic Mirror Kit.

AL80126 LIST - \$194.70 NOW - \$171.34

Right-Hand Manual Telescopic Mirror Kit.

AL80127 LIST - \$194.70 NOW - \$171.34

#### Convenience Step



Fits 7720–7920, 7630–7930, 8R, and all 8000 Series Tractors. RE284180 LIST - \$176.58 NOW - \$155.39

#### GreenStar Display Bracket -Corner Post Mounting Location



Single Display Bracket Mount.

NOW-\$ 77.44 BPF12124 LIST - \$ 88.00

**Dual Display Adapter Mounting.** 

PF90430 LIST - \$118.13 NOW - \$103.95

## AutoTrac™ VISION NOW AVAILABLE FOR TRACTORS

AutoTrac™ Vision enables the tractor to follow the actual planted crop rows

- Decreases crop damage
- Reduces operator fatique
- Improves overall productivity

Ideal for applications such as:

- Side-dressing fertilizer
- Row cultivation
- Strip Till/Ridge Till

Machine Compatibility:

• Tractor models 7630, 7730, 7830, 7930, 8X30/8X30T, 7R, and 8R/8RT







\*\$500 OFF the agreed upon purchase price and dealer installation of AutoTrac Vision camera kit from an authorized U.S. John Deere dealer between December 1, 2020 and March 31, 2021. Dealer Participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be modified or discontinued at any time. See your participating John Deere dealer for details.

#### Hydraulic Upgrade Kits For 9 Series

#### Coupler Conversion Kits - ½" to ¾" High Flow Couplers

The conversion design is exclusive to John Deere and converts the couplers on a standard flow SCV from ½" couplers to ¾" couplers. This conversion is an economical solution to improve the transfer of hydraulic horsepower from the tractor to the implement. Convert 1 to 6 SCV couplers on a single stack tractor.

This kit is ideal for operators with:

- High hydraulic demand implements, such as large air seeders and planters
- Implements that require ¾" couplers
- A desire to improve implement raise/lower cycle times for faster headland turns.



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Coupler Conv	version Kits — 1/2" to 3/4"			
BRE10486	<sup>3</sup> / <sub>4</sub> -Inch Coupler Adapter Conversion (converts 1 SCV)	9R, 9RX, 9X30 Tractors (SN 13001- wheel, SN, 911011- 2T) without rear 3-point hitch and BOSCH CAN SCV's only	\$913.00	\$803.44
BRE10485	Hardware Kit		\$121.00	\$106.48
RE593820	Mounting Bracket (single reduction axle)	9230, 9330, 9430, 9360R, 9410R, 9460R, 9370R, 9420R, 9470R	\$412.50	\$363.00
RE593821	Mounting Bracket (double reduction axle)	9530, 9630, 9510R, 9560R, 9520R, 9570R, 9620R	\$192.50	\$169.40

#### Auxiliary Power Adapters for 7R and 8R/8RT/8RX (with new cab)

Auxiliary Power Adapter for 7R and 8R/8RT/8RX (with new cab). A new solution is available to provide an octagon style outlet for connecting displays, monitors, and other electronic devices. A retrofit power strip with 6 octagon style outlets is available, same auxiliary power option that was in 7- and 8-Series Tractors prior to the new cab design.



NUMBER	DESCRIPTION	LIST	NOW
6-way Powe	r Strip and Mount		
RE596958	6-outlet Octagonal Powerstrip with Pre-installed Round Convenience Outlet (flat pins).	\$175.64	\$154.56
BRE10464	Mounting Rail, C-pillar 1750 cab	\$ 89.10	\$ 78.41

#### Mounting Brackets MY2020 7R, 8R/8RT/8RX (with new cab)

NUMBER LIST NOW

#### Right-side Window Bracket and Rail Kit

This bracket kit provides a solution for mounting cell phones, displays, tablets, and bolts directly to the cab frame.

This rail accommodates clamp-style and T-slot style mount solutions (purchased separately).

BRE10465 \$160.60 **\$141.33** 

#### **Headliner Mounting Bracket**

Adds a mounting solution to the Select cab package in the headliner on the right side of the operator, for mounting cell phones, displays, and tablets. This rail accommodates clamp-style and T-slot style mount solutions (purchased separately).

R558980 \$112.28 **\$ 98.81** 



#### Short Vertical Mounting Rail

This rail kit also includes all the hardware to mount the rail in up to 5 vertical locations, using existing threaded bosses at the A and C posts inside the cab. This rail can be used to mount tablets, cell phones, cup holders, or displays. Fits – with 7020–7R, 8020–8R/8RT, 9020–9R/9RT/9RX, and MY2020 7R and 8R/8RT/8RX (with new cab).

NUMBER	LIST	NOW
BRE10464	\$89.10	\$78.41



#### Dual Gas Shock Seat Suspension Assembly – Upgrade

Owners with a worn-out air seat suspension may be interested in upgrading to this heavy-duty version. This upgraded air seat suspension will provide more support for heavier operators then the single gas shock version when operating on rough terrain. Note: Not compatible with hydraulic suspension seats (Active Seat™), or if the tractor is equipped with a refrigerator mounted on the left side of the cab. Does not include the seat.

NUMBER	DESCRIPTION	LIST	NOW
RE320797	MY11-MY20 7R Tractors (excluding new 2020 cab design), MY09-MY20 8R/8RT Tractors (excluding new 2020 cab	\$1,663.82	\$1,464.16
	design), and 2012-Current 9R/9RT/9RX Tractors.		

# Hood Latch- Lock and Secure

Locking the Hood with an individual key, different from the standard ignition key, provides security against vandalism and theft.

NUMBER	DESCRIPTION	LIST	NOW
BL16366	MY18-20 6110R – 6130R, MY18-19 6110M – 6120M, MY18-20 6130M – 6140M	\$233.32	\$205.32
BL16364	MY18-20 6135R–6250R, and 6135M - 6195M	\$238.79	\$210.14



#### Mid and Large Tractor Starters

NUMBER	APPLICATION	TYPE	LIST	NOW
RE543483	5603, 5425–5625, 5E Limited, 5085–5125 E/EL/M/ML/R, 6D, 6E	John Deere	\$566.01	\$520.73
SE502913	5603, 5425–5625, 5E Limited, 5085–5125 E/EL/M/ML/R, 6D, 6E	John Deere Reman	\$452.81	\$416.59
SE501414	4650, 4850, 8430, 8440, 8640 – Nippondenso	John Deere Reman	\$488.66	\$449.57
A-RE41875	4000, 4020, 4030–4630, 4040–4440, 4050–4850, 8440, 8640, 8450 Tractors – Nippondenso	A&I Products	\$348.13	
SE501444	4000, 4020, 4030–4630, 4040–4440, 4050–4850, 8440, 8640, 8450 Tractors – Delco	John Deere Reman	\$519.39	\$477.84
A-TY6701	4000, 4020, 4030–4630, 4040–4440, 4050–4850, 8430, 8440, 8450, Tractors – Delco	A&I Products	\$341.57	
RE70957	7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520	John Deere	\$571.88	\$526.13
SE501403	7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520	John Deere Reman	\$457.51	\$420.91
A-RE70957	7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520	A&I Products	\$298.93	
RE527400	6230–6430, 6030 Premium, 6615–6715, 71–7330, 7030 Premium, 6M, 6R Series Tractors	John Deere	\$520.63	\$478.98
SE501868	6230–6430, 6030 Premium, 6615–6715, 71–7330, 7030 Premium, 6M, 6R Tractors	John Deere Reman	\$416.51	\$383.19
A-RE527400	6230–6430, 6030 Premium, 6615–6715, 71–7330, 7030 Premium, 6M, 6R Tractors	A&I Products	\$339.29	
AL110597	40, 50, and 55 Series Utility Tractors, 6100–6400, 6110–6410, 6405	John Deere	\$500.49	\$460.45
SE501427	40, 50, and 55 Series Utility Tractors, 6100–6400, 6110–6410, 6405	John Deere Reman	\$400.39	\$368.36
A-AL110597	40, 50, and 55 Series Utility Tractors, 6100–6400, 6110–6410, 6405	A&I Products	\$166.32	
RE519975	6120–6420, 6215, 6415	John Deere	\$527.75	\$485.53
SE501854	6120–6420, 6215, 6415	John Deere Reman	\$422.19	\$388.41
A-RE519975	6120–6420, 6215, 6415	A&I Products	\$295.33	
SE501420	7700, 7800, 8100–8300	John Deere Reman	\$510.94	\$470.06
A-SE501420	7700, 7800, 8100–8300	A&I Products	\$348.13	
RE515843	8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R	John Deere	\$683.79	\$629.09
SE501862	8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R	John Deere Reman	\$547.03	\$503.27
A-RE515843	8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R	A&I Products	\$428.42	

Price shown is exchange price after core is returned.



#### Compact and Utility Tractor Starters

NUMBER	APPLICATION	TYPE	LIST	NOW
AM878176	655, 755, 756, 855, 856	John Deere	\$422.12	\$379.91
A-AM878176	655, 755, 756, 855, 856	A&I Products	\$149.03	
AM878417	670, 770, 3005, 3203, 4115, 4200, 4210	John Deere	\$456.93	\$411.24
SE501447	750, 770, 790, 850, 870, 955, 900HC, 1070	John Deere Reman	\$404.06	\$363.65
M810337	1023E, 1025R, 1026R, 2025R, 2305, 2320	John Deere	\$435.69	\$392.12
RG60654	2032R, 2038R, 2520, 2720, 3E, 3R, 3020 Series, 4105, 4300, 4310, 4400, 4410	John Deere	\$590.77	\$531.69
A-RG60654	2032R, 2038R, 2520, 2720, 3E, 3R, 3020 Series, 4105, 4300, 4310, 4400, 4410	A&I Products	\$167.10	
AM879743	990, 110 TLB, 4005, 4M, 4R, 4500, 4510, 4600, 4610, 4700, 4710	John Deere	\$530.07	\$477.06
A-AM879743	990, 110 TLB, 4005, 4M, 4R, 4500, 4510, 4600, 4610, 4700, 4710	A&I Products	\$249.28	
RE540304	4X20 Series, 5225, 5325, 5065M(iT4), 5075M(iT4)	John Deere	\$312.46	\$281.21

Note: For the parts that have a core charge, the price shown is the exchange price after the core is returned.



#### Water Pumps

With John Deere, your dealer has the right water pump part to meet any budget. Genuine John Deere water pumps are your best choice for longevity and performance.

John Deere Reman water pumps are remanufactured to the current John Deere specifications. The Reman pumps are completely disassembled, and bearings and seals are replaced and tested to verify integrity. In addition to the OE and the John Deere Reman offerings, your dealer also carries A&I Products water pumps, which offer a quality aftermarket product at an economical price.

#### Sealed for Long Life

Water pump seals have two mating surfaces that take a lot of abuse and are susceptible to wear and failure when exposed to contaminants in the coolant. Genuine John Deere water pumps use hard tungsten carbide on both seal surfaces to provide maximum protection and component life.

#### **Tech Tip:**

John Deere Cool-Gard™ II is nitrite free to resist aluminum corrosion and contains additives to minimize cavitation damage. Click on or visit this web link for more information:

NUMBER	APPLICATION	TYPE	LIST	NOW
RE545573	5225, 5325, 5065M, 5075M	John Deere	\$376.10	\$346.01
SE502114	5225, 5325, 5065M, 5075M	John Deere Reman	\$293.49	\$270.01
A-RE545573	5225, 5325, 5065M, 5075M	A&I Products	\$189.86	
RE546906	6003, 6005, 6010, 6015, 6020, 6030, 6D, 72–7810, 72–7820, 7230–7330 Tractors	John Deere	\$361.33	\$332.42
SE501609	6003, 6005, 6010, 6015, 6020, 6030, 6D, 72–7810, 72–7820, 7230–7330 Tractors	John Deere Reman	\$219.43	\$201.88
A-RE505980	6003, 6005, 6010, 6015, 6020, 6030, 6D, 72–7810, 72–7820, 7230–7330 Tractors	A&I Products	\$132.03	
RE68230	7600–7800, 8560–8960 – Hi Flow	John Deere	\$446.78	\$411.04
SE501011	7600–7800, 8560–8960 – Hi Flow	John Deere Reman	\$302.04	\$277.88
A-RE68230	7600–7800, 8560–8960 – Hi Flow	A&I Products	\$196.36	
RE549153	9120–9520	John Deere	\$717.33	\$659.94
SE501592	9120–9520	John Deere Reman	\$500.60	\$460.55
RE521502	7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, 9020	John Deere	\$522.16	\$480.39
SE501596	7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, 9020	John Deere Reman	\$424.96	\$390.96
A-RE521502	7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, 9020	A&I Products	\$260.64	

Note: For the parts that have a core charge, the price shown is the exchange price after the core is returned.

#### Turbochargers

John Deere turbochargers are designed for your John Deere engine to provide optimum performance. John Deere Reman components are disassembled, cleaned, and inspected. Bearings and seals are replaced and the turbine and shafts are balanced. Mounting surfaces are machined to ensure proper mating surface. We also offer A&I Products for an economical solution. That's the value of choice.

NUMBER	APPLICATION	TYPE	LIST	NOW
RE506261	6110–6410 and 6120–6420	John Deere	\$1,497.15	\$1,377.38
SE502472	6110–6410 and 6120–6420	John Deere Reman	\$1,295.31	\$1,191.69
A-RE506261	6110-6410 and 6120-6420	A&I Products	\$ 700.00	
SE500274	8100-8300 SN -009999	John Deere Reman	\$1,007.49	\$ 926.89
SE500279	8100–8300 and 8100–8300T SN 01000-, 8110–8310	John Deere Reman	\$1,166.81	\$1,073.47
SE500270	8400, 8400T, 8410, 8410T	John Deere Reman	\$1,166.81	\$1,073.47
A-RE54979	8100-8400, 8100-8400T	A&I Products	\$ 518.06	



# John Deere 30–60 Series Row Crop Tractor Parts

If you own a classic John Deere Sound-Gard® body tractor, we have the best selection of parts to keep your workhorse running its best. If you're looking for value at a lower replacement cost, ask about our extensive offering of A&I Products. If you want the genuine John Deere quality, but at a savings, look to John Deere Reman. John Deere Reman parts are not rebuilt or reconditioned—they are inspected, tested, and remanufactured to the original performance criteria. If you won't settle for anything but the best, go with John Deere OEM replacement parts. No other parts can surpass the fit, performance, and longevity of the original equipment replacement parts.













NUMBER	DESCRIPTION	TYPE		LIST		NOW
Water Pump	s					
SE500916	40 Series Row Crop, 4455, 8430, and 8440	John Deere Reman	\$	321.10	\$	295.41
A-RE20022	40 Series Row Crop, 8430, and 8440	A&I Products	\$	239.96		
SE500912	4050–4850, 4055–4955, and 4560–4960	John Deere Reman	\$	422.52	\$	388.72
A-RE55985	4050-4850, 4055-4955, and 4560-4960	A&I Products	\$	271.40		
Radiators						
RE46314	4555–4955 and 4560–4960	John Deere	\$1	,143.56	\$1	,052.08
A-RE46314	4555–4955 and 4560–4960	A&I Products	\$	893.82		
RE21897	4440	John Deere	\$	853.48	\$	785.20
A-RE21897	4440	A&I Products	\$	689.67		
TurboCharge	ers					
SE500254	4320, 4430, 4520, 4620, 7020 Tractors	John Deere Reman	\$	1,110.84	\$1	,021.97
A-AR70987	4320, 4520, 4620, 4430 ESN<512305, 7020	A&I Products	\$	577.47		
SE500260	4250, 4450, 4650, 4850	John Deere Reman	\$	1,166.82	\$1	,073.47
SE500256	4440, 4640, 4840, 8430 Tractors	John Deere Reman	\$	1,166.81	\$1	,073.47
A-RE19778	4440, 4640, 4840, 8430	A&I Products	\$	491.36		
SE500263	4555, 4755, 4560, 4760	John Deere Reman	\$	1,166.79	\$1	,073.45
SE500259	4955, 4960	John Deere Reman	\$	1,166.81	\$1	,073.47
A-RE29308	4955, 4960	A&I Products	\$	665.93		
Rear Cab Gla	ess					
R50758	Rear Glass with Latch. Fits 50 and 55 Series Utility Tractors, 30, 40, 50, 55, and 60 Series	John Deere	\$	138.35	\$	127.28
A-R50758	Rear Glass with Latch. Fits 50 and 55 Series Utility Tractors, 30, 40, 50, 55, and 60 Series	A&I Products	\$	99.65		
AR87997	Sliding Rear Window Kit. 50 and 55 Series Utility Tractors, 30, 40, 50, 55, and 60 Series	John Deere	\$	198.69	\$	182.79
A-AR87997	Sliding Rear Window Kit. 50 and 55 Series Utility Tractors, 30, 40, 50, 55, and 60 Series	A&I Products	\$	142.44		
Mufflers						
RE52086	4555–4955 and 4560–4960	John Deere	\$	554.36	\$	510.01
A-RE52086	4555–4955 and 4560–4960	A&I Products	\$	421.94		
RE20224	4630, 4440, 4640, 4050, 4250, and 4450	John Deere	\$	189.19	\$	174.05
A-RE20224	4630, 4440, 4640, 4050, 4250, and 4450	A&I Products	\$	158.33		
Note: For parts tha	at have a core charge, the price shown is the exchange price after	er core has been returned.				

#### Step Kits

It's easy to get on and off your "everyday" John Deere tractor with this three-position, adjustable step kit. Bolts securely to the tractor frame and battery box in just 30 minutes. Features wide steps with serrated-tread design. Compatible with most loaders, saddle tanks, and other tractor-mounted equipment.

NUMBER	APPLICATION	LIST	NOW
RE61690	Fits 30–55 Series Row-Crop Tractors	\$323.13	\$297.28
RE62856	Fits 3010, 3020, 4010, and 4020 Series Row-Crop Tractors	\$349.67	\$321.70
RE163104	Third step for above kits	\$111.26	\$102.36



If your 5-, 6-, 7-, 8-, 9-, or older row crop tractor series needs a major repair, you can now fix it thanks to a limited-time offer from John Deere Financial. The **all-new Repower Program** provides No-Payment/No-Interest (NP/NI) or low-cost financing for new and Reman engines, transmissions, axles, and final drives—as well as repairs to front independent link suspension. But that's not all because you can also finance work to cab interior, hydraulics, engine accessories and exterior finishes. **Qualifying models include:** 

 5000–5025, 6000–6030, 7000–7030, 8000–8030, 9000-9030, and Older Row Crop Tractors.

Take advantage of this special financing opportunity through October 31, 2021 when you use your Multi-Use Account. Ask us about the Repower Program today.

For more information on the John Deere Reman benefits and component exchange process go to this web link. https://www.deere.com/en/parts-and-service/parts/remanufactured/

Repower Program Finance Options	Minimum Purchase
365 Days NP/NI (12 Months) <sup>1</sup>	\$10,000
Fixed 1.9% with 24 Equal Monthly Payments <sup>2</sup>	\$10,000
Fixed 2.9% with 36 Equal Monthly Payments <sup>3</sup>	\$10,000

Subject to John Deere Financial approval and John Deere dealer participation. Unless otherwise specified, programs are for purchases on agricultural and commercial Multi-Use Accounts only.
Minimum finance amount is required. After Promotional Period, interest charges will begin to accrue at the Multi-Use Account Rate. Programs subject to change, without notice, at any time. Offer valid November 1, 2020—October 31, 2021.

<sup>2</sup>Offer valid on qualifying purchases made between November 1, 2020 to October 31, 2021 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 19% APR with 24 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

<sup>3</sup>Offer valid on qualifying purchases made between November 1, 2020 to October 31, 2021 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 2.9% APR with 36 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

Dealers: R-12 Discount applies, refer to program bulletin for complete details.

#### Extended Warranty for John Deere Reman Engines\*

Starting February 2020, optional extended warranty terms for John Deere Reman engines can be purchased. Coverage options are between 2-year/2,500 hours and 5-year/4,000 hours. To qualify for the program, the engine must be dealer installed and the customer must purchase the extended warranty contract within 90 days of engine installation. Contact your John Deere Dealership for complete details.





John Deere Reman is Remanufactured, not Rebuilt visit this web site for more information. https://www.youtube.com/ watch?v=IY5Hd4ZciPI



<sup>\*</sup>Complete engines only.

#### John Deere OE Engine Overhaul Kits

Here are some examples that make the John Deere OE engine overhaul kits the "Best" choice. John Deere liners are heat-treated to a precise hardness and depth to increase durability and life. Proper heat-treat hardness provides a hard surface with good wear characteristics. Pre-assembled piston liner kits eliminate the chance for broken or improperly installed piston rings, which can cause power loss, oil consumption, and excessive wear, leading to seized pistons and potentially premature engine failure. Fiber-reinforced piston bowl rings provide more than twice the yield strength of aluminum alloy and increase the operating pressure and temperature range without the risk of cracking. John Deere uses two layers of metal alloy on the ID face of the main bearings to protect them from the constant rotational forces of the crankshaft.



#### Standard Kit:

- Rod, main, and thrust bearings
- Thrust washers
- Oil pan split gasket
- Factory assembled piston/liner kits
- Liner packings
- Front and rear seals
- Gasket rings
- Snap rings

#### **Expanded Kit:**

- Standard kit contents
- Rod bolts and bushings
- Piston pins
- Camshaft bushings

NUMBER	APPLICATION	KIT TYPE	LIST	NOW
RE524374	4010 and 4020 (SN -200999)	Expanded Kit*	\$2,048.58	\$1,884.69
RE526966	6605 and 6615–6715 Tractors	Standard Kit	\$1,913.57	\$1,760.48
RE527299	5210–5510, 5420–5520, and 5325–5525	Standard Kit	\$1,380.88	\$1,270.41
RE524411	4440, 4640, and 4840 Row-Crop Tractors; 8440 and 8450 4WD Tractors; 5720 Forage Harvester; 6620, 6620SH, 7720, and 8820 Combines; and 9940 Cotton Picker	Standard Kit	\$2,247.67	\$2,067.86
RE525437	4440, 4640, and 4840 Row-Crop Tractors; 8440 and 8450 4WD Tractors; 5720 Forage Harvester; 6620, 6620SH, 7720, and 8820 Combines; and 9940 Cotton Picker	Expanded Kit*	\$2,460.96	\$2,264.08
RE524625	4055–4455, 4555, 4755, 4560, 4760	Standard Kit	\$2,875.10	\$2,645.09
RE526727	8120, 8220, and 8320 Row-Crop Tractors	Standard Kit	\$3,150.91	\$2,898.84
RE526962	8100–8300 SN 010000-, 8400, 8110–8310, 9100	Standard Kit	\$3,358.67	\$3,089.98
DZ114647	8420 and 8520 Row-Crop and 9120 4WD	Standard Kit	\$3,428.75	\$3,154.45
RE524630	4955, 4960, 8560 ESN -499999	Standard Kit	\$2,547.34	\$2,343.55
RE526971	6010 and 6020 Series Tractors, and 6215–6415 and 3800 Telehandlers	Standard Kit	\$1,441.27	\$1,325.97
DZ10599	8130–8530, 8225R, 8245R, 8270R Stage II	Standard Kit	\$6,284.58	\$5,781.81

<sup>\*</sup>Expanded engine overhaul kits include rod bolts, rod bushings, piston pins, and camshaft bushings.

#### A&I Engine Overhaul Kits

If you're looking for a quality offering at an economical price, we also offer A&I Engine Overhaul kits for John Deere and competitive machines. A&I works with quality suppliers to ensure that all parts included in an A&I engine kit perform and fit as they were meant to. Our engine kits offer: cam ground pistons, ni-resist inserts, spun cast liners, and cylinder components designed as a package. Note: In-Frame Kits typically include Pistons, Liners, Rings, Rod Bearings, & Gaskets and Major Kits typically include Pistons, Liners, Rings, Rod Bearings, Rod Bushings, Rod Capscrews, Cam Bearings, Main Bearings, Thrust Bearings/Washers, Crankshaft Seals, and Gaskets.



NUMBER	APPLICATION	KIT TYPE	LIST
A-RE524345	4010 and 4020 (SN -214999)	Major Engine	\$1,262.86
A-RE66093	5410, 5510, 5425, 5425N	Major Engine	\$1,215.33
A-RG18845	4440, 4640, 4840 (SN -253372), 8430, 8440, 8450 (SN -253372)	Major Engine	\$1,453.93
A-RE64212	4055–4755, 4560, 4760, 8570 (SN 568445-), 8100–8300 (6076 engine)	Major Engine	\$1,711.01
A-RG17892	4320, 4430, 4630 Tractors; 6600 and 7700 Combine (SN 335845-)	Major Engine	\$1,642.58
A-RE66094	6110–6410, 6120–6420, 6405 and 6605 Tractors	Major Engine	\$1,043.72
A-OK504201	7710–7810 (SN -089999), 8100–8400 (6081 engine), 8110–8410 Tractors	Major Engine	\$1,998.78
A-DZ10599	8130–8530, 8225R, 8245R, 8270R Stage II	Major Engine	\$5,537.47



Replace damper as recommended to avoid costly repairs such as potential crankshaft breakage or front engine cover damage.

• Dual Dampers – replace both at the same time

#### **Important Repair Note:**

- When required use new cap screws when installing the damper to the crankshaft and fan pulley to damper.
- Damper can be damaged by dropping it or striking it with a hammer during installation. Use the proper procedure and tools listed in the technical manual.

#### Crankshaft Dampers

#### Did you know your crankshaft damper has a service life?

When torque is applied, engines generate harmful vibrations. A damper reduces these vibrations, which extends belt life and reduces gear wear. Our engine damper consists of an inertia ring, elastic member, and hub assembly attached to the crankshaft. John Deere recommends changing the crankshaft damper at 4,000–5,000 hours or 5 years, whichever comes first in some applications. Contact us to see if your crankshaft damper needs replacing today.

NUMBER	APPLICATION	TYPE	LIST	NOW
Engine Dam	pers:			
AR57241	4230, 4430, 4040, 4240, 4350, and 4440 Tractors; and 6600, 7700, 6620, and 7720 Combines	John Deere	\$219.71	\$202.13
A-AR57241	4230, 4430, 4040, 4240, 4350, and 4440 Tractors; and 6600, 7700, 6620, and 7720 Combines	A&I Products	\$162.01	
RE15018	4050–4850, 4055–4955, 8450, and 8650 Tractors	John Deere	\$272.48	\$250.68
A-RE15018	4050–4850, 4055–4955, 8450, and 8650 Tractors	A&I Products	\$194.25	
AR58172	4000, 4010, and 4020 Tractors	John Deere	\$275.83	\$253.76
A-AR58172	4000, 4010, and 4020 Tractors	A&I Products	\$160.24	
RE500917	8520, 9100, and 9120 Tractors; 9560, 9650, 9750, 9660, and 9760 STS Combines	John Deere	\$481.87	\$443.32
RE57603	8000 series (- 016632), 8410, 8120, 8220, 8320, 8420, and 9100 Tractors; 9976 Cotton Picker	John Deere	\$312.16	\$287.19
A-RE57603	8000 series (- 016632), 8410, 8120, 8220, 8320, 8420, and 9100 Tractors; 9976 Cotton Picker	A&I Products	\$230.19	
RE24975	8100–8300 Wheel and Track Tractors (016633-), and 8110–8310 Wheel and Track Tractors	John Deere	\$476.85	\$438.70
A-RE24975	8100–8300 Wheel and Track Tractors (016633-), and 8110–8310 Wheel and Track Tractors	A&I Products	\$262.76	
RE523266	9100–9400 (053080-) and 9020 Series Wheel and Track Tractors	John Deere	\$949.26	\$873.32
RE523527	8130 - 8330 and 8225R, 8245R SN 000101 -053099	John Deere	\$599.77	\$551.79
<b>Engine Dual</b>	Dampers:			
RE57604	8130–8530 and 8R Tractors	John Deere	\$613.17	\$564.12
RE520465	8130–8530, 8225R, 8245R, 8270R, 8295R, 8320R, 8345R SN 000101 - 053099 &090001-, 8235R, 8260R, 8285R, 8310R, 8335R, 8360R SN 016001-09000, 8335R 090001-	John Deere	\$616.06	\$566.78
RE538143	8130–8530, 8225R, 8245R, 8270R, 8295R, 8320R, 8345R SN 000101 - 053099 &090001-, 8235R, 8260R, 8285R, 8310R, 8335R, 8360R SN 016001-09000, 8335R 090001-	John Deere	\$703.87	\$647.56

Some of these tractor models use a dual damper and will need RE57604 as well as RE520465 or RE538143 depending on your tractor model.



#### Transmission Torsional Damper

To avoid unplanned downtime, John Deere recommends replacing the Transmission torsional damper every 4,500–5,000 hours or every 60 months whichever comes first. This damper transfers engine power to the input shaft of the transmission. When this damper fails it can result in vibration, noise, transmission damage, and loss of ability for the tractor to move.

NUMBER	APPLICATION	LIST	NOW
AL174123	6200 –6500, 6200L–6500L, 6215, 6415, 6120–6420, 6120L–6520L, 6230–6430, 6105M–6125M, 6105R–6115R, 7130 Premium	\$ 643.51	\$ 592.03
RE70470	7200 and 7400 PowrQuad, 7210 -002610, 002611- PowrQuad, 7410 -003889, 003890- PowrQuad, 7510–7610, 7600–7800, 7710 -001155, 7810 -001430	\$1,155.00	\$1,062.60
RE70472	7710 001156-, 7810 001431-, 7720–7920 and 7630–7930 PowrQuad	\$ 873.53	\$ 803.65
RE586976	7200R–7310R, 8100–8530, 8225R–8360R and 8370R W/O e23 Transmission SN -114999 and 115000-, 9230 and 9360R	\$ 532.83	\$ 490.20
RE220150	9220, 9320 PST and 9420–9620, 9430–9630	\$1,487.92	\$1,368.89
RE584547	9410R, 9420R, 9460R, 9460RT, 9470R/RT, 9510R/RT, 9520R, 9560R, 9570R, 9620R	\$1,333.33	\$1,226.66





#### 9.0L Vari-Cool™ Fan Drives

The updated driver and driven assemblies will improve serviceability and reliability of the fan drive assembly. The new dry driver and dry driven assemblies require no grease. The customer will no longer need to lubricate these two components once the update is complete. To maximize the reliability of the fan drive system, we encourage customers to replace the driver and driven assemblies at the same time. A worn driven assembly will potentially reduce the expected life of a new driver when only the driver is replaced.

#### Fan Drive Maintenance YouTube® Videos

Maintenance of the Vari-Cool™ Fan drives is important to keep the system running at optimal performance and prevent possible failures. Please make sure to view the 3 new videos created and made available on YouTube.

#### Video topics covered:

The following video topics can be found with a web search by entering the following;

John Deere Vari-Cool fan drive, YouTube. Vari-Cool Fan Drive Inspection Vari-Cool Fan Drive Belt Replacement Vari-Cool Fan Drive Maintenance

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
RE578435	9.0L Dry Driver	MY11 – Current Production 8R/8RT/9360R/9370R	\$1,180.00	\$1,085.60
RE572545	9.0L Dry Driven	MY11 – Current Production 8R/8RT/9360R/9370R	\$ 760.00	\$ 699.20
RE587430	9.0L Dry Driver	8030/9030 (w 9.0L) MY10 8R/8R Stage II	\$1,200.00	\$1,104.00
RE572544	9.0L Dry Driven	8R MY11 – Current Stage II	\$ 740.00	\$ 680.80





#### Hydraulic Quick Couplers

Hydraulic quick disconnect couplers are available in both standard and deluxe versions. The standard couplers allow coupling and uncoupling of hydraulics with pressure from the implement side. The deluxe couplers allow for coupling and uncoupling of hydraulics with pressure from the tractor and/or implement side. Genuine John Deere parts and aftermarket alternatives from A&I Products. Our extensive selection of parts means you get the **right part** with the **right fit** all at the **right price**.

NUMBER	DESCRIPTION	SERIES	TYPE	LIST	NOW
AL200979	Hydraulic Quick Coupler, STD	6030, 6030 Premium, 6M, 6R	John Deere	\$ 87.99	\$ 80.95
A-AL200979	Hydraulic Quick Coupler, STD	6030, 6030 Premium, 6M, 6R	A&I Products	\$ 56.60	
AL221083	Hydraulic Quick Coupler, Deluxe	6200–6500, 6110–6410, 6110L–6510L, 6120-6420, 6130–6430, 6M and 6R IT4 Tractors, 7130–7530	John Deere	\$106.69	\$ 98.15
A-AL221083	Hydraulic Quick Coupler, Deluxe	6200–6500, 6110–6410, 6110L–6510L, 6120-6420, 6130–6430, 6M and 6R IT4 Tractors, 7130–7530	A&I Products	\$ 63.08	
RE52981	Deluxe Quick Coupler	8000, 8010	John Deere	\$155.73	\$143.27
RE206778	Retrofit Kit to ISO Couplers	Converts 20, 30, and 40 Series JD to ISO Style Couplers	John Deere	\$203.51	\$187.23
A-RE206778	Retrofit Kit to ISO Couplers	Converts 20, 30, and 40 Series JD to ISO Style Couplers	A&I Products	\$173.86	
RE577560	Deluxe Quick Coupler	7000, 7010, 7020, 7030, 8020, 8030, 8R, 9020, 9030, 9R	John Deere	\$106.36	\$ 97.85
A-RE577560	Deluxe Quick Coupler	7000, 7010, 7020, 7030, 8020, 8030, 8R, 9020, 9030, 9R	A&I Products	\$ 80.56	

#### Hydraulic Pump Upgrades for 8000–8030 Series Row Crop Tractors

Upgrade today with efficiency and increased capability. New implements such air seeders, tillage equipment, and planters may require more hydraulic flow to perform effectively. If your current planter raise and lower times are too slow, or you are using a system with 3 or more vacuum motors increased hydraulic flow may improve performance.

#### **Application Example:**

A John Deere 1790 12 row CCS planter equipped with vacuum seed meters requires at least 30 gpm @ 2900 psi for acceptable raise and lower times (about 7 seconds). The ideal hydraulic pump setup for 8000–8030 Series Tractor would be the larger hydraulic pump with large planters or air seeders.



The hydraulic pump flow available is directly affected by engine speed, how many SCV's are being used at the same time, as well as other factors. Refer to your operator's manual for more information in section 60 – Determining Total Flow Demand. Contact your local John Deere Dealer to determine which pump is on your tractor and if a hydraulic pump upgrade will provide the solution you need.

#### Hydraulic pump options available for 8000-8030 Series Tractors:

- 30 gpm (45cc) standard or 38 gpm (57cc) optional for 8000 Series Tractors
- 33.5 gpm (45cc) standard or 42.5 gpm (57cc) optional for 8010 and 8020 Series Tractors

Note: A pump drive gear ratio change was introduced for the 8010 series providing increased pump flow using the same pump sizes as the 8000 Series Tractors.

• 44 gpm (63cc) standard or 60 gpm (85cc) optional for 8030 Series Tractors

#### The benefits of installing a high capacity hydraulic pump:

- Higher flow at lower engine RPM = Better Fuel Economy and Less Noise
- · Allow faster multiple hydraulic functions

NUMBER	APPLICATION	ТҮРЕ	LIST	NOW
RE65337	57cc – 8000 and 8010 Series Tractors	John Deere	\$3,334.27	\$3,067.53
PG203172	57cc – 8000 and 8010 Series Tractors	John Deere Reman	\$2,333.99	\$2,147.27
RE214405	60cc – 8020 Series Tractor	John Deere	\$3,711.55	\$3,414.63
RE563717	85cc - 8030 Series Tractor	John Deere	\$5,697.78	\$5,241.96

<sup>1.</sup> Note: Early 8000 Series Tractors require a special tool kit RE156519 to drill and tap 2 additional pump mounting holes. Contact your local John Deere Dealer for assistance.

<sup>3. 8030</sup> Series Tractors only requires changing the hydraulic pump and (1) 64M1021 drain plug, and (1) 51M7045 O-ring

8000–8010 Additional Parts Needed								
Part Number	Description	Qty.	Part Number	Description	Qty.	Part Number	Description	Qty.
RE66251	Line, Oil	1	H61354	Flange Kit	2	38H5022	Adj. Stud Elbow	1
R37023	Half, Split-Flange	2	T78313	O-Ring	1	RE66254	Hydraulic Hose	1
F1870R	Packing, O-Ring	1	19M7786	Hardware	4	38H5004	Stud, Straight	1
19M8011	Hardware	4	RE66253	Hose	1	N275960	Screw, 12 Point	2
RE66252	Hydraulic Hose	1						

	8020 Additional Parts Needed								
Part Number	Description	Qty.	Part Number	Description	Qty.	Part Number	Description	Qty.	
T76938	O-Ring	1	N275960	Screw	2	38H5004	Adapter Fitting	1	
T77932	O-Ring	1	F1870R	O-Ring	1	RE244436	Oil Line	1	
51M7048	O-Ring	1	R188307	Flange Fitting	1	RE244435	Oil Line	1	
38H5020	Elbow Fitting	1	19M7403	Cap Screw	2	RE218022	Oil Line	1	
RE174614	Valve	1	19M7324	Cap Screw	1	RE214411	Oil Line	1	
T42302	O-Ring	1	T24959	Clamp	1	RE214410	Hydraulic Hose	1	
24M7240	Washer	2	51M7045	O-Ring	1	RE214409	Oil Line		

<sup>2. 8000–8020</sup> Series Tractor hydraulic pump upgrade requires additional parts listed below

## TRACTOR HOT BUYS

Contact your John Deere dealer to take advantage of these limited time special prices on the parts and attachments listed below.

## Replacement Cab Mat 3X20, 4X20, 3R & 4R Tractors




Looking to make your 3R, 4R, 3X20, or 4X20 Cab floor feel like new again. These floor mats can take a beating and this special buy will help your tractor feel like new again.

MIU10106

LIST - \$137.51

NOW - \$110.01

#### iMatch Cat. 1 Quick Hitch



LVB25976

LIST - \$383.90 NOW - \$326.32

#### 4010, 4110, 4115 Compact Tractor Hood



Make your tractor look new again, from the top down.

LVU11489 LIST – \$628.56 NOW – \$502.85

# 3-Point Hitch Downforce Kit (4R Tractors)



This kit provides additional down-pressure to the 3-point hitch for ground engaging tasks.

BLV10968

LIST - \$1.150.60

NOW - \$920.48

## ROPs Warning Lights Brush Guards (1E–4M and older Compact Tractors)

Will help protect your warning lights from damage caused by low branches or trees. For open-station tractors only. Two quards included in each kit.

BLV10400

LIST - \$84.70

NOW - \$67.76

#### Ballasting your Compact or Utility Tractors

When using a loader or rear implement, front and rear ballast provide a counterweight to maximize overall stability of the tractor. Proper Ballasting helps keep all four wheels on the ground to improve the tractor's performance. Proper rear ballast will maximize the life of the front wheel drive axle, as well as other drivetrain components. A 3-point hitch-mounted implement can also be used for rear ballast, but it must meet the specified weight requirement. A loader can serve as front ballast, but does limit your turning radius and clearances.




NUMBER	DESCRIPTION	APPLICATION		LIST		NOW
BW15073	Ballast Box for Cat. 1 Hitch*		\$	302.50	\$	278.30
BW15074	Ballast Box Extension for Cat. 1 Box		\$	143.00	\$	131.56
BW15852	Large Ballast Box for Cat. 2/3 Hitch		\$1	,269.40	\$1	,167.85
Available Bus	shing Kits:					
BW15056	iMatch Quick-Coupler Bushing Kit		\$	104.50	\$	91.96
LP19969	iMatch Bushing Kit		\$	34.95		
LP25004	Quick Hitch Adapter Bushing Kit		\$	29.70		
Wheel Weigh	t:					
BM17972	50 Lb. Cast Iron	1E, 1R	\$	140.17	\$	128.96
BM17968	48.5 Lb. Cast Iron	3X20, 3E, 3R, 4X10, 4X20, 4M, 4R	\$	140.80	\$	129.54
BM17965	60 Lb. Cast Iron	790, 2X20, 2R, 3D, 3E, 3R, 4X00, 4X10, 4M, 4R	\$	140.80	\$	129.54
UC13499	72 Lb. Cast Iron	1E, 1R, 2305	\$	178.69	\$	164.39
R213907	95 Lb. Cast Iron	5X03, 5X20, 5X25, 5D, 5E Limited, 5E, 5EL,5M, 5ML, 5R	\$	147.40	\$	135.61
T19293	106 Lb. Cast Iron	3X20, 3R, 4X10, 4X20, 4M, 4R, 5X03, 5X10, 5X20, 5D, 5E	\$	165.00	\$	151.80
Front Suitcas	e:					
SU57513	330 Lb. Cast Iron	5E, 5G, 5M, 5ML, 5R	\$	513.70	\$	472.60
UC13263	Weight, 42 Lb. Quik Tatch	1E, 1R, 2X20, 2R, 3X20, 3D, 3E, 3R, 4X10, 4X20, 4M, 4R	\$	60.99	\$	56.11
LVU32113	Weight, 70 Lb. Quik Tatch	2032/38R, 3E, 3R, 4X10, 4X20, 4M, 4R	\$	99.00	\$	91.08
R127764	Weight, 95 Lb.	4MHD, 5 Series and Larger	\$	134.20	\$	123.46





<sup>\*</sup>Compatible with the iMatch Quick Hitch (Must order necessary bushings kit).

# This is easy.





Make it easy on yourself. Talk to us to find out more about tractor model and implement or mower deck compatibility for these attachments.



#### **Compact Utility Tractor Seats**

A new seat can bring back the same wonderful feeling you had the first time you sat down on your machine. Ride comfortably with a replacement seat from John Deere.

NUMBER	APPLICATION	TYPE	LIST	NOW
CH16115	650, 750, 850, 950, 900HC, and 1050	John Deere	\$220.21	\$202.59
AM107759	655, 755, 756, 855, 856, 955	John Deere	\$164.53	\$151.37
A-AM107759	655, 755, 756, 855, 856, 955	A&I Products	\$128.69	
LVU804201	670,770, 790, 870,970, 990, 1070, 3005, 4005	John Deere	\$270.22	\$248.60
A-M805158	670,770, 790, 870,970, 990, 1070, 3005, 4005	A&I Products	\$201.84	
AM879503	4010, 4100, 4110, and 4115	John Deere	\$258.98	\$238.26
A-AM879503	4010, 4100, 4110, and 4115	A&I Products	\$193.88	
LVA10029	4X00 and 4X10 Series Tractors	John Deere	\$130.79	\$120.33
A-LVA10029	4X00 and 4X10 Series Tractors	A&I Products	\$ 86.43	
LVA12909	3X20, 4X10, 4X20, and 3R	John Deere	\$292.70	\$269.28
LVA19221	3203, 1E, and 3E	John Deere	\$200.16	\$184.15
LVA14067	2210, 2305, 2X20, and 2R	John Deere	\$192.36	\$176.97

<sup>\*</sup>Check machine serial number for correct parts



#### iMatch Quick Hitch Bushings

DESCRIPTION	LIST	NOW					
iMatch Bushing Kits							
iMatch Quick Hitch Lower Adapter Bushing – 33mm (1.3-in.)	\$ 25.21	\$22.18					
iMatch Quick Hitch Lower Adapter Bushing – 50mm (1.97-in.)	\$ 26.00	\$22.88					
Quick Hitch Adapter Bushing Kit	\$ 29.70						
iMatch Bushing Kit	\$ 34.95						
iMatch Quick-Coupler Bushing Kit	\$104.50	\$91.96					
	ing Kits  iMatch Quick Hitch Lower Adapter Bushing — 33mm (1.3-in.)  iMatch Quick Hitch Lower Adapter Bushing — 50mm (1.97-in.)  Quick Hitch Adapter Bushing Kit  iMatch Bushing Kit	ing Kits  iMatch Quick Hitch Lower Adapter Bushing – 33mm (1.3-in.) \$ 25.21  iMatch Quick Hitch Lower Adapter Bushing – 50mm (1.97-in.) \$ 26.00  Quick Hitch Adapter Bushing Kit \$ 29.70  iMatch Bushing Kit \$ 34.95					





#### Canopies for Compact and Utility Tractors

Protect yourself from extreme weather conditions throughout the year with a canopy from John Deere.

NUMBER	APPLICATION	LIST	NOW
Canopy:			
LP64809	Fits 1E, 1R, 2R, 2210, 2305, 2520, 4010, 4100, 4110, and 4115 Series Tractors	\$ 463.95	
LVB25334	Standard Canopy fits 3E, 3R, 4M, 4R, 5D, 5E, 5M, 3320, 3520, 3720, 4105, 4320, 4520, 4720, 5003, 5020, and 5025	\$ 490.60	\$ 441.54
AR201256	Fits 6000, 6010, 6030, 6015, 6003, 6005, 7020, and 7030 Series Open Station	\$1,653.30	\$1,487.97
RE270484	Deluxe Canopy fits 5D, 5E, 5M, 5003, 5025, 5105, 5205, and 5020 Series Tractors	\$ 828.30	\$ 745.47
Metal Canopy:			
A-C7481G*	47" x 58" Universal Fit Green Metal Canopy Kit (Hardware Included) – 18 degrees of angle fore or aft, powder-coated finish, and insulated to reduce noise/vibrations/heat transfer	\$ 378.57	

Additional Mounting Hardware might be required. Ask us about the proper mounting hardware for your machine.

\*Each kit includes all necessary universal mounting brackets and hardware to accommodate Roll Over Protection Systems (ROPS) that are between 27"—40" wide. Also available in Red, Blue, or Orange. Ask us for details.

# John Deere Oil Filters + Plus-50™ II Engine Oil = 500 Hours\* Free of Downtime



When you pair John Deere engine oil filters with premium Plus-50 II engine oil, there's no stopping you for 500 hours! That's because John Deere engineers design our maintenance products to work hand-in-hand to defend your machine from harsh conditions and wear. Plus, both John Deere filters and Plus-50 II are ready to protect engines.

Don't take your equipment to the field without this winning combo. Trust John Deere filters and oil to help your machines last.

<sup>\*500-</sup>hour drain interval applies to diesel John Deere engines when the following criteria are met: 1. Engine is equipped with an extended drain interval oil pan, 2. Machine operates with Plus-50 II engine oil API CJ-4/SN, 3. Machine uses a John Deere oil filter, 4. Machine uses only Ultra Low Sulfur Diesel fuel.



Avoid sneezing, runny nose and watery eyes with new Anti-Allergen Cab Air Filters from John Deere. Available for new and late-model **tractors**, **combines**, **sprayers** and **other machines**, our innovative product features three active layers to help keep allergens out and prevent the growth of mold and bacteria so you have fresher air all day long.



Contact us today. JohnDeere.com

# Protect your trucks and All Makes equipment with the advanced technology of Fleetguard® filters.

Today's trucks and competitive machines face more challenges than ever before, operating under higher heat and more demanding conditions. Luckily, Fleetguard is ready to take on tough conditions and protect your vehicle, no matter the brand! Example engine oil filtration, using advanced StrataPore® technology. Fleetguard's synthetic, multi-layered StrataPore media provides higher capacity, greater efficiency, and less restriction than traditional media. And thanks to our wide range of Fleetguard replacement filters that meet OEM specifications, you can take advantage of StrataPore technology for almost any diesel engine. We offer Fleetguard filters for almost every make of equipment. Look for Fleetguard air, fuel, and hydraulic filters for superior protection, too. See us today!

**Lube:** Fleetguard spin-on lube filters meet or exceed OE performance requirements and the new challenges of modern engine technology. StrataPore media as introduced in the full flow section to work in combination with the stacked discs to remove the smallest dirt particles, which cause the most engine damage. This configuration reduces engine wear by as much as 60% in some applications. The pairing of NanoNet® media with StrataPore media has created a new breed of lube filter that offers higher efficiency, higher capacity, and the best cold flow vs. restriction available.

**Air:** Fleetguard air filters deliver the cleanest combustion air possible for On & Off Highway engine applications. Nanofiber, when combined with our enhanced pleat design, delivers optimal air filter performance for superior engine protection and lower equipment operating costs. Magnum RS® radial seal primary and safety air elements provide real-world value. Magnum RS offers unique features that provide significant benefits for longer service life and optimum performance when the job demands it.

**Fuel:** Fleetguard fuel filters deliver best-in-class performance using proprietary StrataPore or NanoNet media which remove harmful contaminants. Each gradient media layer offers unique properties that tailor performance based on specific applications requirements. Use of Fleetguard on-engine filters ensures optimal fuel system protection.

**Hydraulic:** We also offer a comprehensive replacement hydraulic filter line for many competitive filter part numbers. Through the right choice of filter media, Fleetguard hydraulic filtration products achieve higher efficiency and dust capacity with lower pressure-drop characteristics than the competition. This prolongs component life, which saves you money in the long run. The proper oil-cleanliness level for critical clearances on components in the hydraulic fluid stream is the key.







# ON THE FARM. IN THE FIELD. ON THE HIGHWAY.





# ONE ENGINE OIL FOR ALL

Not everybody realizes it, but it takes a special breed of oil to keep engines running in off-road conditions. In fact, it takes John Deere Plus-50™ II Engine Oil. That's because Plus-50 II is specially formulated to keep engines running efficiently and to protect them in extreme off-road conditions. Tractors. UVs. Trucks. You name it. Off the road? No problem. On the highway? You betcha. Let John Deere Plus-50 II Engine Oil be the one oil on your farm. **Contact your dealer today.** 

JOHN DEERE PLUS-50™ II OIL. KEEP RUNNING.



**NOW AVAILABLE** 

New Synthetic All-Season Engine Oil. Ask your dealer about Plus-50™ II SAE 5W-40.

Use only as directed. Please read safety and warning information. John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere and Company



#### Plus-50™ II Premium Synthetic Engine Oil: SAE 0W-40 & SAE 5W-40

Plus-50 II Premium Engine Oil offers two synthetic engine oil options to provide support on every farm, for every season. Our SAE 0W-40 option is a full synthetic PAO (Poly Alpha Olefin) based oil. Performing at a premium level in all climates, Plus-50 II SAE 0W-40 is specifically developed for those operating in extremely cold conditions.

Our newer Plus-50 II SAE 5W-40 option is an all-season synthetic engine oil that provides excellent performance for customers who operate in extremely cold or hot conditions and want to maximize engine life performance in modern engines. SAE 5W-40 is also backwards compatible with our legacy machines as well.

#### **Available For Order**

0W-40: 1 qt. (946ml) | 1 gal. (3.78L) | 5 gal. (18.9L) | 55 gal. (208L) | 275 gal. (1040L) tote 5W-40: 1 gal. (3.78L) | 5 gal. (18.9L) | 55 gal. (208L)

Check with your dealer for part number and pricing information.



#### Plus-50™ II Premium Engine Oil: 10W-30 & SAE 15W-40

Plus-50 II 10W-30 and SAE 15W-40 are made made with a unique additive system that offers premium protection from deposits and wear. Exceeding API service category CK-4/SN and high level performance under John Deere's Severe Off-Road Dyno test, this level of engine oil is excellent for diesel engines.

#### Available For Order

10W-30: 1 qt (946ml) | 1 gal (3.78L) | 5 gal (18.9L) | 55 gal (208L) | 275 gal (1040L) tote 15W-40: 1 qt (946ml) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 30 gal (113.6L) | 55 gal (208L) Check with your dealer for part number and pricing information.

#### Plus-50™ II Features & Benefits:

- Full fleet solution
- Compatible with both current, legacy and competitive machines
- Proven high-level performance in low-emission IT4 and FT4 engines
- Tested and developed for severe off-road applications
- Formula specifically created to stop engine wear, corrosion, sludge, soot, varnish and oxidation
- Drain interval extension up to 500 hours in a John Deere engine, using a John Deere filter.\*

#### Break-In™ Plus Engine Oil

Break-In Plus is a special purpose engine oil developed for use in rebuilt/remanufactured and new John Deere engines during the initial break-in period/oil service interval. During the initial operation of a new or rebuilt engine using Break-In Plus, change the oil and filter between a minimum of 100 hours and a maximum of up to 500 hours. Check your operator manual for the maximum interval recommendation.

#### Product Features & Benefits vs Standard Break-In Oil:

- Meets oil requirements for Final Tier 4 (FT4) and interim Tier 4 (IT4) engines
- Supports all legacy engines
- Maximum drain interval up to 500 hours

NUMBER	DESCRIPTION	SIZE
TY26661	SAE 10W-30	1-gal. (3.78L)
TY26663	SAE 10W-30	5-gal. (18.9L)

See us for pricing.







#### Torq-Gard™

Looking for a hard-working, standard-interval engine oil? Torq-Gard is your choice! It protects in a broad range of applications, including 4-stroke diesel, natural gas, and gasoline engines.

#### **Product Features & Benefits**

- Sludge control for cleaner engines & reduces corrosion
- Suitable for use in Tier 3 engines and older
- Standard drain interval of 250 hours

#### **Available For Order**

SAE 30: 1 qt (946ml) | 1 gal (3.78L) | 5 gal (18.9L) | 55 gal (208L)

5W-30: 1 qt (946ml) | 1 qal (3.78L) | 2.5 qal (9.46L) | 5 qal (18.9L) | 30 qal (113.6L) | 55 qal (208L)

10W-30: 5 gal (18.9L) | 55 gal (208L)

15W-40: 1 gt (946ml) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 55 gal (208L)

Check with your dealer for part number information.





#### Turf-Gard™

Turf-Gard motor oil is recommended for all 4-cycle gasoline engines in lawn and garden tractors, riding mowers, generators, and other outdoor power equipment. Turf-Gard keeps engines clean and provides superior engine wear protection and fuel efficiency.

NUMBER	DESCRIPTION	SIZE
TY25121	SAE 5W-30	1-qt.
TY22029	SAE 10W-30	1-qt.
TY22076	SAE 10W-30	2.5-gal. (9.46L)
TY22075	SAE 10W-30	55-gal. (208L)

See us for pricing.

Torq-gard

#### Transmission and Hydraulic Oil

Hy-Gard™ oils are specifically developed to meet the exact requirements of transmissions, wet clutches, wet brakes, and hydraulic systems. Oils not meeting these exact specifications can compromise machine or component life.

Hy-Gard performance is validated through testing in both the lab and field. High-level performance meets high-standard approvals by John Deere engineers, allowing Hy-Gard to meet the increase in demand for performance and protection of transmission and hydraulic systems.



#### Available For Order

Hy-Gard: 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 30 gal (113.6L) | 55 gal (208L) | 275 gal (1041L) tote Low-Viscosity Hy-Gard: 1 qt (946mL) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 55 gal (208L) | 275 gal (1041L) tote Bio Hy-Gard II: 5 gal (18.9L) | 55 gal (208L)

Check with your dealer for part number and pricing information.

#### **Product Features & Benefits**

#### Hy-Gard:

Recommended for equipment with common system reservoirs or separate transmission hydrualic systems. Exceeds JDM J20C specifications.

#### Low-Viscosity Hy-Gard:

Hy-Gard oil alternative in cold weather. Exceeds JDM J20D specifications.

#### Bio Hy-Gard II:

Conola-based oil & 94% biodegradeable. Use in place of mineral-based hydraulic oils.

#### Antifreeze/Coolant

Cool-Gard™ II High Performance Long-life, Heavy-duty Formula.

#### **Product Features & Benefits**

- Formulated for up to 6-years/6,000-hours\* life in cooling systems of diesel and gas engines
- Supports advanced engine technology
- Protects against corrosion and deposits
- Extends water pump life and prevents liner cavitation
- High thermal and oxidation protection
- Ready-to-use 50/50 premix formula for freeze protection down to -34°F (-37°C)
- Contains bittering agent to help discourage accidental ingestion
- Less toxic (PG) propylene glycol available for use around animals

NUMBER	DESCRIPTION	SIZE
Cool-Gard II:		
TY26573	Concentrate	1-U.S. gal.
TY26574	Concentrate	55-U.S. gal.
TY26575	Pre-mixed	1-U.S. gal.
TY26576	Pre-mixed	2 <sup>1</sup> / <sub>2</sub> -U.S. gal.
TY26577	Pre-mixed	55-U.S. gal.
TY26578	Pre-mixed	330-U.S. gal. tote
TY26968	PG, Pre-mixed	1-U.S. gal.
TY26969	PG, Pre-mixed	55-U.S. gal.
TY26970	PG, Pre-mixed	330-U.S. gal. tote

<sup>\*</sup>Rating applies when complete cooling system flush is performed prior to use.

See us for pricing.











#### Grease

John Deere grease is precisely formulated to meet the demanding lubrication needs for tough off-road and on-road conditions. Choosing the right high-quality John Deere grease could show you cost savings, longer equipment life, reduced down time, and lower equipment operational cost.

**Best Choices:** Multi-Purpose Severe-Duty (SD) Polyurea Grease and Extreme-Duty (ED) Synthetic Grease.

John Deere's best multi-purpose grease is ideal for use in high-temperature and extreme pressure applications. Best if used for U-joints, wheel bearings, and other grease points requiring severe-duty applications.

NUMBER	DESCRIPTION	SIZE			
Multipurpose G	Multipurpose Grease:				
CXTY24419	Multipurpose SD Polyurea Grease	3-oz. (89mL) twin pack			
TY6341	Multipurpose SD Polyurea Grease	14-oz. (414mL) cartridge			
TY25744	Multi-Purpose ED Synthetic Grease	14-oz. (414mL) cartridge			
TY24416	Multipurpose Heavy-Duty (HD) Lithium Complex Grease	14-oz.(414mL) cartridge			
PT507	Multipurpose Lithium Grease	14-oz. (414mL) cartridge			
Specialty-Purpose Grease:					
TY24425	Heavy-Duty Water-Resistant Grease	14-oz. (414mL) cartridge			
AN102562	Corn Head Grease	14-oz. (414mL) cartridge			
TY6333	Special-Purpose HD 3% Moly Grease Best if used in heavy loads for pin-to-bushing contact. Great for use in construction equipment.	14-oz. (414mL) cartridge			
TY27373	Special Purpose Calcium Sulfonate 5% Moly Grease. Best if used in heavy loads for pin-to-pin bushing contact.	15-oz. (444mL) cartridge			

See us for pricing. Ask your dealer about additional part size options available.



#### John Deere Diesel Exhaust Fluid (DEF) & Supporting Equipment

With John Deere Diesel Exhaust Fluid, you can be confident you're getting a high-quality product that will provide unsurpassed performance while protecting your equipment investment. Simplify your operation by making John Deere your one source for quality fluids.

Portable dispensing units (PDUs) are available in a variety of sizes, perfect for any application. Additionally, the pump kits deliver 7–10 gallons per minute and have an industry-leading five-year warranty.

ESCRIPTION	SIZE			
Diesel Exhaust Fluid:				
ohn Deere Diesel Exhaust Fluid	2.5-gal. (9.46L)			
ohn Deere Diesel Exhaust Fluid	55-gal. (208L)			
ohn Deere Diesel Exhaust Fluid	275-gal. (1,041L)			
ohn Deere Diesel Exhaust Fluid	330-gal. (1,249L)			
uipment:				
2V Pump Kit w/ Poly Manual Nozzle				
10V Pump Kit w/ Poly Manual Nozzle				
2V Pump Kit w/ Stainless Steel Nozzle				
10V Pump Kit w/ Stainless Steel Nozzle				
EF Poly PDU	65-gal. (246L)			
EF Metal Box w/ Poly PDU	65-gal. (246L)			
	: hn Deere Diesel Exhaust Fluid ipment: 2V Pump Kit w/ Poly Manual Nozzle 10V Pump Kit w/ Poly Manual Nozzle 2V Pump Kit w/ Stainless Steel Nozzle 10V Pump Kit w/ Stainless Steel Nozzle			

See us for pricing.

#### Diesel Fuel Conditioner

Don't let problematic fuel cause damage or downtime. Fuel-Protect Conditioners help you keep going all season by preventing fuel system erosion caused by poor fuel quality. With Fuel-Protect, you'll notice smoother starting and less exhaust smoke.

NUMBER	DESCRIPTION	SIZE
TY27722	Fuel Conditioner	16-oz.
TY27723	Fuel Conditioner	1-gal.
TY27724	Fuel Conditioner	5-gal.
TY27725	Cold Weather Diesel Fuel Conditioner	16-oz.
TY27726	Cold Weather Diesel Fuel Conditioner	1-gal.
TY27727	Cold Weather Diesel Fuel Conditioner	5-gal.



See us for pricing.

#### Fuel Protect Keep Clean Fuel System Cleaner

**Keep Clean:** Specifically formulated for high pressure diesel fuel systems. Prevents and limits formation of deposits that cause injector sticking, misfire, rough idling, power loss or hard starting conditions.

**Microbiocide:** Antimicrobial fuel preservation additive recommended for control of bacteria and fungi in fuel systems.

**Emergency Thaw:** Dissolves gelled diesel fuel and melts ice in the fuel filter caused by freezing conditions, restoring fuel flow to the engine.

NUMBER	DESCRIPTION	SIZE
TY26827	Keep Clean	946 ml (32-oz.)
TY26828	Keep Clean	3.78 L (1-gal.)
TY26829	Keep Clean	18.9 L (5-gal.)
TY26830	Keep Clean	208 L (55-gal.)
PM701014US	FQS 1.5 Microbicide	946 ml (32-oz.) / Pkg. qty. 4
TY27730	Emergency Thaw	946 ml (32-oz.)

See us for pricing.

#### GL-5 and Synthetic GL-5 Gear Lube

GL-5 and Synthetic GL-5 lubricant is designed for severe on- and off-highway applications. Its superior thermal stability and oxidation resistance keeps gears and seals clean, while its thermal durability protects gears from physical damage by preventing heat-induced failure of anti-wear chemistry.

· .	_		
NUMBER	DESCRIPTION	SIZE	
Synthetic GL-	5 Gear Lube:		
TY26372	80W-140	1-qt.	
TY26373	80W-140	5-gal.	
TY26374	80W-140	16-gal.	
TY26375	75W-90	1-qt.	
TY26376	75W-90	5-gal.	
TY26377	75W-90	16-gal.	
GL-5 Gear Lul	be:		
TY6296	80W-90	1-qt.	
TY26815	80W-90	1-gal.	
TY26816	80W-90	5-gal.	
TY26817	80W-90	30-gal.	
TY6345	85W-140	1-qt.	
TY26812	85W-140	1-gal.	
TY26813	85W-140	5-gal.	
Synthetic Gear Lubricant for Combine Feederhouse Drives:			
TY26408	HD460	1-qt.	





# Keep it in the field longer. Trust John Deere batteries to get you through the season and beyond.



In the field, the right battery can make a big difference—and the right battery for your John Deere equipment is StrongBox™. It's the best battery you can use in your machinery because it's developed and tested right alongside John Deere equipment. Our engineers designed StrongBox with the following benefits to give you a better battery:

- Increased power for quick starts in extreme cold
- High cranking amps, faster charges, and efficient design for lowering electrical resistance
- Epoxy-anchored plates that are four times stronger than traditional plates to reduce vibration damage the leading cause of failure in commercial batteries

Don't chance it with standard batteries. Power up with batteries built for the rugged conditions you face. Power up with StrongBox.

#### **Booster Cables**

John Deere offers 2-gauge and 4-gauge Booster Cables in a variety of service options: extra heavy-duty professional, commercial, heavy-duty professional, and heavy-duty commercial.

NUMBER	DESCRIPTION	LIST	NOW
2-Gauge an	d 4-Gauge 100% Copper Conduits:		
TY26217	Booster Cable, Extra Heavy-duty, 20-ft., 2-gauge	\$115.79	\$92.63
TY26215	Booster Cable, Commercial Service, 16-ft., 4-gauge	\$ 69.19	\$55.35
TY26216	Booster Cable, Commercial Service, 20-ft., 4-gauge	\$ 82.20	\$65.76
2-Gauge and 4-Gauge Copper Clad:			
TY27301	Booster Cable, Heavy-duty Professional, 20-ft., 2-gauge w/ bag	\$ 73.53	\$58.82
TY27302	Booster Cable, Heavy-duty Commercial, 16-ft., 4-gauge w/ bag	\$ 51.45	\$41.16



#### Battery Cleaner and Terminal Corrosion Preventative

NUMBER	DESCRIPTION	LIST	NOW
TY25767	Battery Cleaner (15-oz.)	\$4.49	\$3.59
TY25766	Terminal Corrosion Preventative (10-oz.)	\$5.50	\$4.40



#### StrongBox™ Alkaline Batteries

John Deere StrongBox alkaline batteries deliver long-lasting, dependable, powerful performance for the devices you use everyday—from flashlights to portable radios and many other electronic devices.

NUMBER	DESCRIPTION	LIST	NOW
TY26865	AAA – 4-Pack	\$ 5.01	\$4.51
TY26866	AAA – 8-Pack	\$ 8.80	\$7.92
TY26867	AA – 4-Pack	\$ 5.01	\$4.51
TY26868	AA – 8-Pack	\$ 8.80	\$7.92
TY26869	C – 4-Pack	\$10.07	\$9.06
TY26870	D – 4-Pack	\$10.07	\$9.06
TY26871	9V – 2-Pack	\$ 8.94	\$8.05





#### **Battery Accessories**

Make John Deere your one-stop shop for battery accessories.
Our wide selection of battery accessories includes terminals, terminal brushes, bolts, corrosion preventative, and terminal cleaner—everything you need! See us today for the complete Battery Accessories lineup.



#### Automatic Battery Charger/Maintainers\*

Excellent for extending battery life for seasonally-used turf and utility equipment. Automatically maintains both 6- and 12-volt batteries, keeping them at full charge by using float-mode monitoring. Charger has AGM charging capabilities.

NUMBER	LIST	NOW
1.5 Amp		
TY25866	\$39.01	\$31.21
TY26328 (on-board)	\$37.07	\$29.66
*Not available in California.		



#### **Automatic Battery Chargers**

NUMBER	DESCRIPTION	LIST	NOW
TY27731	250-amp 12V and 125-amp 6V Engine Start Wheel Charger	\$265.33	\$212.26
TY27732	200-amp 12V and 125-amp 6V Engine Start Benchtop Charger	\$194.89	\$155.91
TY27733	50-amp 12V Engine Start Benchtop Charger	\$ 91.53	\$ 73.22

# Your John Deere dealer can build hydraulic hoses in minutes.



# We follow through to deliver uptime for you.

Stay up and running, and eliminate the worry about contaminants entering your hydraulic system. Trust your John Deere dealer to deliver complete solutions, like Ultra Clean, that ensure contaminants are completely removed from new hose assemblies.

Ask your dealer how Ultra Clean means uptime.





#### Stainless Steel Hose Clamps

NUMBER	CLOSED AND OPEN RANGE	DUTY	LIST
TY22462	<sup>1</sup> /4– <sup>5</sup> /8 in.	Light	\$0.83
TY22465	<sup>9</sup> /16—1 <sup>1</sup> /16 in.	Standard	\$0.99
TY22466	<sup>11</sup> / <sub>16</sub> –1 <sup>1</sup> / <sub>4</sub> in.	Standard	\$0.99
TY22467	<sup>13</sup> / <sub>16</sub> –1 <sup>3</sup> / <sub>4</sub> in.	Standard	\$0.99
TY22472	2 <sup>5</sup> / <sub>16</sub> –3 <sup>1</sup> / <sub>4</sub> in.	Standard	\$1.50



#### John Deere Hydro-Max™ Hydraulic Cylinders

- Heavy-duty, double-acting tie-rod cylinders is rated for 2500 or 3000-psi continuous working pressure.
- Chrome-plated, hardened piston rod and heavy-duty ductile iron clevis with 360-degree thread contact area and positive-locking set screw device.
- Clevises include high-tensile zinc plated pins

NUMBER	SIZE	WORKING PRESSURE	RETRACTED LENGTH	EXTENDED LENGTH	PORT SIZE	PIN DIAMETER	LIST
TY8627	2 x 8-in. ASAE	2,500	20 ¹/₄-in.	28 ¹/₄-in.	³/8-in. NPTF	1-in.	\$156.11
TY22540	2 x 8-in. ASAE	3,000	20 <sup>1</sup> / <sub>4</sub> -in.	28 <sup>1</sup> / <sub>4</sub> -in.	SAE 8 ORB	1-in.	\$173.40
TY8628	2 <sup>1</sup> / <sub>2</sub> x 8-in. ASAE	2,500	20 <sup>1</sup> / <sub>4</sub> -in.	28 <sup>1</sup> / <sub>4</sub> -in.	<sup>3</sup> / <sub>8</sub> -in. NPTF	1-in.	\$161.84
TY22541	2 <sup>1</sup> / <sub>2</sub> x 8-in. ASAE	3,000	20 <sup>1</sup> / <sub>4</sub> in.	28 <sup>1</sup> / <sub>4</sub> -in.	SAE 8 ORB	1-in.	\$181.49
TY8629	3 x 8-in. ASAE	2,500	20 <sup>1</sup> / <sub>4</sub> -in.	28 <sup>1</sup> / <sub>4</sub> -in.	3/4-in.16-ORB SAE#8	1-in.	\$179.51
TY22506	3 x 8-in. ASAE	3,000	20 <sup>1</sup> / <sub>4</sub> -in.	28 <sup>1</sup> / <sub>4</sub> -in.	SAE 8 ORB	1-in.	\$199.12
TY22570	3 x 12-in.	3,000	22 <sup>1</sup> / <sub>4</sub> -in.	34 <sup>1</sup> / <sub>4</sub> -in.	SAE 8 ORB	1-in.	\$226.03
TY22543	3 x 16-in. ASAE	3,000	31 <sup>1</sup> / <sub>2</sub> -in.	47 <sup>1</sup> / <sub>2</sub> -in.	SAE 8 ORB	1 <sup>1</sup> / <sub>4</sub> -in.	\$231.75
TY8630	3 <sup>1</sup> / <sub>2</sub> x 8-in. ASAE	2,500	20 <sup>1</sup> / <sub>4</sub> -in.	28 <sup>1</sup> / <sub>4</sub> -in.	<sup>1</sup> / <sub>2</sub> -in. NPTF	1-in.	\$225.77

#### Omni Hydraulic Multiplier Valves

The Omni hydraulic multiplier valve addresses the needs of the compact utility tractor owner. Take an existing single circuit and split it into two circuits with electric controls on any 12-volt electrical system. The Omni valve is designed to be used on open, closed, or PFC hydraulic systems.

NUMBER	MULTIPLIER VALVE TYPE	NUMBER OF FUNCTIONS	ADD-ON	LIST	NOW
SW757-1550	Standard	2	With RCS Handle	\$ 835.07	\$ 734.86
SW757-1552	Standard	4	With RCS Handle	\$1,695.59	\$1,492.12
SW757-1520	Economy	2	With Pendant Switch	\$ 563.59	\$ 495.96
SWSV30	Standard	2	4 Switch Options	\$ 342.63	\$ 301.51



#### Hydraulic Multiplier and Add-On Valves

Add additional hydraulic outlets to prime movers economically. Hydraulic multipliers are transparent to the hydraulic system and work safely on all makes of equipment. They're easy to operate and provide a no-hassle solution to mobile equipment hydraulic shortages. These units are 100% final product-performance tested, and components are ISO-9002 certified.

NUMBER	DESCRIPTION	LIST	NOW
SW700-1002	Economy Multiplier Valve with 2 Circuits. Works with Switchbox.	\$341.79	\$300.78
SW700-1510	Standard Multiplier Valve with 2 Circuits. Works with Switchbox and ISO Couplers.	\$475.96	\$418.84
SW700-1590	Standard Multiplier Valve with 2 Circuits. Works with John Deere Couplers.	\$574.92	\$505.93
SW700-1513	Standard Multiplier Valve with 3 Circuits. Works with Switchbox.	\$844.25	\$742.94
SW700-1553	Standard Multiplier Valve with 3 Circuits. Works with RCS Handle.	\$889.98	\$783.18





# SUNBELT OUTDOOR PRODUCTS

With over 66,000 turf products for all makes of equipment, we are confident that we will have the parts that you need to keep running. Sunbelt offers a wide range of parts for a variety of outdoor power equipment for almost every major brand of equipment. Whether it's a push or walk-behind mower, lawn tractor, zero turn, string trimmer, stick edger, chainsaw, utility vehicle, or all-terrain vehicle, your John Deere dealer can provide the Sunbelt parts that fit your needs.





Air Filters • Bearings • Belts **Broadcast Spreaders** Bushings • Brushcutter Blades Carburetors • Edger Blades **Electric PTO Clutches** Fuel Filters & Line • Inner Tubes **Internal Engine Parts** Lawnmower Blades • Mufflers Oil • Pulleys • Safety Products Snow-Thrower Parts • Seats Solenoids • Spark Plugs Spindles • Starters • Sulkies Switches • Throttle Cables Tires • Trimmer Heads & Line Workshop Tools & Much, Much, More!



## **SPECIAL BUYS**



#### Air Filter Indicator

To maximize your investment, a John Deere air filter indicator will tell you exactly when your air filter is at maximum capacity. Don't risk "dusting" your engine with a dirty filter, or replacing one that is only at 50% capacity. Know for sure with a John Deere air filter indicator.

Fits the following models: Z740R, Z920M, Z930M, Z930R, Z950M, Z950R, Z960M, Z960R, and Z970R.

AUC16126 List \$25.00 Now \$22.50

#### John Deere Self-Sharpening Blade

The John Deere self-sharpening blade is a patented technology that applies a layer of extremely hard material on the bottom side cutting edge of the mower blade As the mower blade is used, the base steel of the mower blade continues to wear faster than the hardened material which provides a continuous edge that essentially sharpens itself.

UC15158 List \$35.00 Now \$29.75

#### MowerPlus™ Smart Connector

Keep your John Deere riding lawn mower running its best and know how it mows with the John Deere MowerPlus app. Simply scan the lawn tractor's barcode to get custom information. The app helps determine the best time to mow, communicates expert pre-mow tips, offers maintenance reminders, and provides walk-through quides.

BUC10537 List \$99.51 Now \$89.56



## Making Easy, Easier

Now this industry exclusive has become even easier with John Deere's new easy change oil filter home maintenance kit. This maintenance kit contains nearly everything you need to tune up your machine in one convenient package, with one major bonus. No tools required. Twist. Lock. Done. Find your home maintenance kit on Deere.com

Find your Home Maintenance Kit at JohnDeere.com/HMK and order online at JDParts.com

NUMBER	APPLICATION	LIST	NOW
AUC13705	E120, E130, E150	\$70.52	\$63.47
AUC13706	E160	\$81.55	\$73.40
AUC13707	E170, E180	\$82.13	\$73.92

#### Tune Up and Head Out

No need to take your machine to the shop for a tune-up. Our Home Maintenance Kits make it easy to tune up your lawn tractor or Gator™ by providing almost everything you need in one convenient package:

- 2 quarts oil
- 1 oil filter
- 1 air filter
- 1 fuel filterAir precleaner
- Spark plugs

Check out some of our kits below. If you don't see your machine listed, don't worry. There are many other kits available. See us to get the appropriate kit for your machine.

NUMBER	APPLICATION	LIST	NOW
100 Series:			
LG262	D110 (SN 500,001-), D120, E110	\$45.07	\$40.56
LG264	D155 (SN -700,000), D160, D170	\$56.96	\$51.26
LG266	D105 (SN -200,000), D110 (SN -500,000), E100 (49 states)	\$41.62	\$37.46
LG268	D150 (SN 700,001-), D160, D170	\$56.30	\$50.67
LG272	D130 (SN 000,000–040,000), D140 (SN 000,000–050,000)	\$47.56	\$42.80
LG275	D105 (SN 200,001-), D125, D130 (SN 400,001-), D140 (SN 400,001-), E140	\$39.45	\$35.51
EZtrak™ and	Residential ZTrak™:		
LG249	Z445 (SN -100,000) and Z465 (SN -150,000), Z540M, Z540R; Z645 (SN 140,001-), Z655 (SN 140,001-), Z665 (SN 140,001-)	\$49.62	\$44.66
LG263	Z425 (SN -040,000)	\$48.22	\$43.40
LG264	Z425 (SN 040,001–100,000)	\$56.96	\$51.26
LG265	Z445 (SN 140,001-), Z465 (SN 150,001-); Z540M, Z540R; Z645 (SN 140,001-), Z655 (SN 140,001-), Z665 (SN 140,001-)	\$48.44	\$43.60
LG268	Z525E (010,001), Z375R (040,001), Z425 (SN 100,001), Z225, Z245	\$56.30	\$50.67
LG269	Z435, Z465 (Briggs Engine); Z445 (SN 100,001–140,000), Z535M (010,001-), Z535R (010,001-), Z625, Z645 (SN 100,001–140,000), Z655 (SN 100,001–14)	\$56.41	\$50.77
LG276	Z235, Z255, Z335E, Z335M, Z345M, Z345R, Z355E, Z355R, Z535M, Z535R	\$44.77	\$40.29
Select Series	TM.		
LG249	X320 (SN -180,000), X324 (SN -180,000), X340, X360 (SN -180,000), X500 (SN -060,000), X530 (SN -060,000), X534 (SN -060,000)	\$49.62	\$44.66
LG256	X300 (SN -180,000), X300R (-150,000), X304 (SN -180,000)	\$45.62	\$41.06
LG257	X520, X540 (SN 010,001-)	\$82.72	\$74.45
LG265	S240, X300 (SN 180,001-), X300R (150,001-) X304 (SN 180,001-), X310, X320 (SN 180,001-), X324 (SN 180,001-), X350, X350R (010,001-), X354, X360 (SN 180,001-), X370, X380, X384, X390, X394, X500 (SN 060,001-), X530 (SN 060,001-), X530 (SN 060,001-), X534 (SN 060,001-), X570, X580, X584, X590	\$48.44	\$43.60
LG277	X330	\$50.52	\$45.47
Signature Se	ries:		
LG244	X720, X724, X728, X729, X730, X734, X738, X739	\$93.60	\$84.24
LG245	X700, X710	\$87.91	\$79.12
LG260	X740, X744, X748, X749, X750, X754, X758	\$71.38	\$64.24



Improve performance, increase uptime, and reduce operating costs with our new, innovative MulchControl attachment. Compatible with High Capacity and Accel Deep™ mower decks for Signature Series tractors, EZtrak™, and Residential ZTrak™ mowers, this attachment does an excellent job of mulching and is easily converted to side discharge or bagging in just a few seconds with the use of a lever conveniently located on the mower deck.

The MulchControl attachment makes mulching a more desirable and practical option, so you can benefit from the advantages of mulching, including:

- A beautiful lawn
- Tidy grass clippings that aren't blown onto the operator, driveways, or flower beds
- Less fertilizer use
- No need to dispose of clippings

#### Take control of your clippings with MulchControl from John Deere.

NUMBER	DESCRIPTION	LIST	NOW
BM26300	Model Year 2015 and later X700 Series 54-in. HC Mower Deck (SN 30,001-), EZtrak Z625, Z655 (SN 170,001-), and Residential ZTrak Z535R and Z540R	\$241.81	\$217.63
BM25258	Model Year 2015 and later X700 Series 60-in. HC Mower Deck (SN 30,001-), EZtrak Z665 (SN 170,001-), and Residential ZTrak Z540R	\$257.87	\$232.08
BM24794	Select Series and Residential ZTrak with 42A Accel Deep Mower Deck	\$139.10	\$125.19
BM24993	Select Series and Residential ZTrak with 48A Accel Deep Mower Deck	\$169.06	\$152.15
BM24994	Select Series and Residential ZTrak with 54A Accel Deep Mower Deck	\$219.36	\$197.42



Your lawn is sure to stand out when you use new John Deere Or Sunbelt Outdoor Products mower blades. Because a sharp blade gives you the easiest path to a superior cut. Dull blades, on the other hand, quickly lead to tearing and shredding, and ultimately a dull brown lawn.



#### John Deere Self-Sharpening Blades







SunBelt Predator



#### Mower Blades featuring John Deere Self-Sharpening Blade

John Deere now offers a mower blade that cuts itself sharp! These blades are designed to provide the long-lasting performance expected from a genuine John Deere mower blade while minimizing the amount of maintenance required. Simply put, in abrasive conditions, John Deere mower blades featuring the John Deere self-sharpening mower blade, stay sharper longer.

#### Mower Blades

John Deere mower blades have consistent hardness and toughness when tested by independent laboratories. The blade specifications translate into long-lasting blades that withstand impact. You can count on genuine John Deere parts.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
M127673	Mulching Blade	Fits Select Series, EZtrak™, GX, LT Series with 48-in. Mower Deck	\$13.30	\$11.97
B1JD1043	Mulching Blade	Sunbelt Alternative – XHT	\$10.31	\$ 9.28
B1PD5048	3-in-1 Blade	Sunbelt Alternative – Predator	\$13.75	\$12.38
M143520	Side Discharge Blade	Fits Select Series, EZtrak, GX, and LX Series with 54-in. Mower Deck	\$17.33	\$15.60
B1JD1052	Side Discharge Blade	Sunbelt Alternative – XHT	\$12.18	\$10.96
B1PD5054	3-in-1 Blade	Sunbelt Alternative – Predator	\$22.51	\$20.26
M164016	Standard Blade	Fits Signature Series, EZtrak, and ZTrak™ with 54 HC Mower Deck	\$19.99	\$17.99
B1JD1039	Standard Blade	Sunbelt Alternative – XHT	\$13.25	\$11.93
B1PD5172	3-in-1 Blade	Sunbelt Alternative – Predator	\$18.77	\$16.89
M163983	Standard Blade	Fits Signature Series and ZTrak with 60 HC Mower Deck	\$20.66	\$18.59
B1JD1054	Standard Blade	Sunbelt Alternative – XHT	\$18.40	\$16.56
B1PD5179	3-in-1 Blade	Sunbelt Alternative – Predator	\$20.05	\$18.05
UC15158	LaserEdge	Fits Z900 Series and 997 with 60-in. 7-Iron™ PRO Deck	\$35.00	\$29.75
TCU15881	High Lift Blade	Fits Z900 Series A, B, E, M, R, and 997 with 60-in. 7-Iron™ PRO Deck	\$18.29	\$16.46
B1JD1092	High Lift Blade	Sunbelt Alternative – XHT	\$18.28	\$16.45
B1PD5041	3-in-1 Blade	Sunbelt Alternative – Predator	\$18.74	\$16.87
TCU15882	High Lift Blade	Fits Z900 Series A, B, E, M, R, and 997 with 72-in. 7-Iron™ PRO Deck	\$21.37	\$19.23
B1JD6018	High Lift Blade	Sunbelt Alternative – XHT	\$20.22	\$18.20
B1PD5018	3-in-1 Blade	Sunbelt Alternative – Predator	\$20.37	\$18.33

See us for applications for your John Deere equipment as well as other makes of equipment.



John Deere residential mowing belts are engineered to be incredibly strong, durable, and long-lasting. We make sure of that by incorporating an application-specific design process and rigorous testing standards—even going above and beyond what's required—so you get the best belt for your machine.

#### **Mower Belts**

Designed specifically for your mower and rigorously tested above and beyond what's required. John Deere mower belts withstand heavy loads and fit perfectly on your equipment.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
GX25628	42A Deck Drive Belt	Z335E, Z335M, Z345M, Z345R Residential ZTrak™ Mowers	\$ 47.98	\$ 43.18
B1GX25628	42A Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 29.71	\$ 26.74
M154958	48 Edge Deck	X300	\$ 36.79	\$ 33.11
B1M110313	48 Edge Deck	Sunbelt Alternative – K-Force	\$ 30.17	\$ 27.15
M169485	48A and 54A Primary Deck Drive Belt	X300 and X500 Select Series Tractors	\$ 49.13	\$ 44.22
B1B72K	48A and 54A Primary Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 22.38	\$ 20.14
M158131	54 Deck Drive Belt	Z425	\$ 69.63	\$ 62.67
B1M158131	54 Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 31.44	\$ 28.30
GX25998	48A, 54A, 48 HC, and 54 HC Deck Drive Belt	Z500 Series Residential ZTrak Mowers	\$ 78.98	\$ 71.08
M165156	54 HC Deck Drive Belt	X700 Signature Series Tractors	\$ 93.03	\$ 83.73
B1M165156	54 HC Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 36.32	\$ 32.69
M172963	60 HC Deck Drive Belt	Z500 Series Residential ZTrak Mowers	\$ 78.98	\$ 71.08
M163993	60 HC Deck Drive Belt	X700 Signature Series Mower	\$ 71.00	\$ 63.90
B1M163993	60 HC Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 41.65	\$ 37.49
TCU35604	60-in. 7-Iron™ PRO Mower Deck Drive Belt	Z900 E/M/R	\$ 89.04	\$ 80.14
B1TCU35604	60-in. Mower Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 66.86	\$ 60.17
TCU31194	72-in. 7-Iron™ PRO Mower Deck Drive Belt	Z900M and R Series	\$114.95	\$103.46
B1TCU31194	72-in. Mower Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 82.00	\$ 73.80





#### **Brush Guards and Bumpers**

Keep your tractor free from scratches and scrapes with our front end brush guards and rear bumpers.

NUMBER	APPLICATION	LIST	NOW
BM23057	X300 and X500 Select Series Tractors	\$131.61	\$118.45
BM20880	X700, X720, X724, X728, X729, X740, X744, X748, X749	\$264.29	\$237.86
BM24375	X710, X730, X734, X738, X739, X750, X754, X758	\$264.29	\$237.86
BM23056	X300S, X500, X530, X534, X570	\$ 69.56	\$ 62.60
BG20944	E100, E110< E120, E140	\$ 74.90	\$ 67.41

#### Lights

Extend your day and get the job done with our Headlight Kits. Kit includes one or two headlights, wiring harnesses, mounting hardware, and headlight switch.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM24357	Dual Headlight Kit	Z235 and Z255 ZTrak Mowers	\$307.09	\$276.38
BUC10071	Dual Headlight Kit	Z525E, Z535M, Z535R, Z540M, Z540R ZTrak Mowers	\$299.60	\$269.64
TCB11281	Dual Headlight Kit	Z800 and Z900 ZTrak Mowers	\$256.80	\$231.12



#### **Tool Storage**

Get more done with John Deere tool mounting solutions.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BUC10751	Toolbox Kit	Z720E, Z735E, Z730M, Z735M, Z740R	\$102.71	\$ 92.44
BUC10775	String Trimmer Mount	Z720E, Z735E, Z730M, Z735M, Z740R	\$100.59	\$ 90.53
BUC10303	Trash Receptacle Kit	Z720E, Z735E, Z730M, Z735M, Z740R	\$171.20	\$154.08
BUC10826	Yard Tool Kit	Mounts to side of engine	\$ 46.01	\$ 41.41



BUC10751





BUC10775



BUC10826



BUC10303



# **SPECIAL BUYS**



## Lights

The LED work lights can be mounted on the front occupant protective structure (OPS), front cab, rear OPS, rear cab, or brush guard.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26215	LED Driving Lights	Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.	\$359.51	\$323.56
BM26216	LED Work Lights	Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.	\$359.51	\$323.56



#### **Side Tool Rack**

The side tool rack enables the user to maximize the use of their cargo box by carrying long-handled tools, such as trimmers, shovels, and rakes, on the outside of the box. The holders are adjustable, allowing the users to carry a wide array of items in the racks.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
RM22775	Tool Rack	Fits most Mid and Full-Size Crossover XLIVS. See your local dealer for complete attachment list	\$339.19	\$305.27



#### **Fender Guards**

Fender guards provide a modern and aggressive appearance for your Gator while protecting the front fender area.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM22987	Heavy-Duty Fender Guard	XUV 625i, 825i, 825i S4, 855D, 855D S4	\$235.40	\$211.86
BUC10247*	Front Fender Guard	Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.	\$228.99	\$206.09
BM23394	Fender Guard (Front and Rear)	Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.	\$197.96	\$178.16
BM22811	Cargo Box Fender Guard	XUV825/855, TX/TE	\$209.71	\$188.74
BM23457	Fender Guard (Front and Rear)	Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.	\$181.90	\$163.71
BM26129*	Rear Fender Guard	Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.	\$209.71	\$188.74

<sup>\*</sup>Requires additional attachment.

# **Get More Done with More Attachments**



# Outdoorsman Package

Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.

NUMBER	DESCRIPTION	LIST	NOW
BM26215	LED Brush Guard Lights	\$359.51	\$323.56
BM23309	Front and Rear CV Guard	\$163.71	\$147.34
BUC10681	Winch	\$647.36	\$582.62
BM25967	Rear Windshield	\$383.06	\$344.75
BM23365	Front Brush Guard	\$358.46	\$322.61
BM23362	Rear Bumper	\$210.79	\$189.71
BM23360	Front Rack	\$279.27	\$251.34
BM25619	Brush Guard Harness Kit	\$123.06	\$110.75
BM23394	Fender Guard (Front and Rear)	\$197.96	\$178.16
BUC10682	Winch	\$742.59	\$668.33



#### Farm and Ranch

Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.

NUMBER	DESCRIPTION	LIST	NOW
BUC10726	Base Speaker Kit	\$388.41	\$349.57
BUC10619	Premium Speaker Kit	\$944.81	\$850.33
BM22775	Tool Rack	\$339.19	\$305.27
BM25700	Cargo Box Length Extender	\$313.51	\$282.16
BUC10247	Front Fender Guard	\$228.99	\$206.09
BM26129	Rear Fender Guard	\$209.71	\$188.74
BM26216	LED Work Lights	\$359.51	\$323.56
BM26215	LED Driving Lights	\$359.51	\$323.56
BM26215	LED Guard Driving Lights	\$359.51	\$323.56
BUC10634	AMS Kit (StarFire 6000 for photoshoot)	\$380.91	\$342.82
BM26109	Hood Rack	\$279.27	\$251.34
BUC10682	Winch	\$742.59	\$668.33
BUC10679	Brush Guard	\$379.86	\$341.87
BUC10141	Brush Guard Extensions	\$102.71	\$ 92.44
BM26478	Sun Visor	\$ 81.31	\$ 73.18
BUC10697	Winch Mounting	\$200.09	\$180.08
BM22290	Drawbar	\$ 43.87	\$ 39.48
BM23849	Pail Holder and Bucket	\$ 42.80	\$ 38.52

# Get More Done with Attachments that Fit Your Needs

#### **Grounds Maintenance**

Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.

NUMBER	DESCRIPTION	LIST	NOW
BM22775	Side Tool Rack	\$339.19	\$305.27
BM24115	Roof	\$502.90	\$452.61
BM23507	Windshield	\$965.14	\$868.63
LP19886	Cargo Box Tool Box (MI-T-M)		See Us
BM22980	Front Hood Rack	\$279.27	\$251.34
BM22290	Hitch	\$ 43.87	\$ 39.48
BM24460	Rear Screen With Head Rests	\$322.07	\$289.86
BM26182	Beacon Light	\$ 72.76	\$ 65.48
BUC10170	Turn Signals	\$286.76	\$258.08
BM23370	Horn Kit	\$107.00	\$ 96.30
BM23849	Pail Holder and Bucket	\$ 42.80	\$ 38.52



# Government/Schools/Municipality

Fits most Mid and Full-Size Crossover XUVS. See your local dealer for complete attachment list.

NUMBER	DESCRIPTION	LIST	NOW
BM21466	Windscreen	\$322.07	\$289.86
BM22775	Tool Rack	\$339.19	\$305.27
BM22405	Beacon Light	\$409.81	\$368.83
BUC10173	Deluxe Light Kit	\$435.49	\$391.94
BM23459	Front Brush Guard/Front Hood Rack	\$380.91	\$342.82
BM23849	Pail Holder and Bucket	\$ 42.80	\$ 38.52
BM23457	Fender Guard (Front and Rear)	\$181.90	\$163.71
BM22776	Side Locking Storage Box	\$240.76	\$216.68
PM05201	Hitch		See Us
BM22767	Rear Bumper	\$257.87	\$232.08



# Gator LED Lights

Not only do LED bulbs last up to 50 times longer than sealed beam halogen lights, they also consume less energy. Experience bulbs that will run cooler, shine brighter, and last longer—order these must-have lights today.



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26215	LED Driving Lights	XUV, RSX, HPX Gators	\$359.51	\$323.56
BM26216	LED Work Lights	XUV, RSX, HPX Gators	\$359.51	\$323.56
BM25619	LED Mounting Kit – Brushguard	XUV, RSX, HPX Gators	\$123.06	\$110.75
BM25620	LED Mounting Kit – Front Roof	XUV, RSX, HPX Gators	\$ 89.89	\$ 80.90
BM25731	LED Mounting Kit – Rear Roof, 2-Passenger	XUV, RSX, HPX Gators	\$ 86.67	\$ 78.00
BM25621	LED Mounting Kit – Rear Roof, 4-Passenger	XUV825 S4, XUV855 S4, XUV560 S4, XUV590 S4	\$ 89.89	\$ 80.90
BM25621	LED Mounting Kit – Rear Roof, 4-Passenger	XUV825 S4, XUV855 S4, XUV560 S4, XUV590 S4	\$ 89.89	\$ 80







## Deluxe Light Kit

Get ultimate visibility with a deluxe light kit. Includes front and rear turn signals, reverse lights, and four-way flashers. The switch mounts on the dash of the vehicle, and the wiring harness connects to the standard vehicle harness.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26180	Deluxe Light Kit	XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590, and XUV590 S4	\$348.81	\$313.93
BM25545	Deluxe Light Kit (shown)	Model Year 2011–Current XUV625i, 825, 825 S4, 855, 855D S4	\$270.71	\$243.64
BM24831	Deluxe Light Kit	RSX850i, RSX860	\$422.66	\$380.39
NOTE: Not intend	led for use on public roadways.			

#### Beacon Light

For Gator Utility LED strobe light—sealed against water, dust, corrosion—with dash-mounted on/off rocker switch.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26185	Beacon Light	XUV835/865	\$257.87	\$232.08
BM22405	Beacon Light	T-Series	\$409.81	\$368.83
BM21649	Beacon Light – Deluxe	XUV825/855, HPX, T-Series	\$409.81	\$368.83
BM25553	Beacon Light – OPS	XUV825/855, HPX, XUV560/590, RSX	\$257.87	\$232.08

#### Cargo Box Toolboxes

Provides more integrated sealed storage in the cargo box.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26162	Top-Opening Toolbox	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$843.16	\$758.84
BM26160	Side-Opening Toolbox	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$843.16	\$758.84
BUC10393	Tailgate with Brake and Tail Lights	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$370.21	\$333.19
BM26220	Label Kit – Green and Yellow	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$ 23.54	\$ 21.19





#### **AMS Integration Kit**

Compatible with poly roof, on the OPS alone, or with Deluxe Cab. Kit includes components to mount a StarFire™ receiver and GreenStar™ display (sold separately). Use for boundary mapping, flagging field obstacles, and soil sampling.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM25035	Poly Roof or OPS	Model Year 2011 to current HPX, XUV625i, XUV825, XUV855, XUV825 S4, XUV855 S4	\$380.91	\$342.82
BM25589	For Deluxe Cab	Model Year 2011 to current HPX, XUV625i, XUV825, XUV855, XUV825 S4, XUV855 S4	\$380.91	\$342.82
BUC10634	Poly Roof or OPS	XUV835/865	\$380.91	\$342.82



#### Side Tool Rack

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM22775	Side Tool Rack	XUV835, XUV865, XUV825/S4, XUV855/S4, TX 4x2, TH 6x4/ Diesel. TE 4x2	\$339.19	\$305.27



# **Get Lasting Peace Of Mind. Get PowerGard™.**

Add up to four years of coverage beyond the normal warranty term on all utility vehicles, riding lawn equipment, zero-turn radius mowers, and compact and utility tractors.

Offering the same **bumper-to-bumper** coverage as the original factory warranty<sup>1</sup>, PowerGard Protection Plan Residential<sup>2</sup> also includes:

- Flexible term lengths based on estimated ownership years and annual usage hours
- \$0 deductible and no pre-approvals on covered repairs
- Transportation allowance per covered repair visit
- Genuine John Deere parts and expert service technicians
- Transferrable warranty for remaining coverage when selling or trading

Contact us about a custom plan today or visit JohnDeere.com/PowerGard.

<sup>1</sup>Warranty Coverage is based on total months or total hours whichever comes first. <sup>2</sup>PowerGard Protection Plan (Residential) is only available to residents in the U.S.







Designed to be one of the most rugged stereos in the industry, this heavy-duty radio delivers high-quality audio while withstanding some of the harshest working conditions.

A AM/FM/WB/iPod®/iPhone®/ SiriusXM™ Heavy-Duty Radio

#### **SWJHD1630**

\$263.09 \$236.78

#### Boldly go where no radio has gone before.

The weatherproof Jensen SWJHD906BT radio brings news, weather, and Bluetooth® capabilities to Gators, Skid Steers, and Open-Station Tractors. You get NOAA Weatherband with weather alert, AM/FM radio, Bluetooth playback, controls, and the ability for hands-free calling (external microphone SWJMICHFP sold separately), and an input to play iPod, MP3 player, or portable CD player.

#### B Mini 906BT Radio

#### SWJHD906BT

\*Heavy-Duty Mini Speakers (SWJXHD35) sold separately. \$346.09 \$311.48

The SWJHD1365BT stereo is built tough for demanding environments while featuring the latest technological advancements. This radio features Bluetooth streaming audio (microphone included) with hands-free calling, giving you a truly hands-free experience. The iPod/iPhone capabilities can be taken advantage of via the USB so you can take your personal music library with you. Plus, the stereo is also SiriusXM-ready, offering you endless entertainment options.

AM/FM/WB/iPod- & iPhone-ready/SiriusXM/ Bluetooth Stereo

#### SWJHD1635BT

\$318.15 **\$286.34** 













# We made the cab quiet. Now give your ears something to listen to.

If your cab radio is dead, dying, or just plain dysfunctional, consider an audio upgrade. Tune in to local news, weather, and sports, or bring your own audio stimulation via CD or MP3. Satellite news and music are also an option.

Pull in AM/FM and weather-band signals. This new heavy-duty radio has a full 7-channel NOAA Weatherband tuner and tells the time with the new segmented high-visibility display. It also comes with front Aux in capabilities and is equipped with a two-wire hookup that prevents battery drain when the vehicle is off.

#### AM/FM/WB Heavy-Duty Radio

#### **SWJHD1130**

\$181.67 **\$163.50** 

In today's modern heavy-duty market, having a radio built to survive the tough stuff doesn't mean that it has to sacrifice in-demand entertainment options. The SWJHD36MIC features the ability to receive Bluetooth streaming audio and phone calls from a Bluetooth-enabled mobile phone, giving you a truly hands-free experience. The microphone required for hands-free calling comes standard with the radio. This state-of-the-art heavy-duty stereo also has NOAA 7-channel Weatherband tuner with S.A.M.E technology to focus on a more specific region, giving you more accurate weather updates along with being iPod- and SiriusXM radio-ready.

#### AM/FM/WB/CD/USB/Bluetooth®/iPhone/ iPod/SiriusXM Stereo

#### SWJHD36AMIC

\$370.37 \$333.33

#### ToughCam Digital Wireless Observation System

#### It's not X-ray vision—but it's the next best thing.

This one-camera digital observation system far exceeds the performance of any other analog system on the market. It features a WiSight signal so strong that it easily transmits through and around objects up to 60 feet away—with no interference.

#### Other benefits:

- Delivers a sharp, vivid picture with the 5.6-in. color LCD monitor
- Suction cup mount and 12-volt DC power plug for the monitor make this system easily portable among vehicles
- Wireless for easy and convenient setup

#### **Applications:**

- Tractors and round balers
- Sprayers
- Trucks and trailers

- Recreational vehicles
- Industrial
- Marine

NUMBER	LIST	NOW
SWWV0S5MDCL1	\$612.04	\$550.84



Just load it up and strap it down with our versatile tie-down straps. From securing ladders to the roof of your SUV to strapping large bales to your trailer, John Deere tie-down straps work for just about anything. Release load tension under control with reversing action design, and larger handles and release bars.

N	NUMBER	DESCRIPTION
T	Y27478	1¹/₄-in. x 16-ft. Reversible Ratchet and Double J Hooks, 1,000-lb. WLL / 3,000-lb. Break Strength
Т	Y27476	1½-in. x 20-ft. Reversible Ratchet and Double J Hooks, 1,665-lb. WLL / 5,000-lb. Break Strength
Т	Y27477	2-in. x 27-ft. Reversible Ratchet and Round J Hooks, 3,330-lb. WLL / 10,000-lb. Break Strength
Т	Y27480	2-in. x 27-ft. Reversible Ratchet and Flat Hooks, 3,330-lb. WLL / 10,000-lb. Break Strength
T	Y27479	2-in. x 40-ft. Reversible Ratchet and Double J Hooks, 3,330-lb. WLL / 10,000-lb. Break Strength

See us for pricing.

#### John Deere Fuel-Protect Gasoline Stabilizer

Blended fuel attracts water from the air, which causes corrosion to fuel tanks, fuel lines, carburetors, and injectors. John Deere Fuel-Protect contains double the corrosion preventer to help fight these damaging effects. Pumped gasoline starts to degrade immediately, causing varnish deposits to build in engines. This results in starting problems, poor performance, and reduced engine life. Add John Deere Fuel-Protect to keep fuel fresh for 12 months, more than doubling the storage life of fresh gasoline. John Deere Fuel-Protect also eliminates the need to drain fuel prior to storage.

NUMBER	DESCRIPTION	LIST	NOW
TY27534	Fuel-Protect for Gasoline, 8-oz.	\$ 4.69	\$ 4.22
TY27535	Fuel-Protect for Gasoline, 32-oz.	\$13.57	\$12.21








#### Tech Tip:

Every time you fill your red gas can, add some Fuel Protect gas stabilizer. Then you always have protected fuel and longer storage life.






Make sure others can see you when you're on the road by installing corner and rooftop LED warning lights. These LEDs are brighter and last longer than standard lights, keeping you protected on the road for years to come. The rooftop light offers a 360° light source with four flash patterns, while the corner lights have a wideangle optic and 19 flash patterns. Both units are easy to install and operate.

NUMBER	DESCRIPTION	LIST
PMCLKLED6-A	Amber LED Corner Light, 12V, 1" diameter hole and 1" depth required	\$114.44
PMLED925-A	Rooftop LED Warning Light, 12/24V, Base Mount	\$175.89
PMLED925MX-A	Rooftop LED Warning Light, 12/24V, 90-lb. Magnet Mount, 15' Cord with Lighter Plug	\$193.12

See dealer for the complete Warning and Safety Light lineup.



Get the best crop yield by measuring the extent and depth of subsurface compaction with the brand new John Deere Soil Compaction Tester.

#### Some features include:

- 24" stainless steel rod with adjustable shock collar to prevent damage
- Easy-to-read, color-coded stainless steel dial that is liquid-filled to reduce shock
  - Green (0–200 psi) = Good growing conditions
  - Yellow (200–300 psi) = Fair growing conditions
  - Red (300+ psi) = Poor growing conditions
- Large and small tip included with convenient storage in tester housing
  - 1/2" tip for firm soil
  - 3/4" tip for soft soil
- Durable molded housing with rubber grip handle

#### See your local dealer to learn more.

NUMBER	LIST	NOW
SWSCT08180	\$242.83	\$223.40

#### **USB Chargers and Cables**

With the ever changing selection of devices available, it is important to choose the right charger to fit the device's need. Charge your mobile devices faster than ever in any John Deere application, personal vehicle, or at home with the variety of PowerUp™ USB chargers and cables made available by your John Deere dealer.

NUMBER	DESCRIPTION	LIST	NOW
PM191-052901	Dual USB Chargers – 4.8A	\$15.52	\$13.97
PM191-054448	3-in-1 Charger w/ 6-ft. Apple Cable	\$29.53	\$26.58
PM191-052079	USB Charger – Wall Charger w/ 2.4A Single USB	\$13.51	\$12.16
PM191-050594	USB Cable – Apple, 6-ft.	\$21.29	\$19.16
PM191-050860	USB Cable – Type C, 6-ft.	\$15.52	\$13.97
PM191-050563	USB Cable – Micro USB, 6-ft.	\$10.86	\$ 9.77





PM191-052901

PM191-054448









PM191-052079

PM191-050594









PM191-050563

#### Cleaners, Chemicals, and Protectants

John Deere has the product you need, the quality and reliability you demand, and the prices you'll like.

NUMBER	DESCRIPTION	LIST	NOW
TY26352	All-Purpose Cleaner	\$4.79	\$4.31
TY26632	Electronic Contact Cleaner*	\$6.21	\$5.59
TY26101	Brake & Parts Cleaner*	\$5.15	\$4.64
TY26772	Brake & Parts Cleaner – Low VOC**	\$6.32	\$5.69
TY26357	Engine Cleaner	\$4.37	\$3.93
TY26355	Carburetor and Choke Cleaner*	\$4.37	\$3.93
TY26353	Penetrating Oil	\$4.69	\$4.22

<sup>\*</sup> Not available in these states: CA, CT, MD, and UT.



#### Multi-Purpose Spray Lubricant

Use this superior lubricant in hundreds of applications. It's a water-displacing, friction-reducing, lightweight, penetrating oil. It prevents rust and also works well to free up parts already seized by rust, scale, or corrosion. Will not harm electrical contacts, wood, vinyl, or paint.

NUMBER	DESCRIPTION	LIST	NOW
TY6350	Multi-Purpose Spray Lubricant, aerosol	\$8.07	\$7.26



#### Hand Cleaners

Sometimes hard work means getting your hands dirty. But when the job's done, it's nice to go home with clean hands. John Deere has a whole line of hardcore hand cleaners that will wash off even the toughest dirt and grime. All of our cleaners have these benefits:

- Non-toxic
- No chemical odor
- Multi-purpose uses (e.g., a stain remover for washable clothing, cleans tools, etc.)
- Contains only cosmetic-grade components and odorless mineral spirits (competitors use lower-grade components in their formulas)
- Milder than competitive products, leaving no skin irritation
- Includes skin emollients, lanolin, and glycerin

NUMBER	DESCRIPTION	LIST	NOW
TY26105	UltraCare Multi-Purpose Hand Cleaner Gel – 14 oz.	\$ 3.31	\$ 2.98
TY26106	UltraCare Multi-Purpose Hand Cleaner Gel – 4 1/2 lbs.	\$13.67	\$12.30
TY26108	Heavy-Duty Hand Cleaner – 16 oz.	\$ 4.45	\$ 4.01
TY26068	Premium Hand Cleaner – 16 oz.	\$ 4.13	\$ 3.72
TY26069	Premium Hand Cleaner – 1/2 gal.	\$12.41	\$11.17
TY26066	General Purpose Hand Cleaner with Ultra-Fine Pumice, 16 oz.	\$ 4.05	\$ 3.65
TY26080	General Purpose Hand Cleaner lotion formula without pumice – 16 oz.	\$ 4.05	\$ 3.65







TY26066



<sup>\*\*</sup> Available in all states, including CA, CT, MD, and UT.





John Deere Ultra Guard Leather Care is our premium leather treatment product specifically developed for your vehicle's leather interior and other fine leather items. It will gently clean, condition and protect leather to maintain that brand-new look and feel you love. It even has a proprietary UV protectant that prevents damage from direct sunlight. Other features include:

- Restores suppleness and luster
- Conditions leather to help reduce age creases
- No oily film surface stays cleaner Safe, non-toxic formula
- Pleasant almond fragrance

NUMBER	DESCRIPTION	LIST	NOW
TY26218	Ultra Guard Leather Care –16 oz.	\$8.77	\$7.89



#### Loctite® Adhesives and Sealants

Whether you are trying to lock a threaded fastener or you need a flexible form-in-place gasket, Loctite has the product. Your John Deere dealer is an authorized Loctite distributor and has the professional-grade products you can count on.

NUMBER	DESCRIPTION	LIST	NOW
PM37482	Thread Sealant 545, 36 ml bottle	\$30.11	\$27.10
PM1212164	Insulating & Sealing Wrap, 1" x 10' roll	\$12.39	\$11.15
PM38657	High-Flex Form-In-Place Gasket, 50 ml tube	\$20.53	\$18.48
PM38655	Gasket Maker 515-Flange Sealant, 50 ml tube	\$16.79	\$15.11
PM37463	RTV Clear Silicone, 80 ml tube	\$ 3.20	\$ 2.88
PM37391	Quick Gel® Super Glue, 2 gram tube	\$ 2.15	\$ 1.94
PM1330906	Thread Locker 243, 36 ml bottle	\$28.63	\$25.77
PM1165866	Superflex Green RTV Silicone (matches John Deere green)	\$17.81	\$16.03



# Polycarbonate Window Cleaner and Wash

Superior at providing impact resistance, lightweight polycarbonate windows are a great feature on many off-road vehicles. Proper care and cleaning with the right products promotes long life without damage from surface abrasion or chemical incompatibility. John Deere recommends our factory approved solution to maintain a clear view of your work and recreational environment through polycarbonate windows.

Use these products full strength and as directed for effective results removing tough contaminants such as; tar, grease, tree sap, resins, and more from polycarbonate windows. Use on Skid Steers, Compact Track Loaders, Gator™ UTVs, and more. Works on glass windows too.

**WARNING** – Do not use common windshield wiper fluid or glass cleaner on polycarbonate windows. Use of incompatible cleaning materials on windows made of polycarbonate can cause structural and/or surface damage.

NUMBER	DESCRIPTION	SIZE	LIST
TY27682	Polycarbonate Window Wash	32 oz.	\$20.85
TY27683	Polycarbonate Window Cleaner Spray	32 oz.	\$12.53

#### Paint Remover

Our paint remover is perfect for removing acrylic, enamel, and latex paint from all metal and wood. All you have to do is spray it on to your surface, let it sit for 10 minutes, and then scrape off the loose paint. It's that easy.

For multiple paint layers, reapplication might be required. Benefits of our paint remover include:

- Methylene chloride-free
- A powerful combination of solvents for faster paint removal
- High viscosity to help coat vertical surfaces

NUMBER	DESCRIPTION	LIST
TY27304	Paint Remover, 12 oz.	\$8.85

# Pilot Removir Décapant Pilot Removir Décapant ANGER EN MANAGER EN MESTREME CANADA CONTROL DA CON

#### **Paint**

We offer high-quality, long-lasting, colorfast paints that deliver all-weather performance for John Deere and all-makes equipment applications.

#### **Lead-Free Enamel Paint**

John Deere lead-free enamel paint is environmentally safe for both interior and exterior applications. Sets up in minutes and is tack-free in a few hours. Dries overnight to a hard, glossy finish that resists fading, cracking, and chipping.

#### Low-VOC Paint

John Deere offers a solvent-based paint to meet stringent volatile organic compound (VOC) state and federal regulations. Easily replaces the waterborne formula in similar applications.

- Provides a low viscosity of 2.8 VOC for easier spraying
- Requires only a moderate air-dry time
- Free of hazardous air pollutants

#### **Fast-Dry Paint**

Dries to the touch in one hour and requires minimal thinning for spray applications. Developed in a lead- and chrome-free formulation to protect against chipping, corrosion, and rust.

\*Contact your dealer for additional colors, sizes, and paint accessories.

NUMBER	DESCRIPTION	LIST
Ag & Turf Green Paint:		
TY25624	A&T Green, 12 oz., Regular	\$10.37
TY25643	A&T Green, 1 qt., Regular	\$19.85
TY25656	A&T Green, 1 gal., Regular	\$54.28
TY25620	A&T Green, 1 gal., Fast Dry	\$70.83
TY25665	A&T Green, 1 qt, Low-VOC	\$25.13
TY25664	A&T Green, 1 gal., Low-VOC	\$77.53
Classic Gree	n Paint:	
TY25644	Classic Green, 12 oz., Regular	\$11.01
TY25655	Classic Green, 1 qt., Regular	\$24.01
TY25670	Classic Green, 1 gal., Regular	\$72.20
TY25827	Classic Green, 1 qt., Low-VOC	\$31.60
Ag & Turf Ye	llow Paint:	
TY25641	A&T Yellow, 12 oz., Regular	\$10.15
TY25645	A&T Yellow, 1 qt., Regular	\$21.61
TY25648	A&T Yellow, 1 gal., Regular	\$68.64
TY25634	A&T Yellow, 1 qt., Fast Dry	\$24.00
TY25667	A&T Yellow, 1 qt., Low-VOC	\$29.35





#### Oil Less Air Compressors

- High performance induction electric motor
- Quiet Technology Significantly quieter than John Deere gas powered air compressors
- 1-year limited warranty

NUMBER	DESCRIPTION	LIST
HR1-2Q	1.0-hp Electric Motor, 120-volt, 2.4 cfm @ 90 psi 2.5-U.S. gal. hand-carry model	\$225.00
HR1-20Q	1.5-hp Electric Motor, 120-volt, 4.0 cfm @ 90 psi 20-U.S. gal. portable model	\$375.00



#### Air Compressor Accessory Kit

The kit includes:

- (1) 25-foot air hose
- (1) Blow gun with rubber nozzle
- (1) Ball foot air chuck
- (3)  $^{1}/_{4}$ -in. plugs (2 male 1 female)
- (1) 1/4-in. coupler (female)



NUMBER	DESCRIPTION	LIST
AWJ-9301-AT02	Air Compressor Accessory – Custom Starter Kit	\$39.95



#### Air Compressors

- Splash-lubricated cast iron crankcase
- Cast-iron cylinder and housing
- Single- or two-stage pumps available
- Drain valves and pressure relief valve
- 2-year warranty on AC Series; 1-year warranty on HR Series

NUMBER	DESCRIPTION	LIST
HR1-5E	2.0-hp electric motor, 120-volt, 4.1 cfm @ 100 psi, 5-U.S. gal. hand carry model	\$ 465.00
HR1-20E	2.0-hp electric motor, 120-volt, 4.1 cfm @ 100 psi, 20-U.S. gal. portable model	\$ 544.00
PR1-8GM	John Deere Branded 212-cc engine, 7.5 cfm @ 100 psi 8-U.S. gal. portable model	\$ 819.00
PR2-8GM	John Deere Branded 300-cc Engine, 17.2 cfm @ 175 psi 8-U.S. gal. portable model	\$1,335.00
AC1-5GH*	Honda GX 118-cc engine, 4.4 cfm @ 100 psi, 5-U.S. gal. hand carry model	\$ 829.00
AC1-8GH*	Honda GX 196-cc engine, 13.1 cfm @ 100 psi, 8-U.S. gal. wheelbarrow model	\$1,029.00
AC2-8GH*	Honda GX 270-cc engine, 17.2 cfm @ 175 psi, 8-U.S. gal. wheelbarrow model	\$1,599.00
AC1-20GH*	Honda GX 196-cc engine, 13.1 cfm @ 100 psi 8-U.S. gal. portable model	\$1,219.00
AC2-20GH*	Honda GX 270-cc engine, 17.2 cfm @ 175 psi 20-U.S. gal. portable model	\$1,739.00
AC2-20GHS*	Honda GX 270-cc engine, 17.2 cfm @ 175 psi 20-U.S. gal. stationary model	\$1,699.00
AC2-30GMS*	John Deere Branded 420-cc engine, 29.0cfm @ 175 psi 30-U.S. gal. stationary model	\$2,159.00
AC2-30GHS*	Honda GX 389-cc engine, 29.0 cfm @ 175 psi, 30-U.S. gal. stationary model	\$2,659.00
AC2-30KDS*	Kohler OHV 9.1 HP diesel engine, 29.0 cfm @ 175 psi 30-U.S. gal. stationary model	\$4,699.00
AC2-80ES*	5.0-hp engine, 230-volt, 16.9 cfm @ 175 psi 80-U.S. gal. vertical stationary model	\$2,245.00

Purchase any AC-Series Air Compressor and Receive a FREE Air Accessory Kit and Angle Air Impact Wrench.\*

\*See insert coupon for details.

#### Air Hose & Air Hose Reels

- No memory, lays flat
- Kink resistant under pressure
- All-weather flexibility -40° to 60°C (-40° to 140°F)
- Maximum working pressure: 300 psi (20.6 bars)

Additional for AT-4803-J

Auto retract/latch hose mechanism

Additional for AT-4804-J

Unique winding system, hose coils smoothly

NUMBER	DESCRIPTION	LIST
AWJ-0015-0327	25-ft. Premium Hybrid Polymer Air Hose, 3/8-inch	\$ 29.95
AWJ-0015-0328	50-ft. Premium Hybrid Polymer Air Hose, 3/8-inch	\$ 52.60
AT-4803-J	50-ft. Retractable Hose Reel with Premium Hybrid Polymer Air Hose	\$149.00
AT-4804-J	50-ft. Professional Retractable Hose Reel with Premium Hybrid Polymer Air Hose	\$259.00





PR-G3600M



PR-G6000M



PR-G8000M-E

Purchase a PR-Series Portable Generator and Receive a FREE 50-Foot Extension Cord.\*

\*See insert coupon for details.

#### **Premium Series Generators**

The PR Series features 3600-, 6000-, and 8000-watt generators and are available with a John Deere-branded OHV engine with low-oil shutdown. All are CSA listed and come standard with engine on/off switch, fuel shut-off valve, and a 1-year limited warranty.

#### All PR Series models feature

- Total harmonic distortion (THD) less than 6%
- Copper and aluminum windings
- Easy-access and protected control panel with magnetic circuit breakers and GFCI-protected receptacles
- Large low-tone mufflers
- DC charging/battery charging
- Heavy-duty industrial air cleaners for extreme conditions
- 3600 RPM rated engine speed

#### 3600-watt model features

- 3000-watt continuous
- Recoil start engine
- 120V alternator
- 4.0-gallon fuel tank
- 8.5-hour run time @ full load

#### 6000-watt models feature

- 5500-watt continuous
- Recoil start engine
- 120V/240V alternator
- Automatic idle control
- 6.6-gallon fuel tank
- 6.5-hour run time @ full load
- Wheel kit with tires and rubber gripped handles

#### 8000-watt models feature

- 7000-watt continuous
- Electric start engine (battery included)
- 120V/240V alternator
- Automatic idle control
- 6.6-gallon fuel tank
- 6.0-hour run time @ full load
- Wheel kit with tires and rubber gripped handles

NUMBER	DESCRIPTION	LIST
PR-G3600M	3600 max watt portable generator; 212cc John Deere-branded OHV engine; 4.0-gallon fuel tank; 8.5-hour run time @ full load	\$ 559.00
PR-G6000M	6000 max watt portable generator; 389cc John Deere-branded OHV engine; 6.6-gallon fuel tank; 6.5-hour run time @ full load; idle control and wheel kit standard	\$ 899.00
PR-G8000M-E	8000 max watt portable generator; 420cc John Deere-branded OHV electric start engine; 6.6-gallon fuel tank; 6.0-hour run time @ full load; idle control and wheel kit standard	\$1,125.00





#### **Extension Cords**

When your old extension cords start to wear and crack, it's time to upgrade to a heavy-duty John Deere cord. They're light, flexible and resistant to flame, water, sunlight, tear, and punctures.

NUMBER	DESCRIPTION	LIST
ET-1101-J	50-ft. 16/3 SJEOOW, 300V, UL/OSHA	\$ 32.45
ET-1104-J	50-ft. 14/3 SJEOOW, 300V, UL/OSHA	\$ 45.30
ET-1107-J	50-ft. 12/3 SJEOOW, 300V, UL/OSHA	\$ 68.05
ET-1114-J	12/3 SJT Cord with Tri-connector Plug	\$202.95

#### 20-in. Hand-Carry Toolboxes

John Deere hand-carry toolboxes are tough and rugged, built of the highest-quality materials for long wear life and durability. Each offers a 1-year warranty.

NUMBER	DESCRIPTION	LIST
HR-20HB-1	20-in. Toolbox; powder-coat green finish	\$62.95
HR-20HB-2	20-in. Toolbox; powder-coat green finish with yellow lid	\$62.95



#### Road Box & Triangle Toolboxes

The John Deere Road Box features a reinforced security drop-front panel to protect tools from weather and theft. It also includes two bottom-skid rails for additional reinforcement and strength. The unique Triangle Toolboxes keep tools in place and secure in your pickup or Gator. Features include gas strut lid supports and weather stripping seal to protect against dust and moisture.

NUMBER	DESCRIPTION	LIST
AC-3615RB-G	36-in. Green Road Box with 5 Drawers	\$699.00
AC-3615RB-B	36-in. Black Road Box with 5 Drawers	\$699.00
AC-3015TB-G	30-in. Triangle Toolbox; green powder-coated, textured finish	\$489.00
AC-3015TB-B	30-in. Triangle Toolbox; black powder-coated, textured finish	\$489.00
AC-3617TB-G	36-in. Triangle Toolbox; green powder-coated, textured finish	\$645.00
AC-3617TB-B	36-in. Triangle Toolbox; black powder-coated, textured finish	\$645.00
AC-2313TB-G	23-in. Triangle Toolbox; green powder-coated, textured finish	\$418.00
AC-2313TB-B	23-in. Triangle Toolbox; black powder-coated, textured finish	\$418.00



AC-3617TB-G

#### **Tool Chests & Cabinets**

Keep your tools secure and organized with the John Deere Tool Chests and Cabinets. Powder-coated steel construction includes heavy-duty ball-bearing drawer slides with a load rating of 100 lbs. per pair. Unique raise-and-release drawer fronts keep drawers closed and secure. Tool Chests feature gas strut lid support, and cabinets include oversized polyurethane casters with a 2,000-lb. load rating.

NUMBER	DESCRIPTION	LIST
AC-4624CH-B	46-in. Tool Chest with 8 Drawers; 1,200-lb. load capacity	\$ 769.00
AC-4624CB-B	46-in. Tool Cabinet with 10 Drawers; 1,400-lb. load capacity	\$1,099.00
AC-4624CH-G	46-in. Tool Chest with 8 Drawers; 1,200-lb. load capacity	\$ 769.00
AC-4624CB-G	46-in. Tool Cabinet with 10 Drawers; 1,400-lb. load capacity	\$1,099.00
AC-5625CB-G	56-in. Tool Cabinet with 10 Drawers; 1,300-lb. load capacity with 1 ½-in. solid bamboo work surface, 24-in. depth	\$1,399.00
AC-5624H-G	56-in. Top Hutch with Shelf	\$ 515.00
AC-5625CH-G	56-in. Tool Chest with 8 Drawers; 800-lb. load capacity	\$ 969.00
AC-7224CB-G	72-in. Tool Cabinet with 15 Drawers; 1,600-lb. load capacity with 1 ½-in. stainless steel work surface, 24-in. depth	\$2,499.00
AC-7224H-G	72-in. Top Hutch with Shelf	\$ 729.00





HR-SMC185

#### Barbecue Grills

Best-selling Weber® grills from your John Deere dealer.

#### Hand Carry Q Grill

- 280-sq.-in. total cooking area
- Stainless-steel burner
- Optional stand/cart available

#### **Charcoal Kettle Grill**

HR-SMC185

- 363-sq.-in. total cooking area
- Porcelain-enameled bowl and lid

#### **Smokey Mountain Cooker Smoker**

- 481-sq.-in. total cooking area

Smoker with 2 cooking grates, 481-sq.-in. total cooking area

• (2) 18<sup>1</sup>/<sub>2</sub>-in. plated steel cooking grates • Porcelain-enameled bowl, lid, and water pan adds steam to the smoking process NUMBER DESCRIPTION LIST HR-LPQ2200 Hand-Carry Gas Grill, 280-sq.-in. total cooking area, 12,000 BTU \$269.00 HR-CGS225 Charcoal One-Touch Silver Kettle Grill, 363-sq.-in. total cooking area \$124.00

Purchase a John Deere

Grill, (Hand Carry LP Gas,

Charcoal, or Smoker), and

Receive A FREE 3-Piece

**Deluxe Grilling Set.\*** 

\*See insert coupon for details.

\$329.00



# John Deere—your hardware headquarters.

See your John Deere dealer for two easy, cost-saving ways to stock up on hardware for your farm and shop:

#### 1) Grab what you need and pay by the pound.

- Bolts
- Fender washers
- Wing nuts

- Plow bolts
- Flat washersLag screws
- Nylon nuts

- Carriage boltsLock washers
- Lag screwHex nuts
- And more!

#### 2) Customize your own hardware needs.

Make us your one-stop shop. See us today for great savings and added accessibility.




#### Customize your own Hardware Bins and Hardware

Keep your assortments even more organized with our sturdy storage bins. They're a great addition to any shop!

#### Preselected Hardware Assortments

English	Metric
Grade 5 hex, 1/4–1/2-in. dia.  Part No. PM15472  Sizes in assortment: 99  Metal bins included: 40- and 72-hole	Grade 8.8 hex, M6–M12 dia. Part No. PM15477 Sizes in assortment: 70 Metal bins included: 72-hole
Grade 5 hex, 5/8–3/4-in. dia.  Part No. PM15473  Sizes in assortment: 36  Metal bins included: 40-hole	Grade 8.8 hex, M16 dia. Part No. PM15478 Sizes in assortment: 19 Metal bins included: 40-hole
Grade 5 carriage, 1/4–1/2-in. dia. Part No. PM15474 Sizes in assortment: 36 Metal bins included: 40-hole	Grade 8.8 carriage, M6–M16 dia. Part No. PM15479 Sizes in assortment: 34 Metal bins included: 40-hole
Grade 8 hex, 1/4–1/2-in. dia.  Part No. PM15475  Sizes in assortment: 70  Metal bins included: 72-hole	Grade 10.9 fange, M6–M12 dia. Part No. PM15480 Sizes in assortment: 40 Metal bins included: 40-hole
Grade 8 hex, <sup>5</sup> / <sub>8</sub> – <sup>3</sup> / <sub>4</sub> -in. dia. Part No. PM15476 Sizes in assortment: 25 Metal bins included: 40-hole	Grade 10.9 hex, M6–M12 dia. Part No. PM15481 Sizes in assortment: 58 Metal bins included: 72-hole
	Grade 10.9 hex, M16–M20 dia. Part No. PM15482 Sizes in assortment: 32 Metal bins included: 40-hole

See us for pricing.





When you buy a safe, you're buying peace of mind. You want to know your valuables are protected. That's why we partner with America's #1 safe manufacturer: Liberty Safe.

Our Liberty Safes offer certified fire protection, UL-listed security, flexible interiors, and Liberty's exclusive military-style locking bar technology. And this year, we have brand new designs that let you show off your John Deere style.














\*12 month/unlimited hour warranty on new agricultural parts installed by an authorized John Deere Dealer. 6 month/unlimited hour warranty for all new John Deere agricultural and turf equipment parts. See John Deere Service Parts Warranty US & Canada and participation dealers for more details.

and participating dealers for more details.
\*\*Financing on approved John Deere Financial credit only. Contact your Multi-Use Account merchant or dealer for complete details.

JohnDeere.com/Parts

#### **OR CURRENT RESIDENT**

